

1	2	3	Σ

Assignment 3

(Abgabe am 2. November 2015)

Theoretical Assignment - *Equivalence of distance and similarity alignments*

Assume there are two sequences of length n and m , respectively. The length of an alignment between these two sequences is of length $n+m$. As it is written on the assignment following equation is valid:

$$n + m = 2 * M + \sum_k kg_k, \quad (1)$$

where M is the number of aligned characters. Since later one of our sequences is called a , we changed the latter a , which is used on the assignment sheet, to M .

Using this equation, we can write the distance of our two sequences (let us call them a and b) as

$$\begin{aligned} D(a, b) &= \min \left\{ \sum_M d(a, b) + \sum_k kg_k \right\} \\ &= \min \left\{ \sum_M c + \sum_k kg_k c / 2 - \sum_M s(a, b) + \sum_k \hat{\gamma}(k) g_k \right\} \\ &= \min \left\{ c(n + m) / 2 - \sum_M s(a, b) + \sum_k \hat{\gamma}(k) g_k \right\} \\ &= c(n + m) / 2 - \max \left\{ \sum_M s(a, b) - \sum_k \hat{\gamma}(k) g_k \right\} \\ &= c(n + m) / 2 - S(a, b) \end{aligned} \quad (2)$$

Solving for $S(a, b)$, we get:

$$S(a, b) = c(n + m) / 2 - D(a, b) \quad (3)$$

So one can see that the Score is optimal if and only if the Distance is optimal.

Practical Assignment - *Using BLAT to align 454 reads to the Helicobacter pylori genome*

Practical Assignment - *Bonus: Use SSAHA2 to align 535 reads to the Helicobacter pylori genome*