

Document Analysis Report

New Project — BR & Test Case Extraction

Date: March 2026

Files Overview

Document	Size	Business Requirements	Test Cases
Committed Feature List .doc	40 JIRA features	■ Acceptance Criteria	■■ Informal scenarios only
Uncommitted Feature List .doc	41 JIRA features	■ Acceptance Criteria	■■ Informal scenarios only
hAPPY tOWN REPORTS.xlsx	20 reports (rows 2–131)	■ Report specs	■ None
Incident Tickets ORD Town.xlsx	7 sheets, 41 field specs	■ Field/UI specs	■ None
Project Objective snippet.docx	2 sentences	■■ 2 lines only	■ None
POS upgrade.pptx	9 slides	■ Architecture only	■ None

Key finding: BRs are present in 4 of 6 files. Zero formal structured test cases (Step/Expected Result format) exist in any file. The JIRA .doc files contain high-level testing notes only.

Document 1 — 2026 PI1 Committed Feature List (JIRA .doc)

Source: JIRA HTML export | 40 committed features for 2026 PI1

BR Location: "Acceptance Criteria" section within each JIRA feature block. **Test Case Location:** "How Will We Test the Feature?" section — informal notes only, no Step/Expected format.

Feature ID	Title	Has BR	BR Example (Acceptance Criteria)	Has TC	Test Scenario Example
[BBMSA-14676]	Optimize Maximo Notification Due Clearing Rules	■ Yes	The following Notification Due clearing rules are disabled:	■■ Informal	Unit Testing: Developers will perform unit tests on individual code components to ensure the logic for disabling clearin...
[BBMSA-13511]	Maximo configuration for BMO WIPS (Phase 1)	■ Yes	WIPS wireless intrusion prevention system generate 2 new events for Honeypot and Rogue which creates a Maximo incident	■■ Informal	E2E, UAT / DVT
[BBMSA-13592]	BMO Incidents variation to create BMO Change - CR01	■ Yes	L2 should have the ability toÂ	■■ Informal	UAT, ORT (E2E/UAT/ORT for the BMO Change API feature is already tested -
[BBMSA-13274]	CR008 - Part 1:add offer in ADM catalog	■ Yes	Exclude From Release Notes:	■■ Informal	Please specify testing required (
[BBMSA-12255]	AGB - OC - Display "Last completed change" and "Change in im...	■ Yes	The 2 fields "last completed change" and "Change in implement" Â are displayed in OC's Incident Details page, under the ...	■■ Informal	Goose will do the testing during Dev
[BBMSA-14717]	66293 CR001 Via Rail Emergency changes and change management...	■ Yes	SLAâ■■s for the service groups and the Change management fee table needs to be aligned for MISN and Meraki service group...	■■ Informal	Please specify testing required (
[BBMSA-14395]	ITEL Partner B2B	■ Yes	Exclude From Release Notes:	■■ Informal	UAT, DVT/ORT
[BBMSA-13025]	McDonalds - CR8 Custom McDonald Catalog	■ Yes	Reorganisation of offering following file all will under existing customized catalog MCD	■■ Informal	test the new catalogue and validate regression of the datavalet API related it's corresponding offering Â
[BBMSA-13733]	GCNS SD-WAN - CR4: Security Clearance dispatch	■ Yes	Exclude From Release Notes:	■■ Informal	Details that could impact delivery
[BBMSA-14703]	SPACE â■■ AI-Assisted Pre/Post Command Comparison	■ Yes	Exclude From Release Notes:	■ None	—

Feature ID	Title	Has BR	BR Example (Acceptance Criteria)	Has TC	Test Scenario Example
[BBMSA-145 12]	Via Rail Canada Inc. Cap & perf impacts	■ Yes	A new dedicated dashboard is available in Bali for the Via Rail company (in Managed Services -> Metric Family Vie...	■■ Informal	Unable to reach the new devices
[BBMSA-143 24]	AGB - Stop NNT from getting pushed by CIBC automatic updates	■ Yes	The Notification Due value is not modified when the automated worklog gets added to the Incident.	■■ Informal	Please specify testing required (
[BBMSA-122 52]	AGB - OC - Ability to filter on empty Owner/Next notificatio...	■ Yes	Ability to filter on empty Owner for Shared and Personal lists. (Incidents only, not on the Activities Module)	■■ Informal	Goose will do the testing during Dev
[BBMSA-143 84]	02A - Auto Audit CMDB evo CR 3 - CI Specs audit with right d...	■ Yes	Business requirement for Specification section >> TOTPCCLIENT or spec with data type other than ALN:	■ None	—
[BBMSA-142 72]	PMN IM new service classification + mapping	■ Yes	Exclude From Release Notes:	■■ Informal	Please specify testing required (
[BBMSA-147 79]	AGB - Modify Device affecting CI mechanism to release CIs wh...	■ Yes	CIs suppressed via Device Affecting CI logic release at the completion of Implementation activity	■■ Informal	Devastators/Defenders to test Feature
[BBMSA-147 84]	BMO Tower MS - SDA & LAN - Maximo Attribute	■ Yes	Exclude From Release Notes:	■■ Informal	ORT testing.Â For UAT testing, Maximo team will complete.
[BBMSA-147 27]	DDoS Evolution - MACD catalog and Job plan updates post Bell...	■ Yes	Catalogs for EDGE DDoS and PNDDoS contain ONLY the offerings as listed below:	■■ Informal	UAT, DVT/ORT)
[BBMSA-143 06]	CR008 part 2 - add requirement for ADM catalog	■ Yes	Offer will be available under the right product for the right device selection and create the request in maximo with the ...	■■ Informal	with miipe test feature 1 and 2
[BBMSA-146 60]	Fortinet SDWAN - Modify job plans - Bell Cyber	■ Yes	AC 1:Â MACD's job plans are accurately reflected to align with Bell Cyber changes (see attachment)	■ None	—
[BBMSA-725 2]	Cascading Node Status Updates in SPACE	■ Yes	Exclude From Release Notes:	■ None	—
[BBMSA-149 84]	SÃ»reÃ© Du QuÃ©bec CR002 - Custom IPVPN SLA and Analance re...	■ Yes	All of the Zones have the proper SLA and SLO targets for MTTN and MTTR	■■ Informal	Details that could impact delivery
[BBMSA-150 69]	ARTM - SDWAN SLA Corrections - CR003	■ Yes	All custom SLA rules delivered in feature	■■ Informal	UAT and DVT

Feature ID	Title	Has BR	BR Example (Acceptance Criteria)	Has TC	Test Scenario Example
[BBMSA-15037]	JVN - CR033 -Streamlined SLA Hold Management for MCS (JVN) T...	■ Yes	Initial State â ■■ Never SLA held Ticket:	■■ Informal	Please specify testing required (
[BBMSA-15224]	Air Canada Inventory API Update CR10	■ Yes	Exclude From Release Notes:	■■ Informal	Please specify testing required (
[BBMSA-14752]	AGB - Auto Dispatch Guardrails (Power, HCLEARED, Global/Chil...	■ Yes	Exclude From Release Notes:	■■ Informal	Please specify testing required (
[BBMSA-15035]	Request Details persistent	■ Yes	field needs to be available in DB so that consolidator mais send it to ServiceNow	■ None	—
[BBMSA-15041]	AGB - A/D Data Direct Dispatch	■ Yes	Exclude From Release Notes:	■■ Informal	UAT, DVT/ORT
[BBMSA-13945]	AGB - Utility Power validation	■ None	—	■ None	—
[BBMSA-14538]	02A - Auto Audit CMDB evo CR 3 - New Audit Business Rules AL...	■ Yes	SPECIFICATION MODULE	■■ Informal	Please specify testing required (
[BBMSA-15133]	BMO CR022 55150 BMO API Integration - Status Update on MACD ...	■ Yes	We need to be able to bring back the following statuses to ASSESS in CR's that have been created via SR:	■■ Informal	Feature is required for the BMO change API delivery.
[BBMSA-14131]	New "Send To Service Now" flag	■ Yes	For CI field, can we make it editable from Maximo ui	■■ Informal	Laflamme, Michel
[BBMSA-14461]	CR02_Add/Change/Remove Bell Business Self Serve Centre User ...	■ Yes	"Add/Change/Remove Bell Business Self Serve Centre User ID" offering is visible in BBSSC for MIS services (MISN, MISW, M...	■■ Informal	Tested with OMNI testing team, supported by Chantal and Swetha for defect fix (
[BBMSA-14134]	CR01_Customer Performed Change Offering + Disconnect Status ...	■ Yes	Regarding offering "Customer-performed change"	■■ Informal	For "Customer performed change" refer use case -
[BBMSA-15129]	Via Rail - CR007 Incident Service Bridge Auto ticket closure	■ Yes	The mapping between Maximo and BBM Service now is accurate based on requirements	■■ Informal	E2E / UAT / DVT
[BBMSA-14379]	02A - Auto Audit CMDB evo CR 3 -Service Feature / CI Service	■ Yes	Feature review done & aligned Oct 16, 2025 with Stakeholder list mentioned below	■■ Informal	E2E Scenarios:
[BBMSA-14881]	BBMSA 2026 PI1 Defects / Support	■ Yes	Exclude From Release Notes:	■■ Informal	Please specify testing required (
[BBMSA-13590]	Dynamically associate Maximo tickets to Change directly	■ Yes	Exclude From Release Notes:	■ None	—

Feature ID	Title	Has BR	BR Example (Acceptance Criteria)	Has TC	Test Scenario Example
[BBMSA-15205]	Automatic Cable referral	■ Yes	Dispatch should sucessfully be created in clic automatically upon cable referral	■ None	—
[BBMSA-5899]	SASE(Palo Alto) - Day 2 MACD - Batch 1	■ Yes	Customer will be able to choose actions from a MCSG MACD catalog in BBSSC	■ None	—

Document 2 — 2026 PI1 Uncommitted Feature List (JIRA .doc)

Source: JIRA HTML export | 41 uncommitted features for 2026 PI1

Same structure as Committed list. BRs = Acceptance Criteria. Test info = informal notes only.

Feature ID	Title	Has BR	BR Example (Acceptance Criteria)	Has TC	Test Scenario Example
[BBMSA-15476]	SPOG-Emergency: Ability to display affected Client connectio...	■ Yes	Exclude From Release Notes:	■■ Informal	Please specify testing required (
[BBMSA-15212]	SPOG/NED- Support and Service Requests PI 1 2026	■ Yes	Exclude From Release Notes:	■■ Informal	Please specify testing required (
[BBMSA-15108]	UCAAS - Incident Milestone email template sent by SNOW	■ Yes	Test all templates are sent in french with correct format	■ None	—
[BBMSA-15081]	AGB - Site Contact access hours in OC - PH 1 Create New Inci...	■ Yes	When creating a new ticket, the ability to add access hours	■■ Informal	Please specify testing required (
[BBMSA-15067]	PMN-MS Get Well plan BALI work	■ Yes	Two aspects to test:	■■ Informal	In production:
[BBMSA-15029]	Meraki Hub-and-Spoke Latency Monitoring	■ Yes	1. Data collection	■■ Informal	Please specify testing required (
[BBMSA-14976]	AGB - GenAI Analysis Worklog & L2 Engagement	■ Yes	GenAI successfully generates a structured analysis worklog in Maximo/OC for BGP state change on CISCO for BMO	■■ Informal	ORT testing
[BBMSA-14909]	[BALI] Via Rail Canada Inc.- Strata Cloud API Solution for e...	■ Yes	Collecting all the Specific events from the Strata Cloud	■■ Informal	UAT and DVT
[BBMSA-14856]	Integration between Basic and Analance for Backup Success Re...	■ Yes	Basic successfully transmits backup success/failure data to Analance	■■ Informal	Details that could impact delivery
[BBMSA-14791]	PMN RTB - MS Alert Optimization: Rule Pausing	■ Yes	Story points estimation:	■■ Informal	UAT, DVT/ORT
[BBMSA-14786]	PMN RTB - MS Alert Optimization: Alarm Rules & Mapping	■ Yes	- Expose BATS endpoint to SCT	■■ Informal	Please specify testing required (
[BBMSA-14770]	SAC-UI Improvements	■ Yes	Exclude From Release Notes:	■■ Informal	Will deploy in UAT before pushing to production
[BBMSA-14749]	Resolution Comments suggestion	■ Yes	When a user wants to resolve an Incident or Activity, system generates a pre-written resolution comment.	■■ Informal	First step is that only users in oc-sa-preview-features would be able to test

Feature ID	Title	Has BR	BR Example (Acceptance Criteria)	Has TC	Test Scenario Example
[BBMSA-147 24]	CIBC ThousandEyes CR004 -Proactive Alarming and Incidents	■ Yes	Cisco ThousandEyes webhooks are received, mapped to VESf and enriched with their corresponding Maximo CI information	■ None	—
[BBMSA-146 96]	Near Real-Time Meraki VPN Connection Status Monitoring	■ Yes	Moved stories to	■ None	—
[BBMSA-146 38]	BMO - BTC 2.0	■ Yes	Exclude From Release Notes:	■■ Informal	Please specify testing required (
[BBMSA-146 13]	Desjardins - Device Temperature to Bali - part2	■ Yes	Temperature polling for each of the devices are functional	■■ Informal	UAT and DVT
[BBMSA-146 03]	Consolidator updates - missing attributes for ServiceNow syn...	■ Yes	Exclude From Release Notes:	■■ Informal	Sherriff, Mark
[BBMSA-144 55]	AGB - DevNetOps Ph2	■ Yes	Exclude From Release Notes:	■■ Informal	Leverage existing automation workflow pipelines (i.e. Stackstorm, Health Check)
[BBMSA-142 18]	Proactively monitor and raise incident tickets on Rogue Thre...	■ Yes	When updating the Maximo CI relations, missing CIs or discrepancies between the DNAC inventory and the Maximo CI invento...	■ None	—
[BBMSA-141 22]	AGB - [MF] identifier	■ Yes	In Maximo:Â If the	■■ Informal	DrStrange is not required for this feature. Will be tested by operations SME
[BBMSA-140 17]	CCAI Virtual Assistant BRS (primary) - CloudSE BFD state fro...	■ Yes	Exclude From Release Notes:	■■ Informal	Please specify testing required (
[BBMSA-137 97]	Alarming / Service-Assurance	■ Yes	Exclude From Release Notes:	■ None	—
[BBMSA-137 47]	Meraki Standardization Move UCA Meraki Channel adapter to ...	■ Yes	No meraki polling is done in UCA anymore.	■■ Informal	No test environment, testing will be done in Production.
[BBMSA-136 83]	SPOG - Migration to Vue.js3 (Ph2) - Incident Details Page Ph...	■ Yes	Page - Incident Details	■ None	—
[BBMSA-135 94]	BALI Improvements	■ Yes	Some small improvements to be assessed as PI4 candidate:	■■ Informal	Internal test from Bali team
[BBMSA-135 58]	Shared Services Canada - CCaaS process documentation	■ Yes	Customer file built	■■ Informal	In dedops with the business and developers.

Feature ID	Title	Has BR	BR Example (Acceptance Criteria)	Has TC	Test Scenario Example
[BBMSA-13491]	Consolidated Output Export for Multi-Device Commands	■ Yes	Exclude From Release Notes:	■ None	—
[BBMSA-13461]	BASIC Integration for Enhanced Backup of Ivanti & Effici...	■ Yes	Exclude From Release Notes:	■■ Informal	Automated Tests
[BBMSA-13300]	Forward the received syslogs to external systems	■ Yes	The received syslogs are forwarded to the destinations listed in the description	■ None	—
[BBMSA-13265]	VManage/SDWAN seeding (Phase 2 - Seeding with AAI and Maximo...	■ Yes	Have a merged inventory into BigQuery for SDWAN devices (merge between Maximo and AAI data)	■■ Informal	Here's an example:
[BBMSA-12902]	Air Canada CR06 - Change API - Standard Changes	■ Yes	Updated mapping is applied by Maximo and ESIDE to send to Air Canada	■■ Informal	If Air Canada submits any new Standard Templates for use, Bell will not select those until Bell has added these to Maxim...
[BBMSA-12781]	ServiceNow Integration - Ability to attach documents on Inci...	■ Yes	Exclude From Release Notes:	■ None	—
[BBMSA-11700]	SPOG - Migration to Vue.js3 (Ph2) - Change Details+New Page	■ Yes	Â CHANGE details	■ None	—
[BBMSA-11693]	SPOG - Migration to Vue.js3 (Ph2) - Task List & Task Pag...	■ Yes	As part of PHASE 2 of the VUE 2 js to Vue 3 js migration ,Â the legacy Task List Page consisting of the following compo...	■ None	—
[BBMSA-10955]	[Enabler][IPv6] Ability to receive and enrich events sent fr...	■ Yes	We can receive SNMP traps sent to IPv6 destination hosts	■ None	—
[BBMSA-10195]	RhPam to be decommissioned (MSO2A)	■ Yes	RhPam to be decommissioned at any point after IBM bought it (need to move all incident automation, alarm automation and ...	■ None	—
[BBMSA-9917]	Discover and populate device information to the correspondin...	■ Yes	The Maximo CIs' attributes are populated by the BDC	■ None	—
[BBMSA-7478]	Transpose SNMP traps alerting rules	■ Yes	The Spectrum SNMP traps alerting rules must all be configured in BATS	■ None	—
[BBMSA-7428]	GOA Incident Management - customer notification	■ Yes	Story points estimation:	■ None	—

Feature ID	Title	Has BR	BR Example (Acceptance Criteria)	Has TC	Test Scenario Example
[BBMSA-3523]	Health Check - Enhanced Script Execution History Comparison	■ Yes	Exclude From Release Notes:	■ None	—

Document 3 — hAPPY tOWN rEPORTS REQUIREMENTS.xlsx

Source: Excel spreadsheet | 2 sheets | BRs only — no test cases

Sheet 1: Report Req layout

BR Location: Each row = one report requirement. Key columns: Report Description (col E), Reports/Clause text (col F), Frequency (col I), Format (col R).

Row #	Report Name	BR Clause / Requirement Text	Frequency	Format
Row 2	Happy Town Monthly Chronic Problem Report	(222) The Contractor must provide a monthly report to Happy Inc for chronic problems that:	Monthly	CSV
Row 6	Happy Town Monthly Operational Status Report	(223) The Contractor must provide a monthly management report on operations status that includes:	Monthly	CSV
Row 19	Happy Town Monthly Gate Accounts Report	(224) The Contractor must provide a monthly report to Estatic inc that provides the following information for all User accounts:	Monthly	CSV
Row 32	Happy Town Monthly Gate Accounts Access Report	(225) The Contractor must provide a monthly report to Estatic inc that provides the following information for all User accounts and access b...	Monthly	CSV
Row 43	Happy Town Monthly Gate Info Report	(226) The Contractor must provide a monthly report to Estatic inc that provides the following information for each Happy Town Gate:	Monthly	CSV
Row 50	Happy Town Monthly Gate Performance Report	(227) The Contractor must provide a monthly report to Estatic inc that provides the following performance information for each Happy Town Ga...	Monthly	CSV
Row 57	Happy Town Monthly VPN Tunnel Info Report	(228) The Contractor must provide a monthly report to Estatic inc that provides the following information for each VPN Tunnel:	Monthly	CSV
Row 62	Happy Town Monthly Service Desk Activity Report	(229) The Contractor must provide a monthly report to Estatic inc in tabular and graphical format on Service Desk activity that includes:	Monthly	CSV
Row 79	Happy Town Weekly Change Management Report	(230) The Contractor must provide a weekly report to Estatic inc, which identifies all change activities to the Happy Town for the upcoming ...	Weekly	CSV
Row 80	Happy Town Daily User Access Report	(232) The Contractor must provide a daily report to Estatic inc that provides the following information for each failed User login attempt:	Daily	CSV
Row 85	Happy Town Daily Gate Info Report	(233) The Contractor must provide a daily report to Estatic inc that provides the following information for each Happy Town Gate:	Daily	CSV
Row 92	Happy Town Daily Gate Performance Report	(234) The Contractor must provide a daily report to Estatic inc that provides the following performance information for each Happy Town Gate...	Daily	CSV
Row 99	Happy Town Daily VPN Tunnel Info Report	(235) The Contractor must provide a daily report to Estatic inc that provides the following information for each VPN Tunnel:	Daily	CSV
Row 104	Happy Town Security Breaches Report	(236) The Contractor must provide an adhoc report to Estatic inc, by reporting period specified by Canada, on security breaches that include...	Ad-hoc	CSV

Row #	Report Name	BR Clause / Requirement Text	Frequency	Format
Row 109	Happy Town Privacy Breaches Report	(237) The Contractor must provide an adhoc report to Estatic inc, by reporting period specified by Canada, on privacy breaches that includes...	Ad-hoc	CSV
Row 113	Happy Town High Severity Incidents Report	(238) The Contractor must provide an adhoc report for all high severity Incidents that includes tracking and follow-up of outstanding items ...	Ad-hoc	CSV
Row 114	Happy Town Inventory Report	(239) The Contractor must provide to Estatic inc an adhoc inventory report of equipment implemented at Canada's sites for the Happy Town, wi...	Ad-hoc	CSV
Row 124	Happy Town Monthly Risk Register Report	(218) The Contractor must provide a monthly report on the risk treatment plan implementation activities.	Monthly	CSV
Row 125	Happy Town Monthly Contract Status Report	(219) The Contractor must provide a monthly report to Estatic inc on the status of the Contract that includes:	Monthly	CSV
Row 131	Happy Town Monthly SLA Report	(220) The Contractor must provide a monthly report to Estatic inc for each Service Level that includes:	Monthly	CSV

Sheet 2: Secure Rpt Req

BR Location: Rows 1–41 — defines what personal data each report must include.

Row #	Content
Row 1	Happy Town will produce a number of reports some monthly, others weekly and yet others daily . Reports identified below are those which have been identified as including, or potentially including, per...
Row 3	1.1 Happy Town Monthly Reports
Row 5	Happy Town Detailed Monthly User Report (227)
Row 6	· Inclusions:
Row 7	o User id;
Row 8	o department;
Row 9	o group within department;
Row 10	o Happy Town Gate id;
Row 11	o total bytes/packets in/out;
Row 12	o successful/failed connection attempts;
Row 13	o number of VPN Tunnels;
Row 14	o average/peak duration of VPN Tunnels;
Row 15	o average/peak bytes/packets per VPN Tunnel;
Row 16	o connect/disconnect timestamps;
Row 17	o number of lockouts; and

Document 4 — Incident Tickets ORD Town .xlsx

Source: Excel spreadsheet | 7 sheets | UI/functional BRs only — no test cases

Sheet: Notes

Row #	Content (BR)
Row 1	WLAN
Row 2	5.4.6.1 The Contractor must utilise a computerised Trouble Ticketing System to t...
Row 3	a) Ticket number;
Row 4	b) Date of the ticket;
Row 5	c) Name of the person reporting the incident;
Row 6	d) Client Department name and location of the incident;
Row 7	e) Name of the person receiving the monthly incident report;
Row 8	f) Description of the incident (minor, major or critical);
Row 9	g) Severity of the incident;
Row 10	h) Description of the incident resolution; and
Row 11	i) Time to restore.
Row 15	DLAN
Row 16	(166) The Incident Tickets must include, but not be limited to, and the Contract...
Row 17	a) Ticket number;
Row 18	b) Incident description;
Row 19	c) Incident originator (Contractor, Canada representative);
Row 20	d) related Incident Tickets;
Row 21	e) related Change Tickets;
Row 22	f) date and time stamp when Incident initiated;
Row 23	g) date and time stamp when Incident closed;
Row 24	h) Incident type (production, functional testing, performance testing, security,...
Row 25	specified by Canada;
Row 26	i) Incident severity;
Row 27	j) Incident status (i.e., open, closed, in progress, suspended, cancelled, etc.)...
Row 28	k) Canada's ticket number;
Row 29	l) Service function impacted;
Row 30	m) Service Desk contact to initiate ticket (name, telephone number and email add...
Row 31	n) Contractor's contact information (name, telephone number and email address);
Row 32	o) Client Organization/User identifier (as specified by Canada);
Row 33	p) Client Organization/User type (as specified by Canada);
Row 34	q) Client Organization/User language;
Row 35	r) Department's contact information (name, telephone number and email address);
Row 36	s) activity log including all actions taken by third parties;
Row 37	t) resolution description and cause;

Row #	Content (BR)
Row 38	u) outage time (for closed tickets only); and
Row 39	v) date and time stamp when ticket last updated.

Sheet: Menu Items

Row #	Content (BR)
Row 1	Menu Item Notes
Row 2	1st Level EN 1st Level FR
Row 3	Incident Management Billets Opens Menu 2nd Level
Row 4	2nd Level EN 2nd Level FR
Row 5	Search Formulaire de recherche Search Form

Sheet: Incident Record

Row #	Content (BR)
Row 1	Field Label EN Field Label FR Notes ITSM Form Field mapping
Row 2	Details (Détails) <TAB 1 start here>
Row 3	Ticket Number No du billet <custom> (L= 16 always prefaced by INC)) Incident_Number_HPD
Row 4	Canada Ticket Number No du billet Canada textbox (L= 50) External_Ticket_Number
Row 5	Status Statut drop down (values from ITSM) (L= L=20) Status
Row 6	Severity Sévérité drop down values from ITSM (L= 20) Incident_Severity
Row 7	Priority Priorité drop down (L= values from ITSM) (L= 20) Priority*_HPD
Row 8	Type Type drop down values from ITSM (L= 20) Categorization Tier 1_HPD
Row 9	Summary Sommaire textbox (L= 100) Description_HPD
Row 10	Description Description textbox (L= unlimited) use scroll bars past 100 Notes_HPD
Row 11	Resolution Résolution textbox (L= unlimited) use scroll bars past 100 Resolution_HPD
Row 12	Service Affected Service touché drop down (values from ITSM) ServiceCI_HPD
Row 13	Department Département CI has 0 to many departments? (L= 60) Department_IMP
Row 14	Tracking (Surveillance)
Row 15	Originator Créateur person originating ticket from SSC (L= 100) CustomerInfo
Row 16	Reported Signalé le date:time (L= ITSM format?) mm/dd/yyyy hh:mm:ss or possible epoch time Submit_Date_HPD
Row 17	Initiated Présenté le date:time (L= ITSM format?) mm/dd/yyyy hh:mm:ss or possible epoch time Reported_Date_HPD
Row 18	Resolved Rétabli le date:time (L= ITSM format?) mm/dd/yyyy hh:mm:ss or possible epoch time Incident_Resolved_Time
Row 19	Closed Fermé le date:time (L= ITSM format?) mm/dd/yyyy hh:mm:ss or possible epoch time Closed_Date
Row 20	Updated Date de modification date:time (L= ITSM format?) mm/dd/yyyy hh:mm:ss or possible epoch time Last_Modified_Date_HPD
Row 21	Outage Start Début de la panne date:time (L= ITSM format?) mm/dd/yyyy hh:mm:ss or possible epoch time Actual_Start_Date
Row 22	Outage End Fin de la panne date:time (L= ITSM format?) mm/dd/yyyy hh:mm:ss or possible epoch time Actual_End_Date

Row #	Content (BR)
Row 23	Outage Time Durée de la panne date:time (L= ITSM format?) mm/dd/yyyy hh:mm:ss or possible epoch time Actual_Duration_Seconds
Row 24	OrG Chart Contact Information
Row 25	Ottawa Service Desk Toll Free: (866) 520-4278 OrG Charthd@OrG Chart.ca Bureau de service Ottawa Numéro sans frais (866) 520-4278 OrG Charthd@OrG Chart... hardcoded - quesiton out to validate the contact information to Bill
Row 26	Devices (FR?) <TAB 2 start here>
Row 27	Device(s) Dispositif zero to many devices - hyperlink device to inventory record (L= 254) HPD_CI_HPDPD
Row 28	Department Département each device has a department CI has 0 to many departments? (L= 60) Department_IMP
Row 29	Device Location Location de dispositif each device has a device site aggregate fields below ito a single field - hyperl... cSDP
Row 30	Related Items (Billets reliés)<TAB 3 start here>
Row 31	Type Type text 60 RequestType01_HPDPD
Row 32	Ticket Number No du billet OrG Chart zero to many associated tickets - hyperlinked to record <custom> (... RequestID02_HPDPD
Row 33	Association Type Type d'association text 60 AssociationType01_HPDPD
Row 34	Activity Log (Registre des activités)<TAB 4 start here>
Row 35	Type Type selection field (L= 40) WorkInfoType_WLGPD
Row 36	Notes Détails text (L= unlimited) Notes_WLGPD
Row 37	Created Temps inscrit Timestamp of the worklog entry SubmitDate_WLGPD
Row 38	Created by Crée par Creator of the worklog entry Submitter_WLGPD
Row 39	Attachments
Row 40	Filename Nom de fichier files that have been attached to an incident - can be 0 or many field length = 2... z2AF Work Log01, z2AF Work Log02, or z2AF Work Log03
Row 41	Size Largeur size of each attached file (L= 255) See above

Sheet: Search Form

Row #	Content (BR)
Row 1	Field Label EN Field Label FR Notes Searchable fields
Row 2	Details (Détails)
Row 3	Ticket Number No du billet <custom> (L= 16 always prefaced by INC)) y
Row 4	Canada Ticket Number No du billet Canada textbox (L= 50) y
Row 5	Status Statut drop down (values from ITSM) (L= L=20) y
Row 6	Severity Sévérité drop down values from ITSM (L= 20) y
Row 7	Priority Priorité drop down (L= values from ITSM) (L= 20) y
Row 8	Type Type drop down values from ITSM (L= 20) y
Row 9	Summary Sommaire textbox (L= 100) y
Row 10	Description Description textbox (L= unlimited) use scroll bars past 100 y
Row 11	Resolution Résolution textbox (L= unlimited) use scroll bars past 100 y
Row 12	Service Affected Service touché drop down (values from ITSM) y

Row #	Content (BR)
Row 13	Department Département pick list - CI has 0 to many departments? (L= 60) y
Row 14	Tracking (Surveillance)
Row 15	Originator Créateur textbox (L= 100) y
Row 16	Reported Signalé le date:time (L= ITSM format?) mm/dd/yyyy hh:mm:ss or possible epoch time y
Row 17	Initiated Présenté le date:time (L= ITSM format?) mm/dd/yyyy hh:mm:ss or possible epoch time y
Row 18	Resolved Rétabli le date:time (L= ITSM format?) mm/dd/yyyy hh:mm:ss or possible epoch time n
Row 19	Closed Fermé le date:time (L= ITSM format?) mm/dd/yyyy hh:mm:ss or possible epoch time y
Row 20	Last Updated Date de modification date:time (L= ITSM format?) mm/dd/yyyy hh:mm:ss or possible epoch time y
Row 21	Outage Start Début de la panne date:time (L= ITSM format?) mm/dd/yyyy hh:mm:ss or possible epoch time y
Row 22	Outage End Fin de la panne date:time (L= ITSM format?) mm/dd/yyyy hh:mm:ss or possible epoch time y
Row 23	Outage Time Durée de la panne date:time (L= ITSM format?) mm/dd/yyyy hh:mm:ss or possible epoch time y
Row 24	Devices
Row 25	Device(s) Dispositif zero to many devices - textbox (L= 254) y
Row 26	Department Département impacted area y
Row 27	Device Location Location de dispositif each device has a department - textbox (L= 60) y
Row 29	page results to fit GUI layout
Row 30	User can request that the result set be exported to Excel (or equivalent) file t...
Row 31	User can choose to "Save" the configuration they have created - with a name Doin...

Sheet: Workflow

Row #	Content (BR)
Row 1	from the incident record screen a user can:
Row 2	add an activity log
Row 3	upload a file
Row 5	<next step... develop Incident record screen to develop workflows>

Sheet: Notifications

Row #	Content (BR)
Row 1	Client notifications are handled by the ITSM
Row 2	is there a notification required for worklog updated or file uploaded?
Row 3	Not to the client. However, if a client does create a worklog and the incident ...

Sheet: Search Field types (general)

Row #	Content (BR)
Row 1	Search Field types
Row 2	field type widget type search operation value
Row 3	boolean dropdown is equal to T, F, blank
Row 4	phone number phone number masked textbox contains, begins with, exact match <entered value>

Row #	Content (BR)
Row 5	text textbox contains, begins with, exact match <entered value>
Row 6	date calendar exact, earlier than, later than, between yyyy-mm-dd-hh-mm-ss
Row 7	integer textbox equal, greater than, less than, not equal to, between <entered value>
Row 8	currency currency equal, greater than, less than, not equal to, between <entered value>
Row 9	look up / cross reference / primary key dropdown equal to <selected value>
Row 10	pick list pick list includes, does not include selected value

Document 5 — Project Objective Sample 3 snippet .docx

Source: Word document | 2 sentences | Project context only — not a requirements document

Paragraph 1: Project Objective

Paragraph 3: Solution will address jobs on entry and use test result, test result history, and job history to better optimize a job and perform job coordination in a more effective manner.

Paragraph 5: 90 day history of job and tests will be taken into account to determine the next best action, job duration time and whether multiple technicians should be dispatched because the customer is having a re-occurring or persistent issue.

■ ■ No BRs. No Test Cases. This is a project objective snippet only.

Document 6 — POS upgrade Requirement sample.pptx

Source: PowerPoint | 9 slides | Technical architecture diagrams — no BRs, no test cases

Slide	Content
Slide 1	(no text)
Slide 2	Highlights of the Project Transmission file format is as per CMO format and standards....
Slide 3	POS Data created from T LOG with 97 String for encrypted cre... POSP015 POSP015CP
Slide 4	Host IFS (Nu bridge decryption) Used by EODBPOPCCI,EODBPOPCC... POSP015 POSP015CP
Slide 5	Modified Report for Access / Visa Transactions
Slide 6	Modified Report for Switch Transactions
Slide 7	New report of Error transactions failed for Swipe indication...
Slide 8	Settlement file
Slide 9	New / Modified Objects

■ No BRs. No Test Cases. Contains technical POS job flow diagrams only.

Final Summary

Document	BR Location	Business Requirements	Test Cases
Committed Feature List .doc	JIRA feature block (per feature)	40 features with Acceptance Criteria	■■ Informal test notes only (no Step/Expected format)
Uncommitted Feature List .doc	JIRA feature block (per feature)	41 features with Acceptance Criteria	■■ Informal test notes only (no Step/Expected format)
hAPPY tOWN REPORTS.xlsx	Sheet 1: rows 2–131 Sheet 2: rows 1–41	20 report specifications with contract clauses	■ Not present
Incident Tickets ORD Town.xlsx	7 sheets Rows 2–41 per sheet	UI field specs, search form, workflow, notification rules	■ Not present
Project Objective snippet.docx	Full document (2 sentences)	■■ 2-line objective only	■ Not present
POS upgrade.pptx	Slides 2–9	■ Architecture diagrams only	■ Not present

Conclusion: Business Requirements are present in 4 of 6 documents. No formal structured test cases exist anywhere in the provided files. The JIRA .doc files contain high-level testing notes (E2E/UAT/DVT type mentions) but none follow a structured Step → Expected Result format. To run the current pipeline, the .xlsx and .doc files need to be converted to PDF first.