

STEP 1 — Opening Our Project


Using our previous project (**lab6_app**) in **Visual Studio Code**

STEP 2 — Replace main.dart


Opening:

lib/main.dart

Deleting everything and paste **FINAL LAB 7 CODE**



```
lib > main.dart > ListScreen
21 class HomeScreen extends StatelessWidget {
23   Widget build(BuildContext context) {
3   void main() {
4     runApp(MyApp());
5   }
6
7 class MyApp extends StatelessWidget {
8   @override
9   Widget build(BuildContext context) {
10    return MaterialApp(
11      debugShowCheckedModeBanner: false,
12      home: HomeScreen(),
13    ); // MaterialApp
14  }
15 }
16
17 ///////////////////////////////////////////////////
18 // HOME SCREEN WITH DRAWER
19 ///////////////////////////////////////////////////
20
21 class HomeScreen extends StatelessWidget {
22   @override
23   Widget build(BuildContext context) {
24     return Scaffold(
25       appBar: AppBar(title: Text("Home")),
26
27       drawer: Drawer(
28         child: ListView(
29           children: [
```



```
31 DrawerHeader(
32   decoration: BoxDecoration(color: Colors.blue),
33   child: Text("My App", style: TextStyle(color: Colors.white, fontSize: 24)),
34 ), // DrawerHeader
35
36 ListTile(
37   title: Text("Login Screen"),
38   onTap: () {
39     Navigator.push(
40       context,
41       MaterialPageRoute(builder: (context) => LoginScreen()),
42     );
43   },
44 ), // ListTile
```

```
56      ],
57    ), // ListView
58  ), // Drawer
59
60  body: Center(
61    child: Text("Welcome to Lab 7 App"),
62  ), // Center
63 ); // Scaffold
64 }
65
66
67 // LOGIN SCREEN
68 // LOGIN SCREEN
69 // LOGIN SCREEN
70
71 class LoginScreen extends StatelessWidget {
72   @override
73   Widget build(BuildContext context) {
74     return Scaffold(
75       appBar: AppBar(title: Text("Login")),
76       body: Padding(
77         padding: EdgeInsets.all(20),
```


```
80     child: Column(
81       mainAxisAlignment: MainAxisAlignment.center,
82       children: [
83
84         TextField(decoration: InputDecoration(labelText: "Email")),
85         TextField(decoration: InputDecoration(labelText: "Password"), obscureText: true),
86
87         SizedBox(height: 20),
88
89         ElevatedButton(
90           onPressed: () {},
91           child: Text("Login"),
92         ), // ElevatedButton
93
94         SizedBox(height: 20),
95
96         RichText(
97           text: TextSpan(
98             text: "Don't have an account? ",
99             style: TextStyle(color: Colors.black),
100             children: [
101               TextSpan(
102                 text: "Sign Up",
103                 style: TextStyle(color: Colors.blue),
104               ), // TextSpan
105             ],
```

```
106           ), // TextSpan
107         ), // RichText
108       ],
109     ), // Column
110   ), // Padding
111 ); // Scaffold
112 }
113
114 // LIST SCREEN
115 // LIST SCREEN
116 // LIST SCREEN
117 // LIST SCREEN
118 // LIST SCREEN
119
120 class ListScreen extends StatelessWidget {
121   final List<String> items = [
122     "Profile",
123     "Settings",
124     "Notifications",
125     "Messages",
126     "Logout"
127   ];
```



STEP 3 — Run App

Flutter run -d chrome



Result Shown In Pictures Below

