

Nutrition Assessment Survey - Healthy Eating Index, Double Burden of Malnutrition and BMI

Consent

Please read before continuing: The information collected in this survey will be used only for academic research on healthy eating, double burden of malnutrition, and BMI
C0. I have read the information above and agree to participate * - No [0]; Yes [1]

A. Sociodemographic

A1. Name * - open value
email. Email * - open value
A2. Age (completed years) (years) * - open value
A3. Sex * - Male [0]; Female [1]; Other [2]
A4. Religion - Islam [0]; Hinduism [1]; Christian [2]; Buddhism [3]; Other [4]
A5. Occupation - Student [1]; Service [2]; Business [3]; Unemployed [4]; Other [5]; Homemaker [6]; Labour [7]; Agriculture [8]
A6. Personal monthly income (BDT) - None [0]; <=10k [1]; 10,001-20k [2]; 20,001-40k [3]; >40k [4]
A7. Marital status - Unmarried [1]; Married [2]; Divorced/separated [3]; Widowed [4]
A8. Education - None [0]; Primary [1]; SSC [2]; HSC [3]; Graduate [4]; Postgraduate [5]
A9. Family size (persons) - open value
A10. Total monthly family income (BDT) - <=10k [0]; 10,001-20k [1]; 20,001-40k [2]; >40k [3]
A11. Family type - Nuclear [0]; Joint/extended [1]
A12. Food insecurity, past 4 weeks - Absent [0]; Present [1]
A13. Residence - Rural [0]; Urban [1]; Semi-urban [2]; Slum [3]
A14. Smoking status - Never [0]; Former [1]; Current [2]
A15. If biologically applicable, currently - Neither [0]; Pregnant [1]; Lactating [2]; N/A [9]

B. Anthropometry and BMI

B1. Height (ft + inch) * - open value
B2. Weight (kg) * - open value
B4. Energy requirement (kcal/day) - open value
B5. Energy intake (kcal/day) - open value
B6. Waist circumference (cm) - open value
B7. Mid-upper arm circumference (cm) - open value
B8. Blood pressure (mmHg) - open value

C. HEI Food-Group Consumption

C1. Unintentional weight loss, past 3-6 months - No [0]; Yes [1]
C2. Days in past 7 eating whole fruits, not juice (/7) - open value
C3. Servings of 100% fruit juice per day (servings/day) - open value
C4. Days in past 7 eating non-starchy vegetables (/7) - open value
C5. Dark green leafy vegetables - Never [0]; 1-2 days/week [1]; 3-4 days/week [2]; 5-6 days/week [3]; Daily [4]; Don't know [9]
C6. Cooked dried beans, lentils or peas - Never [0]; 1-2 days/week [1]; 3-4 days/week [2]; 5-6 days/week [3]; Daily [4]; Don't know [9]
C7. Whole grains: brown rice, oats, millet - Never [0]; 1-2 days/week [1]; 3-4 days/week [2]; 5-6 days/week [3]; Daily [4]; Don't know [9]
C8. Refined grains: white rice/bread, biscuits - Never [0]; 1-2 days/week [1]; 3-4 days/week [2]; 5-6 days/week [3]; Daily [4]; Don't know [9]
C9. Dairy: milk, yoghurt, cheese - Never [0]; 1-2 days/week [1]; 3-4 days/week [2]; 5-6 days/week [3]; Daily [4]; Don't know [9]
C10. Lean protein: chicken, fish, eggs, tofu - Never [0]; 1-2 days/week [1]; 3-4 days/week [2]; 5-6 days/week [3]; Daily [4]; Don't know [9]
C11. Processed/preserved meat: sausage, canned - Never [0]; 1-2 days/week [1]; 3-4 days/week [2]; 5-6 days/week [3]; Daily [4]; Don't know [9]

D. HEI Fats, Sodium and Sugars

D1. Primary cooking fat/oil - Soy [0]; Mustard [1]; Palm [2]; Rice bran [3]; Ghee/butter [4]; Other [5]
D2. Deep-fried foods - Never [0]; 1-2 days/week [1]; 3-4 days/week [2]; 5-6 days/week [3]; Daily [4]; Don't know [9]
D3. Fast food / commercial processed meals - Never [0]; 1-2 days/week [1]; 3-4 days/week [2]; 5-6 days/week [3]; Daily [4]; Don't know [9]
D4. Adds extra salt at table or cooking - Never [0]; 1-2 days/week [1]; 3-4 days/week [2]; 5-6 days/week [3]; Daily [4]; Don't know [9]
D5. Sugar-sweetened beverages - Never [0]; 1-2 days/week [1]; 3-4 days/week [2]; 5-6 days/week [3]; Daily [4]; Don't know [9]
D6. Sweets, cakes, pastries or confectionery - Never [0]; 1-2 days/week [1]; 3-4 days/week [2]; 5-6 days/week [3]; Daily [4]; Don't know [9]
D7. Nuts, seeds or nut butters - Never [0]; 1-2 days/week [1]; 3-4 days/week [2]; 5-6 days/week [3]; Daily [4]; Don't know [9]
D8. Fatty fish: hilsa, mackerel, sardine - Never [0]; 1-2 days/week [1]; 3-4 days/week [2]; 5-6 days/week [3]; Daily [4]; Don't know [9]
D9. Reads nutrition/ingredient labels - Never [0]; Sometimes [1]; Usually [2]; N/A [9]

E. FANTA/FAO Dietary Diversity - 24h Recall

Ask for all foods/drinks eaten yesterday; probe mixed-dish ingredients. This is dietary diversity, not HEI scoring.
E1. Cereals: rice, wheat/atta, maize, bread, noodles * - No [0]; Yes [1]
E2. White roots and tubers: potato, white yam/cassava, taro * - No [0]; Yes [1]
E3. Vitamin A-rich vegetables/tubers: pumpkin, carrot, orange sweet potato * - No [0]; Yes [1]
E4. Dark green leafy vegetables: spinach, amaranth, mustard/moringa * - No [0]; Yes [1]
E5. Other vegetables: tomato, onion, eggplant, cabbage * - No [0]; Yes [1]
E6. Vitamin A-rich fruits: ripe mango/papaya, cantaloupe * - No [0]; Yes [1]
E7. Other fruits: banana, apple, guava, citrus * - No [0]; Yes [1]
E8. Organ meat: liver, kidney, heart, other offal * - No [0]; Yes [1]
E9. Flesh meat: beef, mutton/goat, chicken, duck * - No [0]; Yes [1]
E10. Eggs: chicken, duck, quail or other eggs * - No [0]; Yes

E11. Fish and seafood: fresh/dried fish, shrimp, crab * - No [0]; Yes [1]
E12. Legumes, nuts and seeds: dal, lentils, beans, chickpeas, peanuts * - No [0]; Yes [1]
E13. Milk and milk products: milk, yoghurt, cheese, excluding milk in tea * - No [0]; Yes [1]
E14. Oils and fats: oil, ghee, butter used in cooking * - No [0]; Yes [1]
E15. Sweets: sugar/honey, sweets, cake, sweet drinks * - No [0]; Yes [1]
E16. Spices, condiments and beverages: spices, sauces, tea/coffee, alcohol * - No [0]; Yes [1]

F. Meal Patterns and Eating Behaviours

F1. Main meals/day - 1 [1]; 2 [2]; 3 [3]; >=4 [4]
F2. Eats breakfast within 2h of waking - No [0]; Yes [1]
F3. Days/week skips at least one main meal (/7) - open value
F4. Home-cooked vs outside food - Mostly home [0]; Equal [1]; Mostly outside [2]
F5. Access to clean, safe drinking water - No [0]; Yes [1]
F6. Plain water consumed daily (cups/day) - open value
F7. Prescribed/self-selected diet pattern - Vegetarian; Low-salt; Diabetic; Weight-loss; Other
F8. Late-night meals/snacks after 9 PM - Never [0]; 1-2 days/week [1]; 3-4 days/week [2]; 5-6 days/week [3]; Daily [4]
F9. Snacks between main meals - Never [0]; 1-2 days/week [1]; 3-4 days/week [2]; 5-6 days/week [3]; Daily [4]

G. Double Burden of Malnutrition

G1. Previously diagnosed undernutrition / PEM / wasting - No [0]; Yes [1]; Don't know [9]
G2. Ever diagnosed micronutrient-deficiency anaemia - No [0]; Yes [1]; Don't know [9]
G3. Significant fatigue, weakness, poor wound healing - No [0]; Yes [1]; Don't know [9]
G4. Current/history food insecurity - No [0]; Yes [1]; Don't know [9]
G5. Adequate dietary protein, assessor estimate - Inadequate [0]; Adequate [1]; Unclear [9]
G6. Clinically diagnosed Type 2 diabetes - No [0]; Yes [1]; Don't know [9]
G7. Diagnosed hypertension (BP >=140/90) - No [0]; Yes [1]; Don't know [9]
G8. Current/prior cardiovascular disease - No [0]; Yes [1]; Don't know [9]
G9. Feels consumes more calories than needed - Never [0]; Sometimes [1]; Often [2]; Don't know [9]
G10. Takes medicine for diabetes/hypertension/lipids - No [0]; Yes [1]
G11. Other diagnosed condition affecting diet/weight - No [0]; Yes [1]

H. Physical Activity and Sedentary Behaviour

H1_days. Days/week moderate-intensity activity (/7) - open value
H1_minutes. Average moderate activity minutes/day (min/day) - open value
H2_days. Days/week vigorous-intensity activity (/7) - open value
H2_minutes. Average vigorous activity minutes/day (min/day) - open value
H3. Typical sitting/reclining time while awake (hours/day) - open value

X. Field Enumerator Checks

X1. Interview language - Bangla [0]; English [1]; Other [2]
X2. Recall day unusual: feast, fasting, illness, travel - No [0]; Yes [1]
X3. Form complete and reviewed - No [0]; Yes [1]

I. Psychosocial and Mental-Health Factors

I1. Felt down, depressed or hopeless, past 2 weeks - Not at all [0]; Several days [1]; >half the days [2]; Nearly every day [3]
I2. Felt nervous, anxious or on edge, past 2 weeks - Not at all [0]; Several days [1]; >half the days [2]; Nearly every day [3]
I3. Overall stress, past month - None [0]; Low [1]; Moderate [2]; High [3]; Very high [4]
I4. Eats more than planned when stressed/upset - No [0]; Sometimes [1]; Yes [2]
I5. Positive relationship with food - No [0]; Sometimes [1]; Yes [2]
I6. Sleep per night (hours) - open value

J. Nutrition Knowledge, Attitudes and Self-Efficacy

J1. I understand what a balanced diet means and which food groups should be included. - Strongly disagree [1]; Disagree [2]; Neutral [3]; Agree [4]; Strongly agree [5]
J2. I know the recommended daily servings of fruits and vegetables for an adult. - Strongly disagree [1]; Disagree [2]; Neutral [3]; Agree [4]; Strongly agree [5]
J3. I can identify foods high in saturated fat, added sugar or sodium on a label. - Strongly disagree [1]; Disagree [2]; Neutral [3]; Agree [4]; Strongly agree [5]
J4. I understand the link between poor diet and chronic diseases like diabetes/heart disease. - Strongly disagree [1]; Disagree [2]; Neutral [3]; Agree [4]; Strongly agree [5]
J5. Good nutrition is a priority for me compared with other aspects of daily life. - Strongly disagree [1]; Disagree [2]; Neutral [3]; Agree [4]; Strongly agree [5]

Notes and Office Scoring

notes. Enumerator / assessor comments - open text
heiScore. HEI score, manual office scoring only (/100) - open value

