







```
<?php
include('Config.php');

if(isset($_POST['masuk'])){
    // $id = $_POST['id'];
    $nama_tempat = $_POST['inputnama'];
    $lokasi = $_POST['inputemail'];
    $harga = $_POST['inputnohp'];
    $tanggal = $_POST['inputkatasandi'];
    // $konsandi = $_POST['inputkonkatasandi'];
    // $tag = implode(', ', $_POST['tag']);
    // $gambar = $_POST['gambar'];

    // $query = "UPDATE user SET nama='$inputnama',
email='$inputemail','nomer hp'=$inputnohp, 'password'='$inputkatasandi' ";
    // $update = mysqli_query($conn, $query);
    $query = "INSERT INTO user (nama, email, no_hp, password) VALUES
('$nama', '$email', '$nomerhp', '$sandi')";
    $insert = mysqli_query($conn, $query);
    header('Location: Login.php');
}
?>
```

```
<!doctype html>
<html lang="en">
<head>
    <!-- Required meta tags -->
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
```

```

    <!-- Bootstrap CSS -->
    <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
1BmE4kWBq78iYhF1dvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqyl2QvZ6jIW3"
crossorigin="anonymous">

    <title>Bookings.com</title>
</head>
<body>
    <nav class="navbar navbar-expand-lg sticky-top navbar-light"
style="background-color:#8bc9f7;">
        <div class="container">
            <a class="navbar-brand" href="#">
                <h6><b>EAD Travel</b></h6>
            </a>
            <div class="navbar-nav">
                <div class="nav-item">
                    <a class="nav-link" href=""><i class="fas fa-shopping-
cart"></i></a>
                </div>
                <div class="nav-item dropdown">
                    <a class="nav-link dropdown-toggle" href="#"
id="navbarDropdown" role="button" data-bs-toggle="dropdown" aria-
expanded="false">
                        Lorem ipsum dolor
                    </a>
                    <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
                        <li><a class="dropdown-item"
href="Profile.php">Profile</a></li>
                        <li><hr class="dropdown-divider"></li>
                        <li><a class="dropdown-item"
href="Login.php">Logout</a></li>
                    </ul>
                </div>
            </div>
        </div>
    </nav>

    <div class="container" style="width:75%; background-color:white; margin-
top:20px">
    <div class="container" style="text-align:center">
    <br>
    <table class="table table-striped">
    <thead>

```

```
<tr>
  <th scope="col">nomer</th>
  <th scope="col">nama tempat</th>
  <th scope="col">lokasi</th>
  <th scope="col">tanggal</th>
  <th scope="col">harga</th>
  <th scope="col">aksi</th>
</tr>
</thead>
<tbody>
  <tr>
    <th scope="row">1</th>
    <td colspan="2"></td>
    <td></td>
    <td></td>
    <td></td>
  </tr>
  <tr>
    <th scope="row">2</th>
    <td colspan="2"></td>
    <td></td>
    <td></td>
    <td></td>
  </tr>
  <tr>
    <th scope="row">3</th>
    <td colspan="2"></td>
    <td colspan="2"></td>
    <td></td>
  </tr>
  <tr>
    <th scope="row">4</th>
    <td colspan="2"></td>
    <td></td>
  </tr>
  <tr>
    <th scope="row">5</th>
    <td colspan="2"></td>
    <td colspan="2"></td>
    <td></td>
  </tr>
</tbody>
</table>
</div>
</div>
</nav>
```

```

    <footer style="margin-top: 100px">
        <div style="background-color:#8bc9f7; text-align:center; padding:6px;
padding-top:16px">
            <p>©2021 Copyright <a href="" data-bs-toggle="modal" data-bs-
target="#modal">RIFQI_1202190250</a></p>
        </div>
    </footer>

    <!-- Optional JavaScript; choose one of the two! -->

    <!-- Option 1: Bootstrap Bundle with Popper -->
    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle.min
.js" integrity="sha384-
ka7Sk0Gln4gmtz2MlQnikT1wXgYsOg+OMhuP+IlRH9sENBO0LRn5q+8nbTov4+1p"
crossorigin="anonymous"></script>

    <!-- Option 2: Separate Popper and Bootstrap JS -->
    <!--
    <script
src="https://cdn.jsdelivr.net/npm/@popperjs/core@2.10.2/dist/umd/popper.min.js
" integrity="sha384-
7+zcNj/IqJ95wo16oMtfsKbZ9ccEh31e0z1HGyDuCQ6wgnyJNSYdrPa03rtR1zdB"
crossorigin="anonymous"></script>
    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.min.js"
integrity="sha384-
QJHtvGhmr9X0IpI6YVutG+2Q0K9T+ZnN4kzFN1RtK3zEFEIsxhlmWl5/YESvpZ13"
crossorigin="anonymous"></script>
    -->
</body>
</html>

```

```

<?php
// if(!isset($_SESSION)){
//     session_start();
// }
$conn=mysqli_connect("localhost:3307", "root", "", "modul4");

if(!$conn){
    echo "<script>
        alert ('disconnect');
    </script>";
}

```

```

        </script>";
        die("conection failed." . mysqli_connect_error());
    }
?>

```

```

<!doctype html>
<html lang="en">
    <head>
        <!-- Required meta tags -->
        <meta charset="utf-8">
        <meta name="viewport" content="width=device-width, initial-scale=1">

        <!-- Bootstrap CSS -->
        <link
href="https://cdn.jsdelivrivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
1BmE4kWBq78iYhFldvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqyl2QvZ6jIW3"
crossorigin="anonymous">
        <link rel="stylesheet"
href="https://use.fontawesome.com/releases/v5.0.7/css/all.css">
        <title>Index.com</title>
    </head>
    <body>
        <body style="background-color:beige;">

        <nav class="navbar navbar-expand-lg sticky-top navbar-light"
style="background-color:#8bc9f7;">
            <div class="container">
                <a class="navbar-brand" href="#">
                    <h6><b>EAD Travel</b></h6>
                </a>
                <div class="navbar-nav">
                    <div class="nav-item">
                        <a class="nav-link" href="Bookings.php"><i class="fas fa-
shopping-cart"></i></a>
                    </div>
                    <div class="nav-item dropdown">
                        <a class="nav-link dropdown-toggle" href="#"
id="navbarDropdown" role="button" data-bs-toggle="dropdown" aria-
expanded="false">
                            Lorem ipsum dolor
                        </a>
                        <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
                            <li><a class="dropdown-item"
href="Profile.php">Profile</a></li>
                            <li><hr class="dropdown-divider"></li>

```

```

        <li><a class="dropdown-item"
href="Login.php">Logout</a></li>
    </ul>
</div>
</div>
</span>
</div>
</div>
</nav>

<div class="container" style="text-align:center; margin-top:20px; width:
70%">
    <div class="container" style="background-color:#99d2b0; padding:30px;">
        <h3>EAD Travel</h3>
    </div>

    <div class="card-group" style="margin-top: 6px;">
        <!-- <div class="col"> -->
        <div class="card">
            
            <div class="card-body" style="text-align: left;">
                <h5 class="card-title">Raja Ampat, Papua</h5>
                <p class="card-text">
                    Keindahan alam Raja Ampat terusik kehadiran kapal-kapal wisata
yang merusak lingkungan. Beberapa kasus bahkan menyebabkan kerusakan terumbu
karang yang parah,
                    padahal mengembalikannya ke kondisi semula membutuhkan waktu
puluhan hingga ratusan tahun.
                </p>
                <hr>
                <p><b>Rp. 7.000.000</b></p>
            </div>
            <div class="card-footer" style="text-align: center">
                <a href="" class="btn btn-primary" style="padding-left: 110px;
padding-right:110px" data-bs-toggle="modal" data-bs-target="#pesan">Pesan
Tiket</a>
            </div>
        </div>
        </div>
        <!-- </div> -->

        <!-- <div class="col"> -->
        <div class="card">
            

```



```

        <div class="card-body" style="text-align: left;">
            <h5 class="card-title">Gunung Bromo, Malang</h5>
            <p class="card-text">
                Gunung Bromo (dari bahasa Sanskerta: Brahma, salah seorang Dewa
                Utama dalam agama Hindu) atau dalam
                bahasa Tengger dieja "Brama", adalah sebuah gunung berapi aktif
                di Jawa Timur, Indonesia.
                Gunung ini memiliki ketinggian 2.329 meter di atas permukaan
                laut.
            </p>
            <hr>
            <p><b>Rp. 2.000.000</b></p>
        </div>
        <div class="card-footer" style="text-align: center;">
            <a href="" class="btn btn-primary" style="padding-left: 110px;
padding-right:110px" data-bs-toggle="modal" data-bs-target="#pesan">Pesanan
Tiket</a>
        </div>
    </div>
<!-- </div> -->

<!-- <div class="col"> -->
    <div class="card">
        
        <div class="card-body" style="text-align: left;">
            <h5 class="card-title">Tanah Lot, Bali</h5>
            <p class="card-text">
                Tanah Lot salah satu pura penting bagi umat Hindu Bali dan
                lokasi pura terletak di atas batu besar yang berada di lepas pantai.
                Pura Tanah Lot merupakan ikon pariwisata pulau Bali. Selain itu
                salah satu obyek wisata terkenal di pulau Bali yang wajib di kunjungi.
            </p>
            <hr>
            <p><b>Rp. 5.000.000</b></p>
        </div>
        <div class="card-footer" style="text-align: center;">
            <a href="" class="btn btn-primary" style="padding-left: 110px;
padding-right:110px" data-bs-toggle="modal" data-bs-target="#pesan">Pesanan
Tiket</a>
        </div>
    </div>
<!-- </div> -->
</div>
</div>

<footer style="margin-top: 100px">

```

```

        <div style="background-color:#8bc9f7; text-align:center; padding:6px;
padding-top:16px">
            <p>©2021 Copyright <a href="" data-bs-toggle="modal" data-bs-
target="#modal">RIFQI_1202190250

                </a></p>
            </div>
        </footer>

<div class="modal fade" id="modal">
    <div class="modal-dialog">
        <div class="modal-content">
            <div class="modal-header">
                <h5 class="modal-title">Created By</h5>
                <button type="button" class="btn-close" data-bs-
dismiss="modal" aria-label="Close"></button>
            </div>
            <div class="modal-body">
                <p>Nama: RIFQI RULANDO</p>
                <p>NIM :1202190250</p>
            </div>
        </div>
    </div>
</div>

    <div class="modal fade" id="pesan">
        <div class="modal-dialog">
            <div class="modal-content">
                <div class="modal-header">
                    <!-- <h5 class="modal-title">Created By</h5> -->
                    <button type="button" class="btn-close" data-bs-
dismiss="modal" aria-label="Close"></button>
                </div>
                <div class="modal-body">
                    <!-- <p>Modal body text goes here.</p> -->
                    <form action="" method="POST">
                        <div class="mb-1">
                            <label for="pesan" class="form-label">Tanggal
Perjalanan</label>
                            <input name="pesan" type="date" class="form-control"
id="pesan" placeholder="" value="">
                            <div class="container" style="text-align:center;">
                                <!-- <button type="submit" class="btn btn-primary"
href="Index.php">Login</button> -->
                                <a class="btn btn-primary" href="Bookings.php"
type="submit">Tambahkan</a>
                            </div>
                        </div>
                    </form>
                </div>
            </div>
        </div>
    </div>
</div>

```

```

<!-- Optional JavaScript; choose one of the two! -->

<!-- Option 1: Bootstrap Bundle with Popper -->
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle.min
.js" integrity="sha384-
ka7Sk0Gln4gmtz2MlQnikT1wXgYsOg+OMhuP+IlRH9sENBO0LRn5q+8nbTov4+1p"
crossorigin="anonymous"></script>

<!-- Option 2: Separate Popper and Bootstrap JS -->
<!--
<script
src="https://cdn.jsdelivr.net/npm/@popperjs/core@2.10.2/dist/umd/popper.min.js
" integrity="sha384-
7+zCNj/IqJ95wo16oMtfsKbZ9ccEh31e0z1HGYDuQCQ6wgnyJNSYdrPa03rtR1zdB"
crossorigin="anonymous"></script>
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.min.js"
integrity="sha384-
QJHtvGhmr9XOIpI6YVutG+2Q0K9T+ZnN4kzFN1RtK3zEFEIsxhlmWl5/YESvpZ13"
crossorigin="anonymous"></script>
-->
</body>
</html>

```

```

<?php
include('Config.php');

if(isset($_POST['masuk'])){
    // $id = $_POST['id'];
    $nama = $_POST['inputnama'];
    $email = $_POST['inputemail'];
    $nomerhp = $_POST['inputnohp'];
    $sandi = $_POST['inputkatasandi'];
    // $konsandi = $_POST['inputkonkatasandi'];
    // $tag = implode(', ', $_POST['tag']);
    // $gambar = $_POST['gambar'];

    // $query = "UPDATE user SET nama='$inputnama',
email='$inputemail', 'nomer hp'=$inputnohp, 'password'='$inputkatasandi' ";
    // $update = mysqli_query($conn, $query);
    $query = "INSERT INTO user (nama, email, no_hp, password) VALUES
('$nama', '$email', '$nomerhp', '$sandi')";
    $insert = mysqli_query($conn, $query);
    header('Location: Login.php');
}

```

```
}  
?>
```

```
<!doctype html>  
<html lang="en">  
  <head>  
    <!-- Required meta tags -->  
    <meta charset="utf-8">  
    <meta name="viewport" content="width=device-width, initial-scale=1">  
  
    <!-- Bootstrap CSS -->  
    <link  
href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css"  
rel="stylesheet" integrity="sha384-  
1BmE4kWBq78iYhFldvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqyl2QvZ6jIW3"  
crossorigin="anonymous">  
  
    <title>Login.com</title>  
  </head>  
  <body style="background-color: #fffea8">  
    <!-- <h1>Hello, world!</h1> -->  
    <nav class="navbar navbar-expand-lg navbar-light " style="background-  
color:#7fcdff">  
      <div class="container-fluid">  
        <a class="navbar-brand" href="#">  
          <h6><b>EAD Travel</b></h6>  
        </a>  
        <button class="navbar-toggler" type="button" data-bs-toggle="collapse"  
data-bs-target="#navbarText" aria-controls="navbarText" aria-expanded="false"  
aria-label="Toggle navigation">  
          <span class="navbar-toggler-icon"></span>  
        </button>  
        <div class="collapse navbar-collapse" id="navbarText">  
          <ul class="navbar-nav me-auto mb-2 mb-lg-0">  
            <li class="nav-item">  
              <!-- <a class="nav-link active" aria-current="page"  
href="#">Home</a> -->  
            </li>  
            <!-- <li class="nav-item">  
              <a class="nav-link" href="#">Features</a>  
            </li>  
            <li class="nav-item">  
              <a class="nav-link" href="#">Pricing</a>  
            </li> -->  
          </ul>  
        <div class="navbar-nav">
```

```

        <div class="nav-item">
            <a class="nav-link active" aria-current="page"
href="Register.php">Register</a>
        </div>
        <div class="nav-item">
            <a class="nav-link" aria-current="page" href="Login.php">Login</a>
        </div>
    </div>
</div>
</div>
</nav>
<!-- form -->
<div class="container" style="width:35%; background-color:white; margin-
top:20px;padding-bottom:20px;">
<div class="container" style="text-align:center">
<br>
    <b>Login</b>
    <hr>
</div>
<form>
    <div class="mb-3">
        <label for="exampleInputPassword1" class="form-label">Email</label>
        <input type="email" class="form-control" id="exampleInputPassword1">
    </div>
    <div class="mb-3">
        <label for="exampleInputEmail1" class="form-label">Kata Sandi</label>
        <input type="password" class="form-control" id="exampleInputEmail1" aria-
describedby="emailHelp">
    <div class="mb-3 ">
        <input type="checkbox" class="form-check-input" id="exampleCheck1">
        <label class="form-check-label" for="exampleCheck1">Remember Me</label>
    </div>
    </div>
<div class="container" style= "text-align:center;">
    <!-- <button type="submit" class="btn btn-primary"
href="Index.php">Login</button> -->
    <a class="btn btn-primary" href="Index.php" type="submit">Login</a>
</div>
<br>
    <div class="container" style= "text-align:center;">
        <p>Anda belum punya akun? <a class="" href="Register.php">register</a></p>
    </div>
</form>
</div>
</div>
<br>
<br>
<br>

```

```

<br>
<br>
<footer style="margin-top: 100px">
    <div style="background-color:#8bc9f7; text-align:center; padding:6px;
padding-top:16px">
        <p>©2021 Copyright <a href="" data-bs-toggle="modal" data-bs-
target="#modal">RIFQI_1202190250</a></p>
    </div>
</footer>

<div class="modal fade" id="modal">
    <div class="modal-dialog">
        <div class="modal-content">
            <div class="modal-header">
                <h5 class="modal-title">Created By</h5>
                <button type="button" class="btn-close" data-bs-
dismiss="modal" aria-label="Close"></button>
            </div>
            <div class="modal-body">
                <p>Nama: RIFQI RULANDO</p>
                <p>NIM :1202190250</p>
            </div>

<!-- Optional JavaScript; choose one of the two! -->

<!-- Option 1: Bootstrap Bundle with Popper -->
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle.min
.js" integrity="sha384-
ka7Sk0Gln4gmtz2MlQnikT1wXgYs0g+OMhuP+IlRH9sENBO0LRn5q+8nbTov4+1p"
crossorigin="anonymous"></script>

<!-- Option 2: Separate Popper and Bootstrap JS -->
<!--
<script
src="https://cdn.jsdelivr.net/npm/@popperjs/core@2.10.2/dist/umd/popper.min.js
" integrity="sha384-
7+zCNj/IqJ95wo16oMtfsKbZ9ccEh31e0z1HGYDuQCQ6wgnyJNSYdrPa03rtR1zdB"
crossorigin="anonymous"></script>
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.min.js"
integrity="sha384-

```

```

QJHtvGhmr9XOI6YVutG+2Q0K9T+ZnN4kzFN1RtK3zEFEIsxhlmWl5/YESvpZ13"
crossorigin="anonymous"></script>
-->
</body>
</html>

```

```

<!doctype html>
<html lang="en">
  <head>
    <!-- Required meta tags -->
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">

    <!-- Bootstrap CSS -->
    <link
href="https://cdn.jsdelivrivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
1BmE4kWbQ78iYhFldvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqyl2QvZ6jIW3"
crossorigin="anonymous">

    <title>Profile</title>
  </head>

  <body style="background-color: #fffea8">
    <nav class="navbar navbar-expand-lg sticky-top navbar-light"
style="background-color:#8bc9f7;">
      <div class="container">
        <a class="navbar-brand" href="#">
          <h6><b>EAD Travel</b></h6>
        </a>
        <div class="navbar-nav">
          <div class="nav-item">
            <a class="nav-link" href="#"><i class="fas fa-shopping-
cart"></i></a>
          </div>
          <div class="nav-item dropdown">
            <a class="nav-link dropdown-toggle" href="#"
id="navbarDropdown" role="button" data-bs-toggle="dropdown" aria-
expanded="false">
              Lorem ipsum dolor
            </a>
            <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
              <li><a class="dropdown-item"
href="Profile.php">Profile</a></li>
              <li><hr class="dropdown-divider"></li>

```

```

                <li><a class="dropdown-item"
href="Login.php">Logout</a></li>
            </ul>
        </div>
    </div>
</span>
</div>
</div>
</nav>

    <div class="container" style="width:70%; background-color:white; margin-
top:20px;padding-bottom:20px;">
<div class="container" style="text-align:center">
<br>
    <b>Profile</b>
    <hr>
</div>
<form>

    <div class="mb-3 row">
        <label for="staticEmail" class="col-sm-2 col-form-label">Email</label>
        <div class="col-sm-10">
            <input type="text" readonly class="form-control-plaintext"
id="staticEmail" name="email" value="@gmail.com" >
        </div>
    </div>

    <div class="mb-3 row">
        <label for="inputPassword" class="col-sm-2 col-form-label">Nama</label>
        <div class="col-sm-10">
            <input type="text" class="form-control" id="inputPassword">
        </div>
    </div>

    <div class="mb-3 row">
        <label for="inputPassword" class="col-sm-2 col-form-label">Nomer
Handphone</label>
        <div class="col-sm-10">
            <input type="password" class="form-control" id="inputPassword">
        </div>
    </div>

    <hr>
    <div class="mb-3 row">
        <label for="inputPassword" class="col-sm-2 col-form-label">Kata
Sandi</label>
        <div class="col-sm-10">
            <input type="password" class="form-control" id="inputPassword"
placeholder="Kata Sandi">
        </div>
    </div>

```



```

</div>

<div class="mb-3 row">
  <label for="inputPassword" class="col-sm-2 col-form-label">Konfirmasi Kata
<i class="fab fa-sandwich"></i></label>
  <div class="col-sm-10">
    <input type="password" class="form-control" id="inputPassword"
placeholder="Konfirmasi Kata Sandi">
  </div>
</div>

<div class="mb-3 row">
  <label for="inputPassword" class="col-sm-2 col-form-label">Warna
Navbar</label>
  <div class="col-sm-10">
    <input type="password" class="form-control" id="inputPassword">
  </div>
</div>
<br>

<!-- <div class="mb-3 ">
  <input type="checkbox" class="form-check-input" id="exampleCheck1">
  <label class="form-check-label" for="exampleCheck1">Remember Me</label>
</div> -->

<div class="container" style= "text-align:center;">
  <!-- <button type="submit" class="btn btn-primary"
href="Index.php">Login</button> -->
  <a class="btn btn-primary" href="Index.php" type="submit">Simpan</a>
  <a class="btn btn-warning" href="Index.php" type="submit">Cancel</a>
</div>
<br>
</form>
</div>
</div>

<footer style="margin-top: 100px">
  <div style="background-color:#8bc9f7; text-align:center; padding:6px;
padding-top:16px">
    <p>©2021 Copyright <a href="" data-bs-toggle="modal" data-bs-
target="#modal">RIFQI_1202190250</a></p>
  </div>

```

```

</footer>

<!-- Optional JavaScript; choose one of the two! -->

<!-- Option 1: Bootstrap Bundle with Popper -->
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle.min
.js" integrity="sha384-
ka7Sk0GlIn4gmtz2MlQnikT1wXgYsOg+OMhuP+IlRH9sENBO0LRn5q+8nbTov4+1p"
crossorigin="anonymous"></script>

<!-- Option 2: Separate Popper and Bootstrap JS -->
<!--
<script
src="https://cdn.jsdelivr.net/npm/@popperjs/core@2.10.2/dist/umd/popper.min.js
" integrity="sha384-
7+zMnj/IqJ95wo16oMtfS KbZ9ccEh31e0z1HGyDuCQ6wgnyJNSYdrPa03rtR1zdB"
crossorigin="anonymous"></script>
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.min.js"
integrity="sha384-
QJHtvGhmr9XOIpI6YVutG+2Q0K9T+ZnN4kzFN1RtK3zEFEIsxhlmWl5/YESvpZ13"
crossorigin="anonymous"></script>
-->
</body>
</html>

```

```

<!doctype html>
<html lang="en">
  <head>
    <!-- Required meta tags -->
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">

    <!-- Bootstrap CSS -->
    <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
1BmE4kWBq78iYhFldvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqyl2QvZ6jIW3"
crossorigin="anonymous">

    <title>Hello, world!</title>
  </head>
  <body style="background-color: #fffea8">
    <!-- <h1>Hello, world!</h1> -->

```

```

    <nav class="navbar navbar-expand-lg navbar-light " style="background-
color:#7fcdff">
    <div class="container-fluid">
        <a class="navbar-brand" href="#">
            <h6><b>EAD Travel</b></h6>
        </a>
        <button class="navbar-toggler" type="button" data-bs-toggle="collapse"
data-bs-target="#navbarText" aria-controls="navbarText" aria-expanded="false"
aria-label="Toggle navigation">
            <span class="navbar-toggler-icon"></span>
        </button>
        <div class="collapse navbar-collapse" id="navbarText">
            <ul class="navbar-nav me-auto mb-2 mb-lg-0">
                <li class="nav-item">
                    <!-- <a class="nav-link active" aria-current="page"
href="#">Home</a> -->
                </li>
                <!-- <li class="nav-item">
                    <a class="nav-link" href="#">Features</a>
                </li>
                <li class="nav-item">
                    <a class="nav-link" href="#">Pricing</a>
                </li> -->
            </ul>
            <div class="navbar-nav">
                <div class="nav-item">
                    <a class="nav-link active" aria-current="page"
href="Register.php">Register</a>
                </div>
                <div class="nav-item">
                    <a class="nav-link" aria-current="page" href="Login.php">Login</a>
                </div>
            </div>
        </div>
    </div>
</nav>
<!-- form -->
<div class="container" style="width:35%; background-color:white; margin-
top:20px">
<div class="container" style="text-align:center">
<br>
    <b>Register.com</b>
    <hr>
</div>
<form action="kirimData.php" method="POST">
    <div class="mb-3">
        <label for="exampleInputEmail1" class="form-label">Nama</label>

```

```

        <input type="Nama" class="form-control" name="inputnama"
id="exampleInputEmail1" aria-describedby="emailHelp">
    </div>
    <div class="mb-3">
        <label for="exampleInputPassword1" class="form-label">Email</label>
        <input type="Email" class="form-control" name="inputemail"
id="exampleInputPassword1">
    </div>
    <!-- <div class="mb-3 ">
        <input type="checkbox" class="form-check-input" id="exampleCheck1">
        <label class="form-check-label" for="exampleCheck1">Nomer
Handphone</label>
    </div> -->
    <div class="mb-3">
        <label for="exampleInputPassword1" class="form-label">Nomer
Handphone</label>
        <input type="Nomer Handphone" class="form-control" name="inputnohp"
id="exampleInputPassword1">
    <div class="mb-3">
        <label for="exampleInputEmail1" class="form-label">Kata Sandi</label>
        <input type="password" class="form-control" name="inputkatasandi"
id="exampleInputEmail1" aria-describedby="emailHelp">
    </div>
    <div class="mb-3">
        <label for="exampleInputPassword1" class="form-label">Konfirmasi Kata
Sandi</label>
        <input type="password" class="form-control" name="inputkonkatasandi"
id="exampleInputPassword1">
    </div>
    <div class="container" style= "text-align:center;">
    <!-- <a type="submit" class="btn btn-primary" name="masuk">Login</a> -->
    <button name="masuk" class="btn btn-primary" type="submit" style="padding-
right: 200px; padding-left: 200px;">Login</button>
</div>
<br>
    <div class="container" style= "text-align:center;">
        <p>Anda sudah punya akun? <a class="" href="Login.php">Login</a></p>

        <br>
    </div>
</form>
</div>
</div>
<footer style="margin-top: 100px">
    <div style="background-color:#8bc9f7; text-align:center; padding:6px;
padding-top:16px">
        <p>©2021 Copyright <a href="" data-bs-toggle="modal" data-bs-
target="#modal">RIFQI_1202190250</a></p>

```

```

    </div>
</footer>

<div class="modal fade" id="modal">
  <div class="modal-dialog">
    <div class="modal-content">
      <div class="modal-header">
        <h5 class="modal-title">Created By</h5>
        <button type="button" class="btn-close" data-bs-
dismiss="modal" aria-label="Close"></button>
      </div>
      <div class="modal-body">
        <p>Nama: RIFQI RULANDO</p>
        <p>NIM :1202190250</p>
      </div>

    <!-- Optional JavaScript; choose one of the two! -->

    <!-- Option 1: Bootstrap Bundle with Popper -->
    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle.min
.js" integrity="sha384-
ka7Sk0GlIn4gmtz2MlQnikT1wXgYs0g+OMhuP+IlRH9sENBO0LRn5q+8nbTov4+1p"
crossorigin="anonymous"></script>

    <!-- Option 2: Separate Popper and Bootstrap JS -->
    <!--
    <script
src="https://cdn.jsdelivr.net/npm/@popperjs/core@2.10.2/dist/umd/popper.min.js
" integrity="sha384-
7+zCNj/IqJ95wo16oMtfsKbZ9ccEh31e0z1HGYDuCQ6wgnyJNSYdrPa03rtR1zdB"
crossorigin="anonymous"></script>
    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.min.js"
integrity="sha384-
QJHtvGhmr9X0IpI6YVutG+2Q0K9T+ZnN4kzFN1RtK3zEFEIsxhlmWl5/YESvpZ13"
crossorigin="anonymous"></script>
    -->
  </body>
</html>

```