

```

create database PudiPadi

use PudiPadi

create table LocalOffice
(
    Id int not null primary key,
    Name nvarchar(50) not null,
    Address nvarchar(50) not null,
    ContactPhone varchar(50) not null
)
go
create table Employee
(
    Id int not null primary key,
    Firstname nvarchar(50) not null,
    Lastname nvarchar(50) not null,
    JobPosition nvarchar(50) not null,
    Salary int not null,
    LocalOffice int not null foreign key references LocalOffice(Id)
)
go
create table Client
(
    Id int not null primary key,
    Firstname nvarchar(50) not null,
    Lastname nvarchar(50) not null,
    Phone varchar(50) not null,
    Email nvarchar(50) not null
)
go
create table Products
(
    Id int not null primary key,
    Name nvarchar(50) not null,
    Category nvarchar(50) not null,
    Price int not null,
    AmmountInStock int not null
)
go
create table Receipt
(
    Id int not null primary key,
    ClientID int not null foreign key references Client(Id),
)
go
create table Sales
(
    Date date not null,
    TotalSum int not null,
    EmployeeID int not null foreign key references Employee(Id),
    ClientID int not null foreign key references Client(Id),
    Products nvarchar(50) not null,
    ReceiptID int not null foreign key references Receipt(Id)
)
go
insert into LocalOffice (Id, Name, Address, ContactPhone)
values (1, 'Tallinn', 'Suur tn 1', '55667788'),
(2, 'Viljandi', 'Väike tn 1', '55667787'),
(3, 'Tartu', 'Keskmine tn 1', '55667786'),
(4, 'Pärnu', 'Vana tn 1', '55667785'),
(5, 'Kuressaare', 'Uus tn 1', '55667784')
go
insert into Employee (Id, Firstname, Lastname, JobPosition, Salary, LocalOffice)
values (1, 'Tiit', 'Tuvi', 'Sales', 2200, 3),
(2, 'Peep', 'Post', 'Sales manager', 3000, 5),

```

```

(3, 'Anna', 'Aavik', 'Sales', 2200, 1),
(4, 'Tiina', 'Taevas', 'Sales', 2200, 2),
(5, 'Kaarel', 'Kajakas', 'Senior sales', 2500, 4),
(6, 'Liina', 'Lumi', 'Sales', 2200, 5)
go
insert into Client (Id, Firstname, Lastname, Phone, Email)
values (1, 'Aadu', 'Tuvi', '56998877', 'A@T.com'),
(2, 'Rita', 'Ritsikas', '56998876', 'R@R.com'),
(3, 'Eeva', 'Vares', '56998875', 'E@V.com'),
(4, 'Karl', 'Saar', '56998874', 'K@S.com'),
(5, 'Sandra', 'Saar', '56998873', 'S@S.com')
go
insert into Products (Id, Name, Category, Price, AmmountInStock)
values (1, 'Märkmik A6', 'Office supply', 5, 2000),
(2, 'Märkmik A5', 'Office supply', 6, 1000),
(3, 'Printer', 'IT', 300, 10),
(4, 'Vesi 5L', 'Drinks', 4, 50),
(5, 'Monitor', 'IT', 100, 9)
go
insert into Receipt (Id, ClientId)
values (1, 2),
(2, 5),
(3, 4),
(4, 3),
(5, 1)
go
insert into Sales (Date, TotalSum, EmployeeID, ClientID, Products, ReceiptID)
values ('2026-06-09', 11, 1, 2, '1-1', 1),
('2026-06-09', 306, 2, 5, '2-3', 2),
('2026-06-09', 11, 3, 4, '1-1', 3),
('2026-06-09', 11, 4, 3, '1-1', 4),
('2026-06-09', 11, 5, 1, '1-1', 5)

select * from LocalOffice
select * from Employee
select * from Client
select * from Receipt
select * from Sales
select * from Products

```

	Id	Name	Address	ContactPhone		
1	1	Tallinn	Suur tn 1	55667788		
2	2	Viljandi	Väike tn 1	55667787		
3	3	Tartu	Keskmine tn 1	55667786		
4	4	Pämu	Vana tn 1	55667785		
5	5	Kuressaare	Uus tn 1	55667784		

	Id	Firstname	Lastname	JobPosition	Salary	LocalOffice
1	1	Tiit	Tuvi	Sales	2200	3
2	2	Peep	Post	Sales manager	3000	5
3	3	Anna	Aavik	Sales	2200	1
4	4	Tiina	Taevas	Sales	2200	2
5	5	Kaarel	Kajakas	Senior sales	2500	4
6	6	Liina	Lumi	Sales	2200	5

	Id	Firstname	Lastname	Phone	Email
1	1	Aadu	Tuvi	56998877	A@T.com
2	2	Rita	Ritsikas	56998876	R@R.com
3	3	Eeva	Vares	56998875	E@V.com
4	4	Karl	Saar	56998874	K@S.com
5	5	Sandra	Saar	56998873	S@S.com

	Id	ClientID
1	1	2
2	2	5
3	3	4
4	4	3
5	5	1

	Date	TotalSum	EmployeeID	ClientID	Products	ReceiptID
1	2026-06-09	11	1	2	1-1	1
2	2026-06-09	306	2	5	2-3	2
3	2026-06-09	11	3	4	1-1	3
4	2026-06-09	11	4	3	1-1	4
5	2026-06-09	11	5	1	1-1	5

	Id	Name	Category	Price	AmmountInStock
1	1	Märkmik A6	Office supply	5	2000
2	2	Märkmik A5	Office supply	6	1000
3	3	Printer	IT	300	10
4	4	Vesi 5l	Drinks	4	50
5	5	Monitor	IT	100	9

```

create proc spEmployeeSalary
@EmployeeID int
as begin
    select Firstname, Lastname, Salary from Employee
    where Id = @EmployeeID
end

spEmployeeSalary 1

```

	Firstname	Lastname	Salary
1	Tiit	Tuvi	2200

```
select Firstname, Lastname, JobPosition, ReceiptID
From Sales
left Join Employee On Employee.Id = EmployeeID
```

	Firstname	Lastname	JobPosition	ReceiptID
1	Tiit	Tuvi	Sales	1
2	Peep	Post	Sales manager	2
3	Anna	Aavik	Sales	3
4	Tiina	Taevas	Sales	4
5	Kaarel	Kajakas	Senior sales	5

```
select ClientId, Firstname, Lastname, ReceiptID
From Sales
full join Client On Client.Id = ClientID
```

	ClientId	Firstname	Lastname	ReceiptID
1	2	Rita	Ritsikas	1
2	5	Sandra	Saar	2
3	4	Karl	Saar	3
4	3	Eeva	Vares	4
5	1	Aadu	Tuvi	5

```
select Firstname, Lastname, JobPosition, Name as Office
From Employee
left Join LocalOffice On LocalOffice.Id = LocalOffice
```

	Firstname	Lastname	JobPosition	Office
1	Tiit	Tuvi	Sales	Tartu
2	Peep	Post	Sales manager	Kuressaare
3	Anna	Aavik	Sales	Tallinn
4	Tiina	Taevas	Sales	Viljandi
5	Kaarel	Kajakas	Senior sales	Pämu
6	Lina	Lumi	Sales	Kuressaare