

KayakapMD System

DrainWiz Computer Systems

Documented by: Raphydhar-Neezamme J. Ibrahim
Documented on: March 18, 2026

KayakapMD Setup

- **Requirements:**
 - composer
 - npm
 - php ^8.5.4 (project version can be adjusted by changing php version inside `composer.lock`)
- Place project files inside XAMPP htdocs directory.
- Perform `composer install` on the project terminal.
 - This installs the packages (vendors) required for the project, respective to the PHP version of the project.
- Execute `npm i` or `npm install` to set up node packages.
- Copy default `.env` file with `cp .env.example .env`
 - Replace `DB_HOST`, `DB_PORT`, `DB_DATABASE`, `DB_USERNAME`, and `DB_PASSWORD` accordingly.
- Execute `php artisan key:generate` to generate a key for that project.
- Execute `php artisan migrate` to create project tables and data dictionary tables.
 - Database Tables – ensure the following tables are present, if not, copy from an existing database.
 - ◆ Data Dictionaries – PhilHealth tables, necessary for API requests, `dd_soap` contains data for consultations, `dd_enlistment` for patients.
 - `dd_advice`
 - `dd_bloodtype`
 - `dd_cbc`
 - `dd_chestxray`
 - `dd_creatine`
 - `dd_diagnostic`
 - `dd_diagnosticexamresult`
 - `dd_document`
 - `dd_ecg`
 - `dd_enlistment`
 - `dd_famhist`
 - `dd_fbs`
 - `dd_fecalalysis`
 - `dd_fhspecific`
 - `dd_fobt`
 - `dd_hba1c`
 - `dd_icd`
 - `dd_immunization`
 - `dd_lipidprofile`
 - `dd_management`
 - `dd_medhist`
 - `dd_mhspecific`
 - `dd_ncdqans`
 - `dd_ogtt`
 - `dd_otherdiagexam`
 - `dd_papsmear`
 - `dd_pcb`
 - `dd_pegensurvey`
 - `dd_pemisc`
 - `dd_pepert`

- dd_pespecific
- dd_ppdtest
- dd_preghist
- dd_profile
- dd_rbs
- dd_soap_consultation/dd_soap
- dd_sochist
- dd_sputum
- dd_subjective
- dd-surghist
- dd_urinalysis
- ♦ **Libraries – Tables used for dependencies, read-only.**
 - lib_abdomen
 - lib_barangay
 - lib_chest
 - lib_chestxray-findings
 - lib_chestxray_observation
 - lib_diagnostic
 - lib_digital_rectal
 - lib_genitourinary
 - lib_heart
 - lib_heent
 - lib_icd
 - lib_immchild
 - lib_immelderly
 - lib_immpregw
 - lib_immyoungw
 - lib_management
 - lib_mdisease
 - lib_medicine
 - lib_medicine_form
 - lib_medicine_generic
 - lib_medicine_package
 - lib_medicine_salt
 - lib_medicine_strength
 - lib_medicine_unit
 - lib_municipality
 - lib_ncdq
 - lib_neuro
 - lib_province
 - lib_region
 - lib_signs_symptoms
 - lib_skin_extremities
 - lib_zipcode
 - lib_zscore
- ♦ **Project Tables - Very important project tables.**
 - adminrights
 - **User credentials for admin**
 - cache
 - cache_locks
 - charges_category
 - **Charges category table**
 - charges_masterlist
 - **List of all charges**

- diagnostic_category
 - Diagnostic category table
- diagnostics_masterlist
 - List of all diagnostics
- docquestion
 - List of doctor's questions
- docrequests
 - List of doctor's diagnostic request to patients
- docschedules
 - List of doctor's schedules
- doctorcharges
 - List of doctor's charges
- doctors
 - Doctor profiles (license, name)
- doctorservices
 - List of doctor's services
- doctorsgroup
 - List of doctor's expertise group (e.g. pediatrician)
- doctorsrights
 - User credentials for doctors.
- failed_jobs
- hci_profile
 - Company profile
- job_batches
- jobs
- medicine_masterlist
 - List of all medicines
- migrations
- profgroup_masterlist
- profile
 - Company profile (old)
- pxcharges
 - Patient's charges list
- pxmasterlist
 - List of all patients
- pxrxdocuments
 - List of RX assigned to a patient
- pxsettlements
 - Patient's settlements
- pxwalkinconsultation
 - List of all consultations and respective patients.
 - Laboratory files are listed here as laboratory_path
 - Radiology files are listed here as radiology_files
- secretary_doctor
 - Stores data of what doctors are assigned to a secretary
- secretaryrights
 - User credentials for secretary
- servicesgroups
 - Category for services
- sessions
- walkinconsultation_answer
 - List of user answers respective to docquestions.

- Execute `php artisan db:seed AdminSeeder` to generate default admin account.
 - Username: admin
 - Password: admin123
- Execute `php artisan db:seed UserSeeder` to generate dummy.
- For client copies run `npm run build` to compile javascript, css, and node packages.

Guide

- **Local hosting (own computer)**
 - Execute `php artisan serve` to run project locally. Ensure steps from the setup above is done aside from the first step.

- Alongside the serve command, run `npm run dev` to allow livereload (automatic reload when php or javascript files are changed).
- **Not working?**
 - Possible cause:
 - ♦ No composer packages.
 - ♦ No npm packages.
 - ♦ PHP version does not match version inside `composer.lock`
- Images (e.g. patient pictures) are stored inside Laravel's `storage/app/private` folder.
- Company logo and images are stores inside the `public/` directory.
- **Admin Panel**
 - Profile
 - ♦ Company profile editing and PhilHealth account.
 - Users management
 - ♦ Secretary
 - Add secretary here.
 - Assign doctors to secretary here.
 - ♦ Doctor
 - Add doctor accounts here.
 - Assign schedules to doctor here.
 - Diagnostics Management
 - ♦ Requests
 - Create diagnostic type.
 - ♦ Category
 - Create diagnostic category.
 - Medicine Masterlist
 - ♦ Create/add medicine to list as reference for RX.
 - Charges Management
 - ♦ Masterlist
 - Create charges.
 - ♦ Category
 - Create charges category.
 - ♦ PhilHeath
 - eKonsulta link (for debug and reference, should be commented on the client copy)
 - Consultations
 - Export patients to masterlist - `pxwalkinconsultation` data into `pxmasterlist`.
 - Convert selected to SOAP – convert `pxwalkinconsultation` data into philhealth format inside `dd_soap_consultations`.
 - Patient Masterlist
 - View `pxmasterlist` and their respective pincode(`pHciCaseNo`), `casecode` (`pHciTransNo`).
 - Reports
 - ♦ View and print settlements.
- To note:

- **pincode** is `pHciCaseNo` this refers to the patient, this is unique per different patient.
- **casecode** is `pHciTransNo` this refers to the transactions/consultation per patient, a patient can have multiple cases.

Process Flow

- Login
 - Use secretary last name for secretary login.
 - Use doctor last name/username for doctor login.

- Use admin username for admin login.
- Secretary
 - Add patient
 - ♦ Fill-up patient data, member or dependent
 - ♦ Apply consultation date (optional)
 - Added patient goes to unscheduled patients table (left)
 - Click import button (blue arrow)
 - Patient information should be present on the form (right)
 - ♦ Edit patient details (weight, height, blood pressure)
 - ♦ Assign consultation date and doctor to patient – do not skip.
 - Update consultation or save as new consultation – if existing patient.
 - Patient is now scheduled and should show under the patients queue on their respective dates.
 - ♦ Can be rescheduled and edited.
- Doctor
 - Patient is now visible under today's patient if date matches consultation date.
 - Open consultations tab.
 - Click patient on the patients table.
 - Patient info shows on the right.
 - Click proceed.
 - Patient Rx, diagnostics, laboratory/radiology files should be editable and accessible.
 - ♦ Add/generate Rx opens a new modal to input selected Rx or write instructions.
 - ♦ Add/append diagnostics opens a new modal wherein diagnostic requests can be assigned to the patient.
 - ♦ Laboratory and radiology tab allows uploading or viewing of patient documents.
- Back to secretary
 - Import patient to the right then patient charges/settlements should reflect the charges assigned by the doctor.