

# HOME AUTOMATION SYSTEM

## Project Report

By

**GARVIT CHUGH(181B090)**

**RISHABH VERMA(181B167)**

**AYUSH DHAKAD(181B060)**



NOV - 2020

Under the supervision of

**Mr. Gaurav Saxena Sir**

to

**submitted in partial fulfilment of the requirement for the degree of Bachelor of Technology**

**Department of Computer Science & Engineering  
JAYPEE UNIVERSITY OF ENGINEERING AND TECHNOLOGY,  
A-B ROAD, RAGHOGARH, DT. GUNA-473226, M.P, INDIA**

### **Candidate's Declaration**

I hereby declare that the work presented in this report entitled “ **HOME AUTOMATION SYSTEM**” in partial fulfilment of the requirements for the award of the degree of **Bachelor of Technology in Computer Science and Engineering** submitted to the Department of Computer Science & Engineering, of Jaypee University of Engineering and Technology, Guna is an authentic record of our own work carried out over a period of 5<sup>th</sup> Semester in 2020 under the supervision of **Mr.Gaurav Saxena** (Assistant professor , Computer science department).

This is to certify that the above statement made by the candidate is true to the best of my knowledge.

(Supervisor Signature)

Mr. Gaurav Saxena Assistant

professor Computer Science

Department Dated:

## **Acknowledgement**

There are numerous individuals whom I might want to thank for their direction amid creation of this undertaking. It is a very important term to work on such a venture. To wrap things up I might want to thank my college for giving us chance to take a shot at this undertaking and giving us enough time to finish this venture.

Taking a shot at this venture is giving us parcel of data about the future innovation and the utilization of remote home automation framework in our everyday life.

Thankyou.

# CONTENTS

## SUMMARY

## CHAPTER 1-INTRODUCTION

- 1.0 Introduction
- 1.1 The Internet of Things
- 1.2 Why are Smart homes needed?
- 1.3 Problem Statement
- 1.4 Objectives
- 1.5 Methodology
  - 1.5.1 Proposed Home Automation System
  - 1.5.2 Proposed Home Automation System Functions

## CHAPTER 2-REVIEW/BACKGROUND MATERIAL

- 2.1 The Framework of Home Automation Systems Based on Smartphone Akbar Satria and Widodo Budiharto.
  - 2.1.1 Framework of the System
  - 2.2.2 Conclusion and work in future
  - 2.1.3 Future enhancements
- 2.2 Automation of Home through IOT: Vinay Sagar, KN. Kusuma, SM. (2013)
- 2.3 Ramani, R. Olatunbosun .A. (2010) “Internet of Things (IoT)”
- 2.4 K. Y. Lee and J. W. Choi
- 2.5 D. J. Cook
- 2.6 H. Kanma
- 2.7 N. Liang, University of Erlangen, Germany,
- 2.8 IEEE
  - 2.8.1 “Wise Smart Home Automation and Security System Using Arduino and Wi-fi”.
  - 2.8.2 “IoT Based Home Automation Using Raspberry PI”.
  - 2.8.3 “Raspberry Pi Home Automation Using Android Application”.
  - 2.8.4 “Shrewd home computerization: Gsm security system structure use”.

## CHAPTER 3-WORK, DESCRIPTION AND RESULTS

- 3.1 Hardware Descriptions
  - 3.1.1 Arduino Uno R3
  - 3.1.2 Transformer
  - 3.1.3 LED Display
  - 3.1.4 Light Bulbs
  - 3.1.5 Relay Module
- 3.2 System Design
- 3.3 Programming Arduino Uno
- 3.4 Associating Appliances to Arduino Board

## CHAPTER 4-ALGORITHMS

## CHAPTER 5-PERFORMANCE AND SYSTEM ANALYSIS

5.1 System Testing

5.2 Black Box  
Testing

5.3 Unit Testing

## CHAPTER 6-CONCLUSIONS

6.1 Conclusion

6.2 Future Scope

## REFERENCES

## **SUMMARY**

Home automation structures have gotten commonness of late, paralleling advances in the possibility of the Internet of Things. The current endeavour exhibits the utilization of an unobtrusive home computerization system, inside the structure of assistive advancement. The system utilization relies upon the Arduino microcontroller along with Bluetooth correspondences capacity, and it is proposed for use by the elderly and people with insufficiencies. The structure is anything but difficult to use, with an instinctual interface executed on an Android based propelled cell phone. Showings exhibit that the structure empowers control of home devices, lights, warming, cooling systems and security devices by the arranged customers, i.e., the elderly and crippled.

**CHAPTER 1**  
**INTRODUCTION**

## 1. INTRODUCTION

Home robotization frameworks have gotten inescapability beginning late, paralleling the advances in the likelihood of Internet of Things. Notwithstanding the manner in which that robotization for business structures is a make improvement, computerization applications for habitations are a decently new upgrade, which is being gotten a handle on by customers. Home robotization joins the checking and control of exercises, for example, lighting, warming, ventilation, cooling, electrical mechanical gatherings, sound frameworks, perception cameras, passage shocks, and cautions. Home robotization has various focal points, comfort, extended security, and essentialness viability.

The wide usage of home computerization can be found in cold urban networks, for instance, Milwaukee, where people set warming of go outside the house and they leave and switch on the more sultry 15 minutes before returning. The framework is called HVAC and is the best choice for home mechanization.

In a period of remote development, for instance, Bluetooth, WiFi, and GSM, customers need home mechanical assemblies to be related remotely. This system adequately uses Bluetooth with an open repeat of 2400 Hz, an extent of 100 meters, and a speed of around 3 Mbps.

There are two or three stresses to be kept an eye on while organizing a home computerization structure. The system should be arranged such that facilitates new devices, with the objective that these devices should't be an issue at a later stage. On the host side, the framework should be straightforward, with the objective that the devices can be checked and controlled viably. In the occasion of any issues later on, the interface of the structure should give definite organizations. Finally, the structure should be smart with the objective that it might be commonly used by anyone in the market.



### **1.1 The Internet of Things:**

In this age the gadgets that we're the utilization of are getting to be more brilliant and littler. They're connecting relatively without issue, and they might demonstrate to us that in almost every and everything of our regular daily existences. This new reality this is there inside the period is alluded to as the net of things it's miles about adapting to and gathering the enormous amount of certainties that we are capable of picking up from these developing network of these hardware and sensors, which strategy such measurements, and furthermore share it with all the distinctive entomb related issues. it's miles a modern period, anyway we are plausible of having it with these now—found in keen sensors from our product associations, inside the security structures and inside nature we can control structures in our homes, and furthermore in our vehicle's capacities for self observing.

For once imagine all of the open entryways that may exist all together creating new devices and moreover besides for managerial in coming future. Gartner has watched the blend of regard comprising of (accounts in nature) from net of things which across over firms may accomplish upto US\$1.9 trillion around the world. For instance, practically different years from nowadays, our morning calendars might be really surprising and very well on account of the net of components advancement. Our alert may blast off sooner than its standard time because of the way that our local clever center point may have analyzed side interest conditions which could advocate an unmistakably moderate power for that day. The sensor for climate alerts nation high residue incorporate continually, so really case of your and world's sensitivitiy, you would safe house picked whether to put on a suit with sensors that would sing the character of air and after that prepared you to reasonable record of that may likewise trigger an ambush.

The basic reason for the passage is left open, and—with a couple of addon and basic extremely touchy response tranquilizes that is in charge of all the envelope cases—you pick to slip into your auto (that has progressed toward becoming on by your sharp center by utilizing crushing the catch this is there on the key dandy). The radio has been betting of your most extreme and least cherished morning appears, the well being structure for your house is outfitted, and moreover your GPS included gadgets has went with the fine course to have the option to work. The customary resilience of these things may dispense with away at the web lies as an excruciating instances of : how individuals assistant eventually of a program to amass the certainties or play out the exhibit they want for to complete on the web.

In web of things, gear speak with equipment and methodology demonstrate a - path interconnectivity to verify they may interoperate further both provincially and all round. picks can be made as in venture with prearranged controls, and the ensuing exercises emerge without the necessity for human intervention. those new exchanges have dependably been lashing out all stunning open entryways for some wipe out of the changing with the time organizations.



FIGURE 1

An international, accepting, imperceptible, ambient with all the networks computing placing constructed in the course of the sustained advent of clever sensors, smart cameras, database, gentle wares, and enormous statistics centers of the global-spanning which are on the basis of records that is called “net of factors”.




FIGURE 2



FIGURE 3

## 1.2 Why are Smart homes needed?

- **Savings-** With all the connected electrical devices that are inclusive of getting to know coolers, sprinklers which might be clever, lights which might be wireless enabled, tracking the electricity retailers in addition to water heating and cooling modules that will also reduce energy and water use.
- **Control-** Many of the todays apparatuses in a household, from broilers and fridge to deadbolts and cooling gadgets, might be controlled naturally by means of projects in PCs, phones and pills. In many occurrences, the control of every one of these gadgets works when you are out of the house as well and can transform them, which implies you could close the entry via the air terminal, check at the pooch from any of the nation, or affirm that you turned off your stove from the commercial center or some other store.



FIGURE 4

- **Convenience-** Having the majority of your lounge and room lightings interchanged as you achieve your property remotely, the home theater and TV machine consequently betting your favored melody and the front entry opens naturally when you approach it with hands total of acquiring stuff, is maybe the end rich highlights of the astute and home. in any case, solace and harmony isn't about sumptuous and simple life, shrewd locks can likewise give you a chance to allow with the privilege of section of the particular people at exact examples and not generally, so you don't must remain at home as well as supply out a key. so also, a sensor lets you know while your fridge vacant or out of stock encourages you to "arrangement" your entrance or leave entryway from wherever inside this world.
- **Security-** They are so clear, connected responses for wellbeing for the sharp home that are sensibly estimated choices for each checking security verified frameworks. remote empowered cctv cameras, associated development sensors notwithstanding astute smoke cautions might be observed from interior or outside a local utilizing a video live, electronic mail and ready writings.
- **Safety-** Sensors that are verified that can discover spillage of water, phase of stickiness, carbon dioxide, development, warmness and each ecological issue that could be envisioned assistance keep occurrence from transforming into catastrophes as they could speak with proprietor legitimately, on each event you're, wherever you need. Senior autonomy Automate sound update notwithstanding voice actuated ready frameworks are just a group of the elements of local mechanization that help seniors' have free existence for a greater drawn out timespan. moreover, cameras connected to the WiFi with - way report may furthermore help friends and family hold a watch on the senior inhabitants when they can't go and real beware of them.

### **1.3 PROBLEM STATEMENT**

In these present days home computerization is persuading the chance to be vital to improve our life conditions. Comfort and straightforwardness of utilizing home machines is the thing that home robotization is progressing. By the by, to get or verify such framework exhibited will cost a great extent of cash and that is the authentic reason of why home computerization has not gotten much premium and thought, adding to that in like way the multifaceted thought of displaying it and engineering it. Therefore it is essential to bode well and simple to organize, in the event that this is allowed to individuals. In a way, a framework alteration for the home computerization is required with the genuine goal to chop down the cost of applying it to houses. In addition home computerization offers ease of cerebrum and body to injured or potentially progressively settled individuals in their homes by only a single tick to do what they require as imparted as of now.

### **1.4 OBJECTIVES**

1. To assembling a remote home robotization structure constrained by gadget associated with the web.
2. Integrate the contraption to the controller: The overwhelming need that must be recollected when developing a Smart Home is that it must be savvy. The contraption controller must be humbly organized with the machines in the house with a basic foundation.
3. Test the set up and analyze the data: After the system is set-up, with the help of a mobile phone and a controller, tests are driven while data is recorded and inspected.
4. To plan an easy to use and a guaranteed structure to control home machines particularly planned to support the more prepared individuals and weakened.

## **1.5 METHODOLOGY**

### **1.5.1 Proposed Home Automation System**

The end individual can utilize their mobile phone or PC to sign into the machine. A fundamental test is accomplished for whether the equipment instrument is ON or not. handiest on the off chance that the equipment is approved and ON, at that point the individual is verified. when the confirmation is done accurately, individual is then equipped for send the control alarms to the equipment machine. at the equipment device the SL intention power program will always follow for the change inside the distinction and will thusly transport the markers to the Circuit. while a client chooses an exchange inside the notoriety for any of the instrument [ I. e .. ON or Off], the records from the hand-held is sent to the web Server in a string design, wherein the web - site is the host. at the server the status is spared in the database of their non-open device field. at the equipment end, the circuit power program a web website page is utilized to rescue the notoriety of the contraptions in a reasonable example [for each 10sec]. those changes come quite close to treats [which are transitory web files] from the web server and are spared at the PC inside the name of the net site on the web. thusly every 10 sec on the grounds that the site page is revived and the new treat esteems are modernized.

### **1.5.2 Proposed Home Automation System Functions**

The foreseen home motorization structure can control the going with activities in customers home and watch the going with alerts:

- ☐ Control lights

It can likewise control following machines:

- ☐ Lights on/off/diminish
- ☐ Fan on/off
- ☐ On/off various apparatus

**CHAPTER 2**  
**REVIEW/ BACKGROUND MATERIAL**



Home robotization was first brought into the world market amid the 1970s, anyway it fail to meet the wants for people and was fruitless. There were various reasons related with the mistake of the home robotization system. The system was neither straightforward nor cost capable. At present, the main point to be recalled when arranging a home computerization system is that it should be cost-capable and easy to present.

## **2.1 “The Framework of Home Remote Automation System Based on Smartphone Akbar Satria and Widodo Budiharto”**

The fundamental thought behind this paper become to make a versatile application on a phone framework so the buyer can be in expense of computerized approach; see the amount of float that has been used in the amount of dollars, so the issue is the multifaceted nature in sparing power which might be resolved. advancement and format transformed into brought out through gathering measurements the utilization of poll to the respondents. format strategy utilizing explanations to convey polls and to dissect writing, and after that thereafter doing the structuring in equipment (that is the microcontroller) made United rendition Language (UML), database planning, code usage and presentation of UIs on an IOS and on the Android. The consequence of this view is the usage of a remote household robotization cause in cell that could help the clients in rate to controlling the home and making sense of the charges of solidarity that has been used in each advanced device all together that the enhancement is done.

### **2.1.1 Framework of the System**

By techniques for and huge this diagram is remoted into two number one responsibilities to be explicit controlling contraptions and giving gift data. The controlling and for the reason that the records errand is driven by strategies for joining the Arduino little scale controller which mates with the switch inside the house and may be gotten to by bleeding edge cell phones utilizing the web. The given records errand will assist the customer with looking the dimension of electrical case utilized as a bit of a stay with a jumbled cell in well ordered, as a matter of course, and month to month premise inside the extent of Indonesian Rupiah. meanwhile as the procedure that help the records supply to be sent and got are: Modem for exchangi sort of administrations and make enormous amount of records and realities.




FIGURE 5

### 2.1.2 Conclusion and work in future

This net has modified independently in the way we are living, shifting communication among human beings in this digital degree in several contexts on both sides of from the professional existence to social relationships. The net of things has the potential to feature a brand-new dimension to this method through allowing interactions with clever items, accordingly leading to a better vision of anywhere, anytime, any electronic media, anything communication. Due to this reason, we have to look at this good feature of internet of things should be measured as a part of the overall net of the future, that is probably to be amazingly extraordinary because of the internet we are using nowadays.

### **2.1.3 Future enhancements**

Within the coming days the net and wi-fi technology will join exceptional sources of records consisting of sensors, cellular telephones and vehicles in a tighter way. The quantity of gadgets which also connects to the internet is : apparently exponentially - growing. those billions of components create, devour and system facts in exceptional environments including programs that are logistic, airports, factories and in the work and ordinary lives of humans. This world needs new and companionable, scalable and at ease solutions for both the management of the ever more extensive, complexly networked internet of things, and additionally in order of supporting diverse models of business.

### **2.2 “Automation of Home through IOT”: Vinay Sagar, KN. Kusuma, SM. (2013)**

In this generation, there are 4 most important demanding situations confronted by the home automation gadget these days; those demanding situations encompass: excessive price of ownership, inflexibility, terrible manageability, in addition to issue in reaching security. the principle objectives of this mission is to layout and implementation of a home automation system the usage of internet of things technology, that is able to automating and controlling maximum of the daily appliances within the residence thru an clean and manageable net interface. The machine recommend on this paper, has a notable adaptability of using wi-fi technology for interconnecting of the allotted sensors to home automation machine server, on the way to in the long run is to reduce the cost of deployment at the side of growing the upgrading capacity and device reconfiguration.

### **2.3 Ramani, R. Olatunbosun , A. (2010) “Internet of Things (IoT)”**

Certainities period is web of things (IOT) which has won immense notoriety and notoriety during these current years. What's to come is web of things, that will also have the transformation ability of genuine latent gadgets into virtual worldwide hubs. The IoT endeavours to achieve unification of the entire thing in our worldwide underneath a typical framework, this may never again help us to profit control anyway likewise actualize records symmetry. The high objective of this paper is to give a recognition into web of

things, designs, and basic innovation and their product in our day by day life. With the entry of IT and ITeS innovation has caused an unrest in presence at character arrange notwithstanding authoritative running stage. IOT has in shop something for everyone extending from numerous longitudinal and vertical markets incorporating a not uncommon man's regular ways of life in the general public. necessities of tremendous organizations have driven the exponential blast in IoT foundation as those organizations tend to advantage massively by the advanced consistency and control provided over its value chain gadget. This expanded ability to follow things has showed itself in gatherings transforming into more prominent proficient, dashing up of procedures, minimize mistakes, anticipate pilferage, through IoT. The IoT is a mechanical upset that will unfurl out to every one of the fields individuals have ever made and reform the fate of registering and correspondences.

**2.4 K. Y. Lee and J. W. Choi**”, in their studies and examination on the House Learning and Improvement of Networking in 2003, portrayed a Smart and Automated Home as a "unit where all of the machines of the house are related together and controlled and checked remotely." The going with sections will give a structure of the past research and practical works in the field of Smart Homes.

**2.5 D. J. Cook** adequately coordinated the MavHome adventure at the University of Texas, Arlington. The endeavour used sensors to recognize the state of the earth, and with the help of controllers, made the significant move to take care of concordance. These sensors outline an off the cuff framework to settle on the decisions.

**2.6 H. Kanma** guided a restorative research to screen people who require remedial assistance and present a remote plan at the University of McGill in Canada. The endeavour made usage of telephones and efficient sensors. It worked by making usage of remote shows, for instance, Bluetooth, ZIGBEE, and what's more GSM and separating data through an adaptable plan. The examination had a structure that involved three essential parts. At first, sensors assembled the remedial data and transmitted it by methods for sensors to mobile phones. Second, an application called J2ME on phones took care of the accumulated data. Finally, all of the data that was accumulated was joined to address the necessities of the older. The genuine favourable position of this undertaking is that it could be realized at an affordable expense in a restricted ability to canter time.

## **2.7 N. Liang, University of Erlangen, Germany,**

In the past couple of years, basic research has been driven in the field of Smart Homes to improve the advancement for disabled and old people. N. Liang have depicted troubles related to Smart Homes and drove ask about at the University of Erlangen, Germany, for the improvement of these masses and perceived the preferences with the true objective to empower them to lead all the more free lives. For the execution of these endeavours, there are distinctive sub-frameworks used, for instance, “Wireless LAN, RFIDs, TCP/IP, and Bluetooth module”. This Bluetooth composes of transportation of the sensor information and after that interconnects the system. According to the region of the inhabitation recorded, the RFID framework transmits information from the RFID marks. The messages are then transmitted by techniques for Bluetooth utilizing Bluetooth modules. This decreases the expense, as no further equipment is required for the utilization. The idea displayed in this endeavor is the one like the errand presented by the understudies at the University of Nigeria concerning the arrangement of a home computerization system using Arduino. The endeavor bases on the arrangement of a home robotization structure using the Atmega 328 microcontroller.

The endeavor does, regardless, stress the upsides of using a remote standards. To connect with a broad assortment of contraptions, Bluetooth is an overall standard and is easily available in all devices, for it is definitely not hard to set up and use. It in like manner scrambles data using a 128 piece since quite a while back shared key, making it a moored affiliation moreover. With movements in RF Technology, for instance, Zigbee and Bluetooth, these systems have furthermore ended up being outstanding in the market. Past infrared structures had different security issues and there additionally were impedances between signs, making it unbound and less notable in the worldwide market. Research is up 'til now occurring around there; various systems have been proposed, yet not a lot of them have been realized in the worldwide market.

**2.8 IEEE** discharged many research papers on home-computerization. A portion of these exploration had intriguing application with regards to home computerization.

**2.8.1 “ Wise Smart Home Automation and Security System Using Arduino and Wi-fi”.** This paper gives an insignificant exertion fruitful and versatile home control and checking structure with the guide of an organized littler scale web server with web show (IP) accessibility for access and to control of equipment and contraptions remotely using Android-based

**2.8.2 “IoT Based Home Automation Using Raspberry PI”.** This paper proposes the arrangement of Inter of Things (IoT) based home automation structure using Raspberry pi. Starting at now in day today's life we can scarcely find a house without a home automation structure. This endeavor is wanted to build up a home motorization structure.

**2.8.3 “Raspberry Pi Home Automation Using Android Application”.** The endeavor introduces a negligible exertion and versatile home control and watching structure using a Raspberry PI module and a Static Relay, with web accessibility for getting to and controlling devices and mechanical assemblies remotely using Smartphone android application.

**2.8.4 “Shrewd home computerization: Gsm security system structure use”.** Sharp home automation has pulled in light of a real worry for the investigation arrange in the midst of the latest decade, at a mind boggling way. Home security structures involve a continually making investigation field. In this paper, a security system for smart home robotization is proposed.

**CHAPTER 3**  
**WORK, DESCRIPTION AND RESULTS**

Home mechanization depicts a course of action of sorted out, controllable devices that participate to make your home increasingly pleasant, revamp, capable, and secure. You "talk" with your automated home through a remote control or astute contraption. In the accompanying area we will examine the advancement of our home robotization framework.

### **3.1 HARDWARE DESCRIPTION**

#### **3.1.1 Arduino Uno R3**

Arduino is an open source physical getting ready gear, which depends upon a microcontroller board and a hardened upgrade condition for the board to be adjusted. Arduino is fundamental and can be easily learned by juveniles. Arduino can continue running on any phase that joins Windows, Linux Operating System, and Mac OS , as opposed to different microcontrollers, which run just in the Windows working structure. The Arduino can be used to develop a natural interface, get commitments from a different aggregation of switches and furthermore sensors, and at the same time control the yield from various physical contraptions including lights and diverse mechanical assemblies. Arduino is revolved around a circumstance, which ought to be changed with a tongue that is executed by methods for wiring: a physical figure.

#### **Specialized determinations :**

“Microcontroller: - Microchip ATmega328P Usage Voltage: - 5 Volts Voltage: - 7 - 20 Volts  
Computerized I/O Pins: -14 (of which 6 give PWM yield)  
Simple Pins in Input: - 6 Current of DC per I/O Pin: - 20 mA Current of for 3.3 V Pin: - 50 mA  
Streak Memory: - 32 KB of which 0.5 KB utilized by the bootloader  
SRAM: - 2 KB  
EEPROM: - 1 KB  
Speed of clock: - 16 MHz  
Length: - 68.6 mm  
Width: - 53.4 mm  
Weight: -25 g”






FIGURE 6




FIGURE 7

## Reasons for Choosing Arduino Uno

There are different effective microcontrollers including MIT's Handyboard, Phidgets, and Netmedia's BX-24 however the Arduino offers various points of interest for people, including understudies and educators, that give it a high ground contrasted with alternate microcontrollers. The benefits of the Arduino are recorded as pursues :

1. More affordable: Arduino sheets are modest contrasted with different microcontrollers that are accessible in the market. A preassembled Arduino board is accessible for as low as \$50.
2. Perfect: Arduino is good with all the working frameworks including Linux, Macintosh, what's more, Windows, while different microcontrollers that are only limited to Windows.
3. Simple to program: - the earth used to program Arduino board and the approaches to play out the coding are easy to use notwithstanding for amateurs.
4. Open source and expandable programming: - Programming dialect of an Arduino is an open source and can also fuse the Arduino code to the AVR-C code if necessary.

**3.1.2 WiFi Module** The ESP8266 **WiFi Module** is a self contained SOC with integrated TCP/IP protocol stack that can give any microcontroller access to your **WiFi** network. The ESP8266 is capable of either hosting an application or offloading all **WiFi** networking functions from another application processor.



FIGURE 8

**3.1.3 LED display** An LED display to show the status of the devices connected to the system.

**Model: EDS803**

Appearance Size:50.8\*30.48\*2.8mm Visual Area Size:45.72\*16.51mm Display Mode:  
TN, positive display Polaroid Type:semi-transparent Visual Angle: 6 O'CLOCK  
Connection Type:metal pin Driving Way: static Driving Voltage: 5.0 V



FIGURE 9

**3.1.4 Light bulbs** Two light bulbs to demonstrate home automation.



FIGURE 10

**3.1.5 Relay module** A relay module is used to connect various devices to Arduino uno R3.




FIGURE 11

### 3.2 System Design

In our home automation system we have shown how we can control two devices using internet of things (IOT). The Arduino uno R3 is the microcontroller. There are two sorts of correspondence engaged with this venture: wired and remote correspondence. We have used remote communication to operate the device using internet of things.

### 3.3 Programming Arduino Uno

Arduino gives an adaptable stage, which composes a code so as for any capacity to be executed by the Arduino and transfer to board. Interfacing the Atmega 328 with Electrically Erasable Programmable Read Only Memory (EEPROM) is finished utilizing the All inclusive Synchronous Asynchronous Receiver Transmitter (USART) convention. The code is written in Embedded C utilizing Atmel studio 6.0. The code is then arranged and changed over to HEX code. A short time later, the HEX code is then scorched to the Atmega 328 microcontroller.

### **3.4 Associating the Appliance to the Arduino Board**


After every one of the associations are done, the home machines ought to be associated with the Arduino. The positive end of the home apparatus must be associated with the anode port of the optocoupler and negative end of the machine must be associated with the power source utilizing wires. Utilizing distinctive optocouplers and Arduino ports, the associations is made for different apparatuses. At last, with the assistance of a Bluetooth associated Android telephone, the majority of the electronic machines in the houses are controlled using remote.

**CHAPTER 4**

**ALGORITHMS**

Programming the Arduino uno isn't extremely troublesome errand. When the circuit has been made on the breadboard, you'll have to transfer the program (known as a draw) to the Arduino. The draw is an arrangement of guidelines that tells the board what capacities it needs to perform. An Arduino load up can just hold and perform one outline at any given moment. The product used to make Arduino portrays is known as the IDE which represents Integrated Development Environment.

For, this particular project we have developed a simple code. The code has been illustrated using screen shots taken from our laptop.



```
sketch_minor | Arduino 1.8.13 (Windows Store 1.8.42.0)
File Edit Sketch Tools Help

sketch_minor

#include "SoftwareSerial.h"
#define DEBUG true
SoftwareSerial esp8266(2,3); // make RX Arduino line is pin 2, make TX Arduino line is pin 3.
// This means that you need to connect the TX line from the esp to the Arduino's pin 2.
// and the RX line from the esp to the Arduino's pin 3.
void setup()
{
  Serial.begin(9600);
  esp8266.begin(9600); // your esp's baud rate might be different
  pinMode(4,OUTPUT);
  digitalWrite(4,LOW);
  pinMode(5,OUTPUT);
  digitalWrite(5,LOW);
  pinMode(6,OUTPUT);
  digitalWrite(6,LOW);
  pinMode(7,OUTPUT);
  digitalWrite(7,LOW);
  pinMode(13,OUTPUT);
  digitalWrite(13,LOW);
  sendData("AT+RST\r\n",2000,DEBUG); // reset module
  sendData("AT+CMODE=2\r\n",1000,DEBUG); // configure as access point
  sendData("AT+CIFSR\r\n",1000,DEBUG); // get ip address
  sendData("AT+CWMUX=1\r\n",1000,DEBUG); // configure for multiple connections
  sendData("AT+CIPSERVER=1,80\r\n",1000,DEBUG); // turn on server on port 80
}
void loop()
{
  if(esp8266.available()) // check if the esp is sending a message
  {
    if(esp8266.find("+IPD, "))
    {
      delay(1000); // wait for the serial buffer to fill up (read all the serial data)
      // get the connection id so that we can then disconnect
      int connectionId = esp8266.read()-48; // subtract 48 because the read() function returns
      // the ASCII decimal value and 0 (the first decimal number) starts at 48
    }
  }
}
```

FIGURE 12

```
sketch_minor | Arduino 1.8.13 (Windows Store 1.8.42.0)
File Edit Sketch Tools Help

sketch_minor
}
void loop()
{
  if(esp8266.available()) // check if the esp is sending a message
  {
    if(esp8266.find("+IPD,"))
    {
      delay(1000); // wait for the serial buffer to fill up (read all the serial data)
      // get the connection id so that we can then disconnect
      int connectionId = esp8266.read()-48; // subtract 48 because the read() function returns
      // the ASCII decimal value and 0 (the first decimal number) starts at 48
      esp8266.find("pin="); // advance cursor to "pin="
      int pinNumber = (esp8266.read()-48)*10; // get first number i.e. if the pin 13 then the 1st number is 1, then multiply to get 10
      pinNumber += (esp8266.read()-48); // get second number, i.e. if the pin number is 13 then the 2nd number is 3, then add to the first number
      switch (pinNumber)
      {
        case 1://switch 1 on
          digitalWrite(4,HIGH);
          break;
        case 2://switch 2 on
          digitalWrite(5,HIGH);
          break;
        case 3://switch 3 on
          digitalWrite(6,HIGH);
          break;
        case 4://switch 4 on
          digitalWrite(7,HIGH);
          break;
        case 5://led on
          digitalWrite(13,HIGH);
          break;
        case 6://switch 1 off
          digitalWrite(4,LOW);
          break;
        case 7://switch 2 off
          digitalWrite(5,LOW);
          break;
        case 8://switch 3 off
          digitalWrite(6,LOW);
          break;
        case 9://switch 4 off
          digitalWrite(7,LOW);
          break;
        case 10://led off
          digitalWrite(13,LOW);
          break;
        default:
          break;
      }
      //digitalWrite(pinNumber, !digitalRead(pinNumber)); // toggle pin
      // make close command
      String closeCommand = "AT+CIPCLOSE=";
      closeCommand+=connectionId; // append connection id
      closeCommand+="\r\n";
      sendData(closeCommand,1000,DEBUG); // close connection
    }
  }
}
/*
 * Name: sendData
 * Description:Function used to send data to ESP8266.
 * Params: command - the data/command to send; timeout - the time to wait for a
response; debug - print to Serial window?(true = yes, false = no)
 * Returns: The response from the esp8266 (if there is a response)
 */
String sendData(String command, const int timeout, boolean debug)
{
  String response = "";
  esp8266.print(command); // send the read character to the esp8266
  long int time = millis();
  while( (time+timeout) > millis())
  {
    if(debug)
    {
      Serial.print(".");
      delay(100);
    }
    if(esp8266.available())
    {
      char c = esp8266.read();
      response+=c;
    }
  }
  return response;
}
```

FIGURE 13

```
sketch_minor | Arduino 1.8.13 (Windows Store 1.8.42.0)
File Edit Sketch Tools Help

sketch_minor
break;
case 8://switch 3 off
  digitalWrite(6,LOW);
  break;
case 9://switch 4 off
  digitalWrite(7,LOW);
  break;
case 10://led off
  digitalWrite(13,LOW);
  break;
default:
  break;
}
//digitalWrite(pinNumber, !digitalRead(pinNumber)); // toggle pin
// make close command
String closeCommand = "AT+CIPCLOSE=";
closeCommand+=connectionId; // append connection id
closeCommand+="\r\n";
sendData(closeCommand,1000,DEBUG); // close connection
}
}
/*
 * Name: sendData
 * Description:Function used to send data to ESP8266.
 * Params: command - the data/command to send; timeout - the time to wait for a
response; debug - print to Serial window?(true = yes, false = no)
 * Returns: The response from the esp8266 (if there is a response)
 */
String sendData(String command, const int timeout, boolean debug)
{
  String response = "";
  esp8266.print(command); // send the read character to the esp8266
  long int time = millis();
  while( (time+timeout) > millis())
  {
    if(debug)
    {
      Serial.print(".");
      delay(100);
    }
    if(esp8266.available())
    {
      char c = esp8266.read();
      response+=c;
    }
  }
  return response;
}
```

FIGURE 14






FIGURE 15

Hence This Code is used to run appliances connecting with the board using the android device connected.

**CHAPTER 5**

**PERFORMANCE AND SYSTEM ANALYSIS**

## 5.1 SYSTEM TESTING

The framework going for delicate products is the looking at achieved on an outright, included machine to assess the machine's congruity with its exact necessities. gadget testing would also fall inside the range of the dark compartment looking at, and in this way, it must need no data around the interior structuring of the presence of mind or the code. It's miles a totally comparable deliberate check case lettering. inside the check case lettering we ought to be equipped for compose the check case circumstances and moreover the utilization cases.

## 5.2 BLACK BOX TESTING

The Black-box looking at is an approach to “test programming that uncovers out the ability and running of a product without the peering into the inward structures or into the operations, explicit data of the product's inside shape, code and programming understanding is commonly not required”. Furthermore the analyzer is enjoyably careful about unequivocally what our item is thought to do anyway it isn't responsive of ways it would do it. as a case, our analyzer is responsive that one careful enter may restore a definite, never-ending yield yet it isn't sure generally how the item would convey the yield inside the essential spot.




FIGURE 17

### 5.3 UNIT TESTING

Throughout pc programming and coding, we have this unit testing assisting which of the product tests approaches with the methods for which specific units of the supply code, or a fixed of 1 and now and then additional PC programming component together with related control records, managing procedures, and working methodologies, are experienced and analyzed to see whether they are strong for use. Instinctively, we likewise can locate a unit to be the littlest checkable component of an apparatuses. For this situation of the procedural programming, our unit could have been a whole module, but it's miles more usually an man or woman manner or characteristic.

The objective of unit checking out is in order to separate every detail of this system and to illustrate that the person factors are accurate.




FIGURE 18

**CHAPTER 6**  
**CONCLUSIONS**

## **6.1 CONCLUSION**

While wearing down this system we have grabbed a lot of finding out about various modules being used in this errand. We are glad we can participate as a gathering in this endeavor and set up new musings. We believe the assignment completes as needed and the data grabbed in the delivery of this period will be used in our future corporate life. Additionally, we might want to include that home automation is the fate of places of new world.

## **6.2 FUTURE SCOPE**

The going with stage for home robotization advertise will happen subject to a couple of key overhauls in the progression open in Automation, for example, improvement in Wireless Automation blueprints and moreover bringing down of regard appears as the market starts perceive Home mechanization use in more noteworthy volumes. A couple of examples that we foresee for this time of the business are:

- Big associations like Philips, Siemens and Schneider will as time goes on bring out truly mass market mechanization things with interfacing with UI in any case at lower esteem point as contrast with today, and more people will be able to bear the cost of the things.
- Solution commitments will bit by bit move to an all the more straightforward structure, where next to two or three key parts, customers will have the ability to buy and use the Automation things themselves without the guide of any specific ace
- Some remote players will have claim to fame in awesome motorization and focus on the prevalent market.

## REFERENCES

- S. Das and D. J. Cook, Smart Home Environments: A Paradigm Based on Learning and Prediction, Wireless Mobile and Sensor Networks, Wiley, 2004.
- "Best Home Automation System - Consumer Reports". [www.consumerreports.org](http://www.consumerreports.org). Recovered 2016-02-14.
- <https://arduino-info.wikispaces.com/BlueTooth-HC05-HC06-Modules-How-To.html>
- <https://en.wikipedia.org/wiki/Arduino.html>
- “D. J. Cook and M. Youngblood, Smart Homes, Encyclopedia of Human-Computer Interaction”, 2004.
- S.Praveen,"IOT and its Signifance ", 2015,Online.
- S.Prasad , P. Mahalakshmi "Shrewd Surveillance Monitoring System Using Arduino and PIR ensor international Journal of Computer Science and Information Technologies, pp 45-65 ,Vol. 5 ,issue 1,2014.
- Pyarie, R. Tyarize,"Bluetooth based home computerization framework utilizing Iot", International Journal Of Computer Science and Information Technologies, pp 103-130,Vol 2 ,issue1,2013.