

PEL INVERTER ON TURBO DC

ULTIMATE T3 (H&C) AIR



Range Capacity - Cooling	1004(100~1182) W	Range Capacity - Cooling
Range Current - Cooling	4.5(1.1~5.4) A	Range Current - Cooling
Rated Current	9.0 A	Rated Current
Range Capacity - Heating	925(240~1083) W	Range Capacity - Heating
Rated Power Input	1800 W	Rated Power Input
Energy Efficiency Ratio (EER)	3.6	Energy Efficiency Ratio (EER)
Power supply source	220_240V_1Ph,FREQUENCY_50HZ	Power supply source
Refrigerant Type	R32	Refrigerant Type
Indoor Air Flow Volume	560 m3/h	Indoor Air Flow Volume
Outdoor Noise level	56 dB(A)	Outdoor Noise level
Indoor unit weight (Net)	8.6 Kg	Indoor unit weight (Net)
Outdoor unit weight (Net)	23.3 Kg	Outdoor unit weight (Net)
Net Dimension - Indoor (WidthxDepthxHeight)	802x200x295 mm	Net Dimension - Indoor (WidthxDepthxHeight)
Net Dimension - Outdoor (WidthxDepthxHeight)	765x303x555 mm	Net Dimension - Outdoor (WidthxDepthxHeight)