Denosumab

Policy Number: 2026D0068R
Effective Date: January 1, 2026

➲ Instructions for Use

Table of Contents **Page**

Coverage Rationale 1
Applicable Codes 3
Background 14
Benefit Considerations 15
Clinical Evidence 15
U.S. Food and Drug Administration 16
Centers for Medicare and Medicaid Services 16
References 16
Policy History/Revision Information 17
Instructions for Use 19

Related Commercial Policies

- Maximum Dosage and Frequency
- Medical Benefit Therapeutic Equivalent Medications – Excluded Drugs
- Oncology Medication Clinical Coverage
- Provider Administered Drugs – Site of Care

Community Plan Policy

- Denosumab

Coverage Rationale

➲ See Benefit Considerations

Bildyos® (denosumab-nxxp), Bosaya™ (denosumab-kyqq), Conexxence® (denosumab-bnht), Enoby™ (denosumab-qbde), and Ospomyv™ (denosumab-dssb) have been added to the Review at Launch program. Some members may not be eligible for coverage of this medication at this time. Refer to the Medical Benefit Drug Policy titled Review at Launch for New to Market Medications for additional details.

This policy refers to the following denosumab products for non-oncology conditions:

- Jubbonti® (denosumab-bbdz)
- Prolia® (denosumab)
- Stoboclo® (denosumab-bmwo)
- Any FDA-approved denosumab product not listed here*

*Any U.S. Food and Drug Administration approved denosumab product not listed by name in this policy will be considered non-preferred until reviewed by UnitedHealthcare.

For oncology indications, refer to the Medical Benefit Drug Policy titled Oncology Medication Clinical Coverage for updated information based upon the National Comprehensive Cancer Network (NCCN) Drugs & Biologics Compendium® (NCCN Compendium®).

Jubbonti® is typically excluded from coverage. Coverage reviews may be in place if required by law or the benefit plan. Refer to the Medical Benefit Drug Policy titled Medical Benefit Therapeutic Equivalent Medications – Excluded Drugs and the corresponding excluded drug list with preferred alternatives.

Preferred Product

Medical Necessity Plans

Prolia and Stoboclo are the preferred denosumab products. Coverage will be provided for Prolia and Stoboclo contingent on the coverage criteria in the Diagnosis-Specific Criteria section.

Coverage for Jubbonti or other non-preferred denosumab products will be provided contingent on the criteria in this Preferred Product Criteria section and the coverage criteria in the Diagnosis-Specific Criteria section. In order to continue

Proprietary Information of UnitedHealthcare. Copyright 2026 United HealthCare Services, Inc.

coverage, members already on Jubbonti or other non-preferred denosumab products will be required to change therapy to Prolia or Stoboclo unless they meet the criteria in this section.

Preferred Product Criteria (*For Medicare reviews, refer to the CMS section.***)

Treatment with Jubbonti or other non-preferred denosumab products is medically necessary for the indications specified in the policy when one of the following is met:

- **Both** of the following:
  - History of a trial of adequate dose and duration of Prolia or Stoboclo, resulting in minimal clinical response; **and**
  - Physician attests that, in their clinical opinion, the clinical response would be expected to be superior with Jubbonti or other non-preferred denosumab product, than experienced with Prolia or Stoboclo.

  or
- **Both** of the following:
  - History of intolerance, contraindication, or adverse event to Prolia or Stoboclo; **and**
  - Physician attests that, in their clinical opinion, the same intolerance, contraindication, or adverse event would not be expected to occur with Jubbonti or other non-preferred denosumab product

Non-Medical Necessity Plans

Any denosumab product is to be approved contingent on the coverage criteria in the Diagnosis-Specific Criteria section.

Diagnosis-Specific Criteria

"Denosumab" will be used to refer to all denosumab products.

Denosumab is proven for the treatment of postmenopausal patients with osteoporosis or to increase bone mass in patients with osteoporosis at high risk for fracture when all of the following criteria are met:

- **Initial Therapy**
  - Diagnosis of osteoporosis; **and**
  - Patient is at high risk for fracture (e.g., history of osteoporotic fracture, multiple risk factors for fracture, patients who have failed or are intolerant to other available osteoporosis therapy); **and**
  - Dosing is in accordance with the United States Food and Drug Administration approved labeling; **and**
  - Authorization is for no more than 12 months
- **Reauthorization/Continuation of Care Criteria**
  - Documentation of positive clinical response to therapy; **and**
  - Dosing is in accordance with the United States Food and Drug Administration approved labeling; **and**
  - Authorization is for no more than 12 months

Denosumab is proven to treat glucocorticoid-induced osteoporosis in patients at high risk for fracture when all of the following criteria are met:

- **Initial Therapy**
  - Diagnosis of glucocorticoid-induced osteoporosis; **and**
  - Patient is at high risk for fracture (e.g., history of osteoporotic fracture, multiple risk factors for fracture, patients who have failed or are intolerant to other available osteoporosis therapy); **and**
  - Dosing is in accordance with the United States Food and Drug Administration approved labeling; **and**
  - Authorization is for no more than 12 months
- **Reauthorization/Continuation of Care Criteria**
  - Documentation of positive clinical response to therapy; **and**
  - Dosing is in accordance with the United States Food and Drug Administration approved labeling; **and**
  - Authorization is for no more than 12 months

Unproven

Denosumab is unproven for the following indications:

- Combination therapy with intravenous bisphosphonates
- Hyperparathyroidism
- Immobilization hypercalcemia
- Osteogenesis imperfecta
- Osteopenia

Proprietary Information of UnitedHealthcare. Copyright 2026 United HealthCare Services, Inc.

Applicable Codes

The following list(s) of procedure and/or diagnosis codes is provided for reference purposes only and may not be all inclusive. Listing of a code in this policy does not imply that the service described by the code is a covered or non-covered health service. Benefit coverage for health services is determined by the member specific benefit plan document and applicable laws that may require coverage for a specific service. The inclusion of a code does not imply any right to reimbursement or guarantee claim payment. Other Policies and Guidelines may apply.

HCPCS Code	Description	Brand Name
J0897	Injection, denosumab, 1 mg	Prolia
Q5136	Injection, denosumab (jubbonti/wyost), biosimilar, 1 mg	Jubbonti
Q5157	Injection, denosumab (stoboclo/osenvelt), biosimilar, 1 mg	Stoboclo

Diagnosis Code	Description
M80.00XA	Age-related osteoporosis with current pathological fracture, unspecified site, initial encounter for fracture
M80.00XD	Age-related osteoporosis with current pathological fracture, unspecified site, subsequent encounter for fracture with routine healing
M80.00XG	Age-related osteoporosis with current pathological fracture, unspecified site, subsequent encounter for fracture with delayed healing
M80.00XK	Age-related osteoporosis with current pathological fracture, unspecified site, subsequent encounter for fracture with nonunion
M80.00XP	Age-related osteoporosis with current pathological fracture, unspecified site, subsequent encounter for fracture with malunion
M80.00XS	Age-related osteoporosis with current pathological fracture, unspecified site, sequela
M80.0AXA	Age-related osteoporosis with current pathological fracture, other site, initial encounter for fracture
M80.0AXD	Age-related osteoporosis with current pathological fracture, other site, subsequent encounter for fracture with routine healing
M80.0AXG	Age-related osteoporosis with current pathological fracture, other site, subsequent encounter for fracture with delayed healing
M80.0AXK	Age-related osteoporosis with current pathological fracture, other site, subsequent encounter for fracture with nonunion
M80.0AXP	Age-related osteoporosis with current pathological fracture, other site, subsequent encounter for fracture with malunion
M80.0AXS	Age-related osteoporosis with current pathological fracture, other site, sequela
M80.0B1A	Age-related osteoporosis with current pathological fracture, right pelvis, initial encounter for fracture
M80.0B1D	Age-related osteoporosis with current pathological fracture, right pelvis, subsequent encounter for fracture with routine healing
M80.0B1G	Age-related osteoporosis with current pathological fracture, right pelvis, subsequent encounter for fracture with delayed healing
M80.0B1K	Age-related osteoporosis with current pathological fracture, right pelvis, subsequent encounter for fracture with nonunion
M80.0B1P	Age-related osteoporosis with current pathological fracture, right pelvis, subsequent encounter for fracture with malunion
M80.0B1S	Age-related osteoporosis with current pathological fracture, right pelvis, sequela
M80.0B2A	Age-related osteoporosis with current pathological fracture, left pelvis, initial encounter for fracture
M80.0B2D	Age-related osteoporosis with current pathological fracture, left pelvis, subsequent encounter for fracture with routine healing
M80.0B2G	Age-related osteoporosis with current pathological fracture, left pelvis, subsequent encounter for fracture with delayed healing
M80.0B2K	Age-related osteoporosis with current pathological fracture, left pelvis, subsequent encounter for fracture with nonunion

Proprietary Information of UnitedHealthcare. Copyright 2026 United HealthCare Services, Inc.

Diagnosis Code	Description
M80.0B2P	Age-related osteoporosis with current pathological fracture, left pelvis, subsequent encounter for fracture with malunion
M80.0B2S	Age-related osteoporosis with current pathological fracture, left pelvis, sequela
M80.0B9A	Age-related osteoporosis with current pathological fracture, unspecified pelvis, initial encounter for fracture
M80.0B9D	Age-related osteoporosis with current pathological fracture, unspecified pelvis, subsequent encounter for fracture with routine healing
M80.0B9G	Age-related osteoporosis with current pathological fracture, unspecified pelvis, subsequent encounter for fracture with delayed healing
M80.0B9K	Age-related osteoporosis with current pathological fracture, unspecified pelvis, subsequent encounter for fracture with nonunion
M80.0B9P	Age-related osteoporosis with current pathological fracture, unspecified pelvis, subsequent encounter for fracture with malunion
M80.0B9S	Age-related osteoporosis with current pathological fracture, unspecified pelvis, sequela
M80.011A	Age-related osteoporosis with current pathological fracture, right shoulder, initial encounter for fracture
M80.011D	Age-related osteoporosis with current pathological fracture, right shoulder, subsequent encounter for fracture with routine healing
M80.011G	Age-related osteoporosis with current pathological fracture, right shoulder, subsequent encounter for fracture with delayed healing
M80.011K	Age-related osteoporosis with current pathological fracture, right shoulder, subsequent encounter for fracture with nonunion
M80.011P	Age-related osteoporosis with current pathological fracture, right shoulder, subsequent encounter for fracture with malunion
M80.011S	Age-related osteoporosis with current pathological fracture, right shoulder, sequela
M80.012A	Age-related osteoporosis with current pathological fracture, left shoulder, initial encounter for fracture
M80.012D	Age-related osteoporosis with current pathological fracture, left shoulder, subsequent encounter for fracture with routine healing
M80.012G	Age-related osteoporosis with current pathological fracture, left shoulder, subsequent encounter for fracture with delayed healing
M80.012K	Age-related osteoporosis with current pathological fracture, left shoulder, subsequent encounter for fracture with nonunion
M80.012P	Age-related osteoporosis with current pathological fracture, left shoulder, subsequent encounter for fracture with malunion
M80.012S	Age-related osteoporosis with current pathological fracture, left shoulder, sequela
M80.019A	Age-related osteoporosis with current pathological fracture, unspecified shoulder, initial encounter for fracture
M80.019D	Age-related osteoporosis with current pathological fracture, unspecified shoulder, subsequent encounter for fracture with routine healing
M80.019G	Age-related osteoporosis with current pathological fracture, unspecified shoulder, subsequent encounter for fracture with delayed healing
M80.019K	Age-related osteoporosis with current pathological fracture, unspecified shoulder, subsequent encounter for fracture with nonunion
M80.019P	Age-related osteoporosis with current pathological fracture, unspecified shoulder, subsequent encounter for fracture with malunion
M80.019S	Age-related osteoporosis with current pathological fracture, unspecified shoulder, sequela
M80.021A	Age-related osteoporosis with current pathological fracture, right humerus, initial encounter for fracture

Proprietary Information of UnitedHealthcare. Copyright 2026 United HealthCare Services, Inc.

Diagnosis Code	Description
M80.021D	Age-related osteoporosis with current pathological fracture, right humerus, subsequent encounter for fracture with routine healing
M80.021G	Age-related osteoporosis with current pathological fracture, right humerus, subsequent encounter for fracture with delayed healing
M80.021K	Age-related osteoporosis with current pathological fracture, right humerus, subsequent encounter for fracture with nonunion
M80.021P	Age-related osteoporosis with current pathological fracture, right humerus, subsequent encounter for fracture with malunion
M80.021S	Age-related osteoporosis with current pathological fracture, right humerus, sequela
M80.022A	Age-related osteoporosis with current pathological fracture, left humerus, initial encounter for fracture
M80.022D	Age-related osteoporosis with current pathological fracture, left humerus, subsequent encounter for fracture with routine healing
M80.022G	Age-related osteoporosis with current pathological fracture, left humerus, subsequent encounter for fracture with delayed healing
M80.022K	Age-related osteoporosis with current pathological fracture, left humerus, subsequent encounter for fracture with nonunion
M80.022P	Age-related osteoporosis with current pathological fracture, left humerus, subsequent encounter for fracture with malunion
M80.022S	Age-related osteoporosis with current pathological fracture, left humerus, sequela
M80.029A	Age-related osteoporosis with current pathological fracture, unspecified humerus, initial encounter for fracture
M80.029D	Age-related osteoporosis with current pathological fracture, unspecified humerus, subsequent encounter for fracture with routine healing
M80.029G	Age-related osteoporosis with current pathological fracture, unspecified humerus, subsequent encounter for fracture with delayed healing
M80.029K	Age-related osteoporosis with current pathological fracture, unspecified humerus, subsequent encounter for fracture with nonunion
M80.029P	Age-related osteoporosis with current pathological fracture, unspecified humerus, subsequent encounter for fracture with malunion
M80.029S	Age-related osteoporosis with current pathological fracture, unspecified humerus, sequela
M80.031A	Age-related osteoporosis with current pathological fracture, right forearm, initial encounter for fracture
M80.031D	Age-related osteoporosis with current pathological fracture, right forearm, subsequent encounter for fracture with routine healing
M80.031G	Age-related osteoporosis with current pathological fracture, right forearm, subsequent encounter for fracture with delayed healing
M80.031K	Age-related osteoporosis with current pathological fracture, right forearm, subsequent encounter for fracture with nonunion
M80.031P	Age-related osteoporosis with current pathological fracture, right forearm, subsequent encounter for fracture with malunion
M80.031S	Age-related osteoporosis with current pathological fracture, right forearm, sequela
M80.032A	Age-related osteoporosis with current pathological fracture, left forearm, initial encounter for fracture
M80.032D	Age-related osteoporosis with current pathological fracture, left forearm, subsequent encounter for fracture with routine healing
M80.032G	Age-related osteoporosis with current pathological fracture, left forearm, subsequent encounter for fracture with delayed healing
M80.032K	Age-related osteoporosis with current pathological fracture, left forearm, subsequent encounter for fracture with nonunion

Proprietary Information of UnitedHealthcare. Copyright 2026 United HealthCare Services, Inc.

Diagnosis Code	Description
M80.032P	Age-related osteoporosis with current pathological fracture, left forearm, subsequent encounter for fracture with malunion
M80.032S	Age-related osteoporosis with current pathological fracture, left forearm, sequela
M80.039A	Age-related osteoporosis with current pathological fracture, unspecified forearm, initial encounter for fracture
M80.039D	Age-related osteoporosis with current pathological fracture, unspecified forearm, subsequent encounter for fracture with routine healing
M80.039G	Age-related osteoporosis with current pathological fracture, unspecified forearm, subsequent encounter for fracture with delayed healing
M80.039K	Age-related osteoporosis with current pathological fracture, unspecified forearm, subsequent encounter for fracture with nonunion
M80.039P	Age-related osteoporosis with current pathological fracture, unspecified forearm, subsequent encounter for fracture with malunion
M80.039S	Age-related osteoporosis with current pathological fracture, unspecified forearm, sequela
M80.041A	Age-related osteoporosis with current pathological fracture, right hand, initial encounter for fracture
M80.041D	Age-related osteoporosis with current pathological fracture, right hand, subsequent encounter for fracture with routine healing
M80.041G	Age-related osteoporosis with current pathological fracture, right hand, subsequent encounter for fracture with delayed healing
M80.041K	Age-related osteoporosis with current pathological fracture, right hand, subsequent encounter for fracture with nonunion
M80.041P	Age-related osteoporosis with current pathological fracture, right hand, subsequent encounter for fracture with malunion
M80.041S	Age-related osteoporosis with current pathological fracture, right hand, sequela
M80.042A	Age-related osteoporosis with current pathological fracture, left hand, initial encounter for fracture
M80.042D	Age-related osteoporosis with current pathological fracture, left hand, subsequent encounter for fracture with routine healing
M80.042G	Age-related osteoporosis with current pathological fracture, left hand, subsequent encounter for fracture with delayed healing
M80.042K	Age-related osteoporosis with current pathological fracture, left hand, subsequent encounter for fracture with nonunion
M80.042P	Age-related osteoporosis with current pathological fracture, left hand, subsequent encounter for fracture with malunion
M80.042S	Age-related osteoporosis with current pathological fracture, left hand, sequela
M80.049A	Age-related osteoporosis with current pathological fracture, unspecified hand, initial encounter for fracture
M80.049D	Age-related osteoporosis with current pathological fracture, unspecified hand, subsequent encounter for fracture with routine healing
M80.049G	Age-related osteoporosis with current pathological fracture, unspecified hand, subsequent encounter for fracture with delayed healing
M80.049K	Age-related osteoporosis with current pathological fracture, unspecified hand, subsequent encounter for fracture with nonunion
M80.049P	Age-related osteoporosis with current pathological fracture, unspecified hand, subsequent encounter for fracture with malunion
M80.049S	Age-related osteoporosis with current pathological fracture, unspecified hand, sequela
M80.051A	Age-related osteoporosis with current pathological fracture, right femur, initial encounter for fracture
M80.051D	Age-related osteoporosis with current pathological fracture, right femur, subsequent encounter for fracture with routine healing
M80.051G	Age-related osteoporosis with current pathological fracture, right femur, subsequent encounter for fracture with delayed healing

Proprietary Information of UnitedHealthcare. Copyright 2026 United HealthCare Services, Inc.

Diagnosis Code	Description
M80.051K	Age-related osteoporosis with current pathological fracture, right femur, subsequent encounter for fracture with nonunion
M80.051P	Age-related osteoporosis with current pathological fracture, right femur, subsequent encounter for fracture with malunion
M80.051S	Age-related osteoporosis with current pathological fracture, right femur, sequela
M80.052A	Age-related osteoporosis with current pathological fracture, left femur, initial encounter for fracture
M80.052D	Age-related osteoporosis with current pathological fracture, left femur, subsequent encounter for fracture with routine healing
M80.052G	Age-related osteoporosis with current pathological fracture, left femur, subsequent encounter for fracture with delayed healing
M80.052K	Age-related osteoporosis with current pathological fracture, left femur, subsequent encounter for fracture with nonunion
M80.052P	Age-related osteoporosis with current pathological fracture, left femur, subsequent encounter for fracture with malunion
M80.052S	Age-related osteoporosis with current pathological fracture, left femur, sequela
M80.059A	Age-related osteoporosis with current pathological fracture, unspecified femur, initial encounter for fracture
M80.059D	Age-related osteoporosis with current pathological fracture, unspecified femur, subsequent encounter for fracture with routine healing
M80.059G	Age-related osteoporosis with current pathological fracture, unspecified femur, subsequent encounter for fracture with delayed healing
M80.059K	Age-related osteoporosis with current pathological fracture, unspecified femur, subsequent encounter for fracture with nonunion
M80.059P	Age-related osteoporosis with current pathological fracture, unspecified femur, subsequent encounter for fracture with malunion
M80.059S	Age-related osteoporosis with current pathological fracture, unspecified femur, sequela
M80.061A	Age-related osteoporosis with current pathological fracture, right lower leg, initial encounter for fracture
M80.061D	Age-related osteoporosis with current pathological fracture, right lower leg, subsequent encounter for fracture with routine healing
M80.061G	Age-related osteoporosis with current pathological fracture, right lower leg, subsequent encounter for fracture with delayed healing
M80.061K	Age-related osteoporosis with current pathological fracture, right lower leg, subsequent encounter for fracture with nonunion
M80.061P	Age-related osteoporosis with current pathological fracture, right lower leg, subsequent encounter for fracture with malunion
M80.061S	Age-related osteoporosis with current pathological fracture, right lower leg, sequela
M80.062A	Age-related osteoporosis with current pathological fracture, left lower leg, initial encounter for fracture
M80.062D	Age-related osteoporosis with current pathological fracture, left lower leg, subsequent encounter for fracture with routine healing
M80.062G	Age-related osteoporosis with current pathological fracture, left lower leg, subsequent encounter for fracture with delayed healing
M80.062K	Age-related osteoporosis with current pathological fracture, left lower leg, subsequent encounter for fracture with nonunion
M80.062P	Age-related osteoporosis with current pathological fracture, left lower leg, subsequent encounter for fracture with malunion
M80.062S	Age-related osteoporosis with current pathological fracture, left lower leg, sequela
M80.069A	Age-related osteoporosis with current pathological fracture, unspecified lower leg, initial encounter for fracture

Proprietary Information of UnitedHealthcare. Copyright 2026 United HealthCare Services, Inc.

Diagnosis Code	Description
M80.069D	Age-related osteoporosis with current pathological fracture, unspecified lower leg, subsequent encounter for fracture with routine healing
M80.069G	Age-related osteoporosis with current pathological fracture, unspecified lower leg, subsequent encounter for fracture with delayed healing
M80.069K	Age-related osteoporosis with current pathological fracture, unspecified lower leg, subsequent encounter for fracture with nonunion
M80.069P	Age-related osteoporosis with current pathological fracture, unspecified lower leg, subsequent encounter for fracture with malunion
M80.069S	Age-related osteoporosis with current pathological fracture, unspecified lower leg, sequela
M80.071A	Age-related osteoporosis with current pathological fracture, right ankle and foot, initial encounter for fracture
M80.071D	Age-related osteoporosis with current pathological fracture, right ankle and foot, subsequent encounter for fracture with routine healing
M80.071G	Age-related osteoporosis with current pathological fracture, right ankle and foot, subsequent encounter for fracture with delayed healing
M80.071K	Age-related osteoporosis with current pathological fracture, right ankle and foot, subsequent encounter for fracture with nonunion
M80.071P	Age-related osteoporosis with current pathological fracture, right ankle and foot, subsequent encounter for fracture with malunion
M80.071S	Age-related osteoporosis with current pathological fracture, right ankle and foot, sequela
M80.072A	Age-related osteoporosis with current pathological fracture, left ankle and foot, initial encounter for fracture
M80.072D	Age-related osteoporosis with current pathological fracture, left ankle and foot, subsequent encounter for fracture with routine healing
M80.072G	Age-related osteoporosis with current pathological fracture, left ankle and foot, subsequent encounter for fracture with delayed healing
M80.072K	Age-related osteoporosis with current pathological fracture, left ankle and foot, subsequent encounter for fracture with nonunion
M80.072P	Age-related osteoporosis with current pathological fracture, left ankle and foot, subsequent encounter for fracture with malunion
M80.072S	Age-related osteoporosis with current pathological fracture, left ankle and foot, sequela
M80.079A	Age-related osteoporosis with current pathological fracture, unspecified ankle and foot, initial encounter for fracture
M80.079D	Age-related osteoporosis with current pathological fracture, unspecified ankle and foot, subsequent encounter for fracture with routine healing
M80.079G	Age-related osteoporosis with current pathological fracture, unspecified ankle and foot, subsequent encounter for fracture with delayed healing
M80.079K	Age-related osteoporosis with current pathological fracture, unspecified ankle and foot, subsequent encounter for fracture with nonunion
M80.079P	Age-related osteoporosis with current pathological fracture, unspecified ankle and foot, subsequent encounter for fracture with malunion
M80.079S	Age-related osteoporosis with current pathological fracture, unspecified ankle and foot, sequela
M80.08XA	Age-related osteoporosis with current pathological fracture, vertebra(e), initial encounter for fracture
M80.08XD	Age-related osteoporosis with current pathological fracture, vertebra(e), subsequent encounter for fracture with routine healing
M80.08XG	Age-related osteoporosis with current pathological fracture, vertebra(e), subsequent encounter for fracture with delayed healing
M80.08XK	Age-related osteoporosis with current pathological fracture, vertebra(e), subsequent encounter for fracture with nonunion

Proprietary Information of UnitedHealthcare. Copyright 2026 United HealthCare Services, Inc.

Diagnosis Code	Description
M80.08XP	Age-related osteoporosis with current pathological fracture, vertebra(e), subsequent encounter for fracture with malunion
M80.08XS	Age-related osteoporosis with current pathological fracture, vertebra(e), sequela
M80.811A	Other osteoporosis with current pathological fracture, right shoulder, initial encounter for fracture
M80.811D	Other osteoporosis with current pathological fracture, right shoulder, subsequent encounter for fracture with routine healing
M80.811G	Other osteoporosis with current pathological fracture, right shoulder, subsequent encounter for fracture with delayed healing
M80.811K	Other osteoporosis with current pathological fracture, right shoulder, subsequent encounter for fracture with nonunion
M80.811P	Other osteoporosis with current pathological fracture, right shoulder, subsequent encounter for fracture with malunion
M80.811S	Other osteoporosis with current pathological fracture, right shoulder, sequela
M80.8AXA	Other osteoporosis with current pathological fracture, other site, initial encounter for fracture
M80.8AXD	Other osteoporosis with current pathological fracture, other site, subsequent encounter for fracture with routine healing
M80.8AXG	Other osteoporosis with current pathological fracture, other site, subsequent encounter for fracture with delayed healing
M80.8AXK	Other osteoporosis with current pathological fracture, other site, subsequent encounter for fracture with nonunion
M80.8AXP	Other osteoporosis with current pathological fracture, other site, subsequent encounter for fracture with malunion
M80.8AXS	Other osteoporosis with current pathological fracture, other site, sequela
M80.8B1A	Other osteoporosis with current pathological fracture, right pelvis, initial encounter for fracture
M80.8B1D	Other osteoporosis with current pathological fracture, right pelvis, subsequent encounter for fracture with routine healing
M80.8B1G	Other osteoporosis with current pathological fracture, right pelvis, subsequent encounter for fracture with delayed healing
M80.8B1K	Other osteoporosis with current pathological fracture, right pelvis, subsequent encounter for fracture with nonunion
M80.8B1P	Other osteoporosis with current pathological fracture, right pelvis, subsequent encounter for fracture with malunion
M80.8B1S	Other osteoporosis with current pathological fracture, right pelvis, sequela
M80.8B2A	Other osteoporosis with current pathological fracture, left pelvis, initial encounter for fracture
M80.8B2D	Other osteoporosis with current pathological fracture, left pelvis, subsequent encounter for fracture with routine healing
M80.8B2G	Other osteoporosis with current pathological fracture, left pelvis, subsequent encounter for fracture with delayed healing
M80.8B2K	Other osteoporosis with current pathological fracture, left pelvis, subsequent encounter for fracture with nonunion
M80.8B2P	Other osteoporosis with current pathological fracture, left pelvis, subsequent encounter for fracture with malunion
M80.8B2S	Other osteoporosis with current pathological fracture, left pelvis, sequela
M80.8B9A	Other osteoporosis with current pathological fracture, unspecified pelvis, initial encounter for fracture
M80.8B9D	Other osteoporosis with current pathological fracture, unspecified pelvis, subsequent encounter for fracture with routine healing
M80.8B9G	Other osteoporosis with current pathological fracture, unspecified pelvis, subsequent encounter for fracture with delayed healing

Proprietary Information of UnitedHealthcare. Copyright 2026 United HealthCare Services, Inc.

Diagnosis Code	Description
M80.8B9K	Other osteoporosis with current pathological fracture, unspecified pelvis, subsequent encounter for fracture with nonunion
M80.8B9P	Other osteoporosis with current pathological fracture, unspecified pelvis, subsequent encounter for fracture with malunion
M80.8B9S	Other osteoporosis with current pathological fracture, unspecified pelvis, sequela
M80.812A	Other osteoporosis with current pathological fracture, left shoulder, initial encounter for fracture
M80.812D	Other osteoporosis with current pathological fracture, left shoulder, subsequent encounter for fracture with routine healing
M80.812G	Other osteoporosis with current pathological fracture, left shoulder, subsequent encounter for fracture with delayed healing
M80.812K	Other osteoporosis with current pathological fracture, left shoulder, subsequent encounter for fracture with nonunion
M80.812P	Other osteoporosis with current pathological fracture, left shoulder, subsequent encounter for fracture with malunion
M80.812S	Other osteoporosis with current pathological fracture, left shoulder, sequela
M80.819A	Other osteoporosis with current pathological fracture, unspecified shoulder, initial encounter for fracture
M80.819D	Other osteoporosis with current pathological fracture, unspecified shoulder, subsequent encounter for fracture with routine healing
M80.819G	Other osteoporosis with current pathological fracture, unspecified shoulder, subsequent encounter for fracture with delayed healing
M80.819K	Other osteoporosis with current pathological fracture, unspecified shoulder, subsequent encounter for fracture with nonunion
M80.819P	Other osteoporosis with current pathological fracture, unspecified shoulder, subsequent encounter for fracture with malunion
M80.819S	Other osteoporosis with current pathological fracture, unspecified shoulder, sequela
M80.821A	Other osteoporosis with current pathological fracture, right humerus, initial encounter for fracture
M80.821D	Other osteoporosis with current pathological fracture, right humerus, subsequent encounter for fracture with routine healing
M80.821G	Other osteoporosis with current pathological fracture, right humerus, subsequent encounter for fracture with delayed healing
M80.821K	Other osteoporosis with current pathological fracture, right humerus, subsequent encounter for fracture with nonunion
M80.821P	Other osteoporosis with current pathological fracture, right humerus, subsequent encounter for fracture with malunion
M80.821S	Other osteoporosis with current pathological fracture, right humerus, sequela
M80.822A	Other osteoporosis with current pathological fracture, left humerus, initial encounter for fracture
M80.822D	Other osteoporosis with current pathological fracture, left humerus, subsequent encounter for fracture with routine healing
M80.822G	Other osteoporosis with current pathological fracture, left humerus, subsequent encounter for fracture with delayed healing
M80.822K	Other osteoporosis with current pathological fracture, left humerus, subsequent encounter for fracture with nonunion
M80.822P	Other osteoporosis with current pathological fracture, left humerus, subsequent encounter for fracture with malunion
M80.822S	Other osteoporosis with current pathological fracture, left humerus, sequela
M80.829A	Other osteoporosis with current pathological fracture, unspecified humerus, initial encounter for fracture
M80.829D	Other osteoporosis with current pathological fracture, unspecified humerus, subsequent encounter for fracture with routine healing

Proprietary Information of UnitedHealthcare. Copyright 2026 United HealthCare Services, Inc.

Diagnosis Code	Description
M80.829G	Other osteoporosis with current pathological fracture, unspecified humerus, subsequent encounter for fracture with delayed healing
M80.829K	Other osteoporosis with current pathological fracture, unspecified humerus, subsequent encounter for fracture with nonunion
M80.829P	Other osteoporosis with current pathological fracture, unspecified humerus, subsequent encounter for fracture with malunion
M80.829S	Other osteoporosis with current pathological fracture, unspecified humerus, sequela
M80.831A	Other osteoporosis with current pathological fracture, right forearm, initial encounter for fracture
M80.831D	Other osteoporosis with current pathological fracture, right forearm, subsequent encounter for fracture with routine healing
M80.831G	Other osteoporosis with current pathological fracture, right forearm, subsequent encounter for fracture with delayed healing
M80.831K	Other osteoporosis with current pathological fracture, right forearm, subsequent encounter for fracture with nonunion
M80.831P	Other osteoporosis with current pathological fracture, right forearm, subsequent encounter for fracture with malunion
M80.831S	Other osteoporosis with current pathological fracture, right forearm, sequela
M80.832A	Other osteoporosis with current pathological fracture, left forearm, initial encounter for fracture
M80.832D	Other osteoporosis with current pathological fracture, left forearm, subsequent encounter for fracture with routine healing
M80.832G	Other osteoporosis with current pathological fracture, left forearm, subsequent encounter for fracture with routine healing
M80.832K	Other osteoporosis with current pathological fracture, left forearm, subsequent encounter for fracture with nonunion
M80.832P	Other osteoporosis with current pathological fracture, left forearm, subsequent encounter for fracture with malunion
M80.832S	Other osteoporosis with current pathological fracture, left forearm, sequela
M80.839A	Other osteoporosis with current pathological fracture, unspecified forearm, initial encounter for fracture
M80.839D	Other osteoporosis with current pathological fracture, unspecified forearm, subsequent encounter for fracture with routine healing
M80.839G	Other osteoporosis with current pathological fracture, unspecified forearm, subsequent encounter for fracture with delayed healing
M80.839K	Other osteoporosis with current pathological fracture, unspecified forearm, subsequent encounter for fracture with nonunion
M80.839P	Other osteoporosis with current pathological fracture, unspecified forearm, subsequent encounter for fracture with malunion
M80.839S	Other osteoporosis with current pathological fracture, unspecified forearm, sequela
M80.841A	Other osteoporosis with current pathological fracture, right hand, initial encounter for fracture
M80.841D	Other osteoporosis with current pathological fracture, right hand, subsequent encounter for fracture with routine healing
M80.841G	Other osteoporosis with current pathological fracture, right hand, subsequent encounter for fracture with delayed healing
M80.841K	Other osteoporosis with current pathological fracture, right hand, subsequent encounter for fracture with nonunion
M80.841P	Other osteoporosis with current pathological fracture, right hand, subsequent encounter for fracture with malunion
M80.841S	Other osteoporosis with current pathological fracture, right hand, sequela
M80.842A	Other osteoporosis with current pathological fracture, left hand, initial encounter for fracture

Proprietary Information of UnitedHealthcare. Copyright 2026 United HealthCare Services, Inc.

Diagnosis Code	Description
M80.842D	Other osteoporosis with current pathological fracture, left hand, subsequent encounter for fracture with routine healing
M80.842G	Other osteoporosis with current pathological fracture, left hand, subsequent encounter for fracture with delayed healing
M80.842K	Other osteoporosis with current pathological fracture, left hand, subsequent encounter for fracture with nonunion
M80.842P	Other osteoporosis with current pathological fracture, left hand, subsequent encounter for fracture with malunion
M80.842S	Other osteoporosis with current pathological fracture, left hand, sequela
M80.849A	Other osteoporosis with current pathological fracture, unspecified hand, initial encounter for fracture
M80.849D	Other osteoporosis with current pathological fracture, unspecified hand, subsequent encounter for fracture with routine healing
M80.849G	Other osteoporosis with current pathological fracture, unspecified hand, subsequent encounter for fracture with delayed healing
M80.849K	Other osteoporosis with current pathological fracture, unspecified hand, subsequent encounter for fracture with nonunion
M80.849P	Other osteoporosis with current pathological fracture, unspecified hand, subsequent encounter for fracture with malunion
M80.849S	Other osteoporosis with current pathological fracture, unspecified hand, sequela
M80.851A	Other osteoporosis with current pathological fracture, right femur, initial encounter for fracture
M80.851D	Other osteoporosis with current pathological fracture, right femur, subsequent encounter for fracture with routine healing
M80.851G	Other osteoporosis with current pathological fracture, right femur, subsequent encounter for fracture with delayed healing
M80.851K	Other osteoporosis with current pathological fracture, right femur, subsequent encounter for fracture with nonunion
M80.851P	Other osteoporosis with current pathological fracture, right femur, subsequent encounter for fracture with malunion
M80.851S	Other osteoporosis with current pathological fracture, right femur, sequela
M80.852A	Other osteoporosis with current pathological fracture, left femur, initial encounter for fracture
M80.852D	Other osteoporosis with current pathological fracture, left femur, subsequent encounter for fracture with routine healing
M80.852G	Other osteoporosis with current pathological fracture, left femur, subsequent encounter for fracture with delayed healing
M80.852K	Other osteoporosis with current pathological fracture, left femur, subsequent encounter for fracture with nonunion
M80.852P	Other osteoporosis with current pathological fracture, left femur, subsequent encounter for fracture with malunion
M80.852S	Other osteoporosis with current pathological fracture, left femur, sequela
M80.859A	Other osteoporosis with current pathological fracture, unspecified femur, initial encounter for fracture
M80.859D	Other osteoporosis with current pathological fracture, unspecified femur, subsequent encounter for fracture with routine healing
M80.859G	Other osteoporosis with current pathological fracture, unspecified femur, subsequent encounter for fracture with delayed healing
M80.859K	Other osteoporosis with current pathological fracture, unspecified femur, subsequent encounter for fracture with nonunion
M80.859P	Other osteoporosis with current pathological fracture, unspecified femur, subsequent encounter for fracture with malunion
M80.859S	Other osteoporosis with current pathological fracture, unspecified femur, sequela

Proprietary Information of UnitedHealthcare. Copyright 2026 United HealthCare Services, Inc.

Diagnosis Code	Description
M80.861A	Other osteoporosis with current pathological fracture, right lower leg, initial encounter for fracture
M80.861D	Other osteoporosis with current pathological fracture, right lower leg, subsequent encounter for fracture with routine healing
M80.861G	Other osteoporosis with current pathological fracture, right lower leg, subsequent encounter for fracture with delayed healing
M80.861K	Other osteoporosis with current pathological fracture, right lower leg, subsequent encounter for fracture with nonunion
M80.861P	Other osteoporosis with current pathological fracture, right lower leg, subsequent encounter for fracture with malunion
M80.861S	Other osteoporosis with current pathological fracture, right lower leg, sequela
M80.862A	Other osteoporosis with current pathological fracture, left lower leg, initial encounter for fracture
M80.862D	Other osteoporosis with current pathological fracture, left lower leg, subsequent encounter for fracture with routine healing
M80.862G	Other osteoporosis with current pathological fracture, left lower leg, subsequent encounter for fracture with delayed healing
M80.862K	Other osteoporosis with current pathological fracture, left lower leg, subsequent encounter for fracture with nonunion
M80.862P	Other osteoporosis with current pathological fracture, left lower leg, subsequent encounter for fracture with malunion
M80.862S	Other osteoporosis with current pathological fracture, left lower leg, sequela
M80.869A	Other osteoporosis with current pathological fracture, unspecified lower leg, initial encounter for fracture
M80.869D	Other osteoporosis with current pathological fracture, unspecified lower leg, subsequent encounter for fracture with routine healing
M80.869G	Other osteoporosis with current pathological fracture, unspecified lower leg, subsequent encounter for fracture with delayed healing
M80.869K	Other osteoporosis with current pathological fracture, unspecified lower leg, subsequent encounter for fracture with nonunion
M80.869P	Other osteoporosis with current pathological fracture, unspecified lower leg, subsequent encounter for fracture with malunion
M80.869S	Other osteoporosis with current pathological fracture, unspecified lower leg, sequela
M80.871A	Other osteoporosis with current pathological fracture, right ankle and foot, initial encounter for fracture
M80.871D	Other osteoporosis with current pathological fracture, right ankle and foot, subsequent encounter for fracture with routine healing
M80.871G	Other osteoporosis with current pathological fracture, right ankle and foot, subsequent encounter for fracture with delayed healing
M80.871K	Other osteoporosis with current pathological fracture, right ankle and foot, subsequent encounter for fracture with nonunion
M80.871P	Other osteoporosis with current pathological fracture, right ankle and foot, subsequent encounter for fracture with malunion
M80.871S	Other osteoporosis with current pathological fracture, right ankle and foot, sequela
M80.872A	Other osteoporosis with current pathological fracture, left ankle and foot, initial encounter for fracture
M80.872D	Other osteoporosis with current pathological fracture, left ankle and foot, subsequent encounter for fracture with routine healing
M80.872G	Other osteoporosis with current pathological fracture, left ankle and foot, subsequent encounter for fracture with delayed healing
M80.872K	Other osteoporosis with current pathological fracture, left ankle and foot, subsequent encounter for fracture with nonunion

Proprietary Information of UnitedHealthcare. Copyright 2026 United HealthCare Services, Inc.

Diagnosis Code	Description
M80.872P	Other osteoporosis with current pathological fracture, left ankle and foot, subsequent encounter for fracture with malunion
M80.872S	Other osteoporosis with current pathological fracture, left ankle and foot, sequela
M80.879A	Other osteoporosis with current pathological fracture, unspecified ankle and foot, initial encounter for fracture
M80.879D	Other osteoporosis with current pathological fracture, unspecified ankle and foot, subsequent encounter for fracture with routine healing
M80.879G	Other osteoporosis with current pathological fracture, unspecified ankle and foot, subsequent encounter for fracture with delayed healing
M80.879K	Other osteoporosis with current pathological fracture, unspecified ankle and foot, subsequent encounter for fracture with nonunion
M80.879P	Other osteoporosis with current pathological fracture, unspecified ankle and foot, subsequent encounter for fracture with malunion
M80.879S	Other osteoporosis with current pathological fracture, unspecified ankle and foot, sequela
M80.88XA	Other osteoporosis with current pathological fracture, vertebra(e), initial encounter for fracture
M80.88XD	Other osteoporosis with current pathological fracture, vertebra(e), subsequent encounter for fracture with routine healing
M80.88XG	Other osteoporosis with current pathological fracture, vertebra(e), subsequent encounter for fracture with delayed healing
M80.88XK	Other osteoporosis with current pathological fracture, vertebra(e), subsequent encounter for fracture with nonunion
M80.88XP	Other osteoporosis with current pathological fracture, vertebra(e), subsequent encounter for fracture with malunion
M80.88XS	Other osteoporosis with current pathological fracture, vertebra(e), sequela
M81.0	Age-related osteoporosis without current pathological fracture
M81.8	Other osteoporosis without current pathological fracture
Z78.310	Personal history of (healed) osteoporosis fracture
Z79.52	Long-term (current) use of systemic steroids
Z79.811	Long-term (current) use of aromatase inhibitors
Z79.818	Long-term (current use of other agents affecting estrogen receptors and estrogen levels

Background

Osteoporosis is characterized by low bone mass, microarchitectural disruption, and increased skeletal fragility. The World Health Organization (WHO) established diagnostic thresholds for bone mineral density (BMD) by dual-energy x-ray absorptiometry (DXA) according to the standard deviation (SD) difference between a patient's BMD and that of a young adult reference population (T-score). A T-score of -2.5 SD or below is defined as osteoporosis, provided that other causes of low BMD have been ruled out, and a T-score between -1 and -2.5 SD is defined as osteopenia. Additionally, guidelines state that osteoporosis can be diagnosed by one of the following: (1) Presence of fragility fractures in the absence of other metabolic bone disorders; (2) T-score ≤ −2.5 SD in the lumbar spine (antero-posterior), femoral neck, total hip, or one-third radius; or (3) T-score between −1.0 and −2.5 and increased fracture risk using the FRAX® (fracture risk assessment tool) country-specific thresholds. The FRAX tool is designed to assist clinicians in predicting the ten-year probability of hip fracture and 10-year probability of a major osteoporotic fracture (spine, forearm, hip, or shoulder fracture) with or without the addition of femoral neck BMD. In the United States, a clinical diagnosis of osteoporosis may be made when the FRAX 10-year probability of major osteoporotic fracture (hip, clinical spine, proximal humerus, or forearm) is greater than or equal to 20 percent or the FRAX 10-year probability of hip fracture is greater than or equal to 3 percent.

Denosumab, denosumab-bbdz, and denosumab-bmwo bind to RANKL, a transmembrane or soluble protein essential for the formation, function, and survival of osteoclasts, the cells responsible for bone resorption, thereby modulating calcium release from bone. Denosumab denosumab-bbdz, and denosumab-bmwo prevent RANKL from activating its receptor, RANK, on the surface of osteoclasts, their precursors, and osteoclast-like giant cells. Prevention of the RANKL/RANK interaction inhibits osteoclast formation, function, and survival, thereby decreasing bone resorption and increasing bone mass and strength in both cortical and trabecular bone. Increased osteoclast activity, stimulated by RANKL, is a mediator

Proprietary Information of UnitedHealthcare. Copyright 2026 United HealthCare Services, Inc.

of bone pathology in solid tumors with osseous metastases. Similarly, giant cell tumors of bone consist of stromal cells expressing RANKL and osteoclast-like giant cells expressing RANK receptor, and signaling through the RANK receptor contributes to osteolysis and tumor growth.

Benefit Considerations

Some Certificates of Coverage allow for coverage of experimental/investigational/unproven treatments for life-threatening illnesses when certain conditions are met. The member specific benefit plan document must be consulted to make coverage decisions for this service. Some states mandate benefit coverage for off-label use of medications for some diagnoses or under some circumstances when certain conditions are met. Where such mandates apply, they supersede language in the benefit document or in the medical or drug policy.

Clinical Evidence

Jubbonti, Stoboclo, and Prolia

Postmenopausal Patients With Osteoporosis

In a post-hoc analysis of the 7-year FREEDOM Extension trial, Kendler et al, analyzed whether women who experienced fracture while on denosumab was due to inadequate treatment response, or whether the risk of fracture remains low while continuing denosumab treatment. During the extension trial, all study participants were to receive denosumab. The authors of this analysis compared subsequent osteoporotic fracture rates between denosumab treated subjects during the initial FREEDOM or the extension and placebo-treated subjects in FREEDOM. During FREEDOM, 438 placebo- and 272 denosumab-treated subjects had an osteoporotic fracture. Exposure-adjusted subject incidence per 100 subject-years was lower for denosumab (6.7) vs placebo (10.1). Combining all subjects on denosumab from FREEDOM and the Extension for up to 10 years (combined denosumab), 794 (13.7%) had an osteoporotic fracture while on denosumab. One or more subsequent fractures occurred in 144 (18.1%) subjects, with an exposure-adjusted incidence of 5.8 per 100 subject-years, similar to FREEDOM denosumab (6.7 per 100 subject-years) and lower than FREEDOM placebo (10.1 per 100 subject years). Adjusting for prior fracture, the risk of having a subsequent on-study osteoporotic fracture was lower in the combined denosumab group vs placebo [hazard ratio (95% CI): 0.59 (0.43–0.81); p = 0.0012]. The authors concluded that the post-hoc analysis demonstrates that denosumab decreases the risk of subsequent fracture and a fracture sustained while on denosumab, and not necessarily due to inadequate treatment response.

Brown JP et al compared the efficacy and safety of denosumab with alendronate in postmenopausal women with low bone mass in a phase 3, multicenter, double-blind study. Participants included postmenopausal women with a T-score < or = -2.0 at the lumbar spine or total hip and received subcutaneous denosumab injections [60 mg every 6 months (Q6M)] plus oral placebo weekly (n = 594) or oral alendronate weekly (70 mg) plus subcutaneous placebo injections Q6M (n = 595). Efficacy was measured by assessing changes in BMD at the total hip, femoral neck, trochanter, lumbar spine, and one-third radius at 6 and 12 months. Additionally, bone turnover markers at months 1, 3, 6, 9, and 12 were assessed. Adverse events were monitored to evaluate safety. Denosumab significantly increased BMD at month 12 (3.5% versus 2.6%; p < 0.0001 for the total hip). Significantly greater increases in BMD were observed with denosumab at all measured skeletal sites over the twelve-month treatment period. Denosumab showed significantly greater reduction of bone turnover markers compared to alendronate. Adverse events and laboratory values were similar for the two treatment groups. The authors conclude that denosumab showed a significantly larger gain in BMD and greater reduction in bone turnover markers compared with alendronate. Overall, the safety profile was similar for both treatment groups.

Men With Low Bone Mineral Density

Langdahl BL et al evaluated denosumab therapy in men with low bone mineral density (BMD) in a multicenter, phase 3 study. The study consisted of 2 treatment periods including a 12-month double-blind, placebo-controlled phase and a 12-month open-label phase. Participants from the original denosumab (long-term) and placebo (crossover) groups received 60 mg of denosumab subcutaneous every 6 months. During the open-label phase, the following BMD increases occurred with long-term denosumab treatment (2.2% lumbar spine, 0.9% total hip, 1.3% femoral neck, 1.3% trochanter, and 0.2% 1/3 radius), resulting in cumulative 24-month gains from baseline of 8.0%, 3.4%, 3.4%, 4.6%, and 0.7%, respectively (all p < .01). The crossover group showed BMD gains similar to the long-term treatment group during the first 12 months of treatment. Similar adverse event rates were seen in both groups. The authors conclude that in the study population, denosumab treatment for a second year continued to increase BMD, maintained reductions in bone resorption, and was well tolerated. These results were similar to previous results in postmenopausal women with osteoporosis and in men with prostate cancer receiving androgen deprivation therapy.

Proprietary Information of UnitedHealthcare. Copyright 2026 United HealthCare Services, Inc.

Orwoll E. et al evaluated the safety and efficacy of denosumab compared with placebo in men with low BMD after 1 year of treatment in a placebo-controlled, phase 3 study. The primary endpoint was the percent change of BMS from baseline in lumbar spine (LS) at one year. After 12 months, denosumab resulted in BMD increases of 5.7% at the LS, 2.4% at the total hip, 2.1% at the femoral neck, 3.1% at the trochanter, and 0.6% at the one third radius (adjusted $p \leq 0.0144$ for BMD percent differences at all sites compared with placebo). The incidence of adverse events was similar between groups. The authors conclude that 12 months of treatment with denosumab in men with low BMD was well tolerated and resulted in a reduction in bone resorption and significant increases in BMD at all skeletal sites assessed.

U.S. Food and Drug Administration (FDA)

This section is to be used for informational purposes only. FDA approval alone is not a basis for coverage.

Jubbonti (denosumab-bbdz), Stoboclo (denosumab-bmwo), and Prolia (denosumab) are RANK ligand inhibitors indicated for the following uses:

- Treatment of postmenopausal women with osteoporosis at high risk for fracture, defined as a history of osteoporotic fracture, or multiple risk factors for fracture; or patients who have failed or are intolerant to other available osteoporosis therapy. In postmenopausal women with osteoporosis, Prolia reduces the incidence of vertebral, nonvertebral, and hip fractures.
- Treatment to increase bone mass in men with osteoporosis at high risk for fracture, defined as a history of osteoporotic fracture, or multiple risk factors for fracture; or patients who have failed or are intolerant to other available osteoporosis therapy.
- Treatment of glucocorticoid-induced osteoporosis in men and women at high risk of fracture who are either initiating or continuing systemic glucocorticoids in a daily dosage equivalent to 7.5 mg or greater of prednisone and expected to remain on glucocorticoids for at least 6 months, high risk of fracture is defined as a history of osteoporotic fracture, multiple risk factors for fracture, or patients who have failed or are intolerant to other available osteoporosis therapy.
- Treatment to increase bone mass in men at high risk for fracture receiving androgen deprivation therapy for nonmetastatic prostate cancer, in these patients Prolia also reduced the incidence of vertebral fractures.
- Treatment to increase bone mass in women at high risk for fracture receiving adjuvant aromatase inhibitor therapy for breast cancer.

Centers for Medicare and Medicaid Services (CMS)

Medicare does not have a National Coverage Determination (NCD) for Denosumab. Local Coverage Determinations/Articles (LCDs)/LCAs) exist. Refer to the LCD/LCA for Drugs and Biologicals, Coverage of, for Label and Off-Label Uses.

In general, Medicare covers outpatient (Part B) drugs that are furnished "incident to" a physician's service provided that the drugs are not usually self-administered by the patients who take them. Refer to the Medicare Benefit Policy Manual, Chapter 15, §50 - Drugs and Biologicals. (Accessed October 7, 2025)

*Preferred therapy criteria for Medicare Advantage members, refer to Medicare Part B Step Therapy Programs.

References

1. American Association of Clinical Endocrinologists/American College of Endocrinology Clinical Practice Guidelines for the Diagnosis and Treatment of Postmenopausal Osteoporosis – 2020 Update. Endocr Pract. 2020;26(1):1-46.
2. Brown JP et al. Comparison of the effect of denosumab and alendronate on BMD and biochemical markers of bone turnover in postmenopausal women with low bone mass: a randomized, blinded, phase 3 trial. J Bone Miner Res. 2009 Jan;24(1):153-61.
3. Kendler DL, Chines A, Brandi ML, et al. The risk of subsequent osteoporotic fractures is decreased in subjects experiencing fracture while on denosumab: results from the FREEDOM and FREEDOM Extension studies. Osteoporos Int. 2019 Jan;30(1):71-78.
4. Langdahl BL, et al. A 24-month study evaluating the efficacy and safety of denosumab for the treatment of men with low bone mineral density: results from the ADAMO trial. J Clin Endocrinol Metab. 2015 Apr;100(4):1335-42.Epub 2015 Jan 21.
5. North American Menopause Society (NAMS). Management of osteoporosis in postmenopausal women: 2021 position statement of The North American Menopause Society. Menopause 2021;28(9):973-997.

Proprietary Information of UnitedHealthcare. Copyright 2026 United HealthCare Services, Inc.

6. Orwoll E. et al. A randomized, placebo-controlled study of the effects of denosumab for the treatment of men with low bone mineral density. J Clin Endocrinol Metab. 2012 Sep;97(9):3161-9. doi: 10.1210/jc.2012-1569. Epub 2012 Jun 21.
7. Reid IR et al. Effects of denosumab on bone histomorphometry: the FREEDOM and STAND studies. J Bone Miner Res. 2010 Oct;25(10):2256-65.
8. Saag KG, Wagman RB, Geusens P, Adachi JD, Messina OD, Emkey R, Chapurlat R, Wang A, Pannacciulli N, Lems WF. Denosumab versus risedronate in glucocorticoid-induced osteoporosis: a multicentre, randomised, double-blind, active-controlled, double-dummy, non-inferiority study. Lancet Diabetes Endocrinol. 2018;6(6):445.
9. Shoback D, Rosen CJ, Black DM, Cheung AM, Murad MH, Eastell R. Pharmacological Management of Osteoporosis in Postmenopausal Women: An Endocrine Society Guideline Update. *J Clin Endocrinol Metab*. 2020;105(3):dgaa048.
10. WHO FRAX tool: https://frax.shef.ac.uk/FRAX/. Accessed December 10, 2024.
11. Prolia [prescribing information]. Thousand Oaks, CA: Amgen Inc.; March 2024.
12. Jubbonti [prescribing information]. Princeton, NJ: Sandoz Inc.; October 2024.
13. Stoboclo [prescribing information]. Jersey City, NJ: Celltrion, Inc.; February 2025.

Policy History/Revision Information

Date	Summary of Changes
01/01/2026	**Related Policies** • Added reference link to the Medical Benefit Drug Policy titled: ○ *Maximum Dosage and Frequency* ○ *Medical Benefit Therapeutic Equivalent Medications – Excluded Drugs* ○ *Oncology Medication Clinical Coverage* ○ *Provider Administered Drugs – Site of Care* **Coverage Rationale** • Removed reference link to the Medical Benefit Drug Policy titled *Review at Launch for New to Market Medications* for Jubbonti® (denosumab-bbdz) and Stoboclo® (denosumab-bmwo) • Revised list of applicable denosumab products for non-oncology conditions: ○ Added "any FDA-approved denosumab product not listed [in the policy]" ○ Removed: ▪ Osenvelt® (denosumab-bmwo) ▪ Xgeva® (denosumab) ▪ Wyost® (denosumab-bbdz) • Added language to indicate: ○ Bildyos® (denosumab-nxxp), Bosaya™ (denosumab-kyqq), Conexxence® (denosumab-bnht), Enoby™ (denosumab-qbde), and Ospomyv™ (denosumab-dssb) have been added to the Review at Launch program and some members may not be eligible for coverage of this medication at this time; refer to the Medical Benefit Drug Policy titled *Review at Launch for New to Market Medications* for additional details ○ Any U.S. Food and Drug Administration approved denosumab product not listed by name in this policy will be considered non-preferred until reviewed by UnitedHealthcare ○ For oncology indications, refer to the Medical Benefit Drug Policy titled *Oncology Medication Clinical Coverage* for updated information based upon the National Comprehensive Cancer Network (NCCN) Drugs & Biologics Compendium® (NCCN Compendium®) ○ Jubbonti® is typically excluded from coverage and coverage reviews may be in place if required by law or the benefit plan; refer to the Medical Benefit Drug Policy titled *Medical Benefit Therapeutic Equivalent Medications – Excluded Drugs* and the corresponding excluded drug list with preferred alternatives ***Medical Necessity Plans*** ○ Prolia and Stoboclo are the preferred denosumab products; coverage will be provided for Prolia and Stoboclo contingent on the coverage criteria in the *Diagnosis-Specific Criteria* section [of the policy] ○ Coverage for Jubbonti or other non-preferred denosumab products will be provided contingent on the criteria in the *Preferred Product Criteria* section [of the policy] and the coverage criteria in the *Diagnosis-Specific Criteria* section [of the policy]

Proprietary Information of UnitedHealthcare. Copyright 2026 United HealthCare Services, Inc.

Date	Summary of Changes
	○ In order to continue coverage, members already on Jubbonti or other non-preferred denosumab products will be required to change therapy to Prolia or Stoboclo unless they meet the criteria in the *Preferred Product Criteria* section [of the policy] Preferred Product Criteria ○ Treatment with Jubbonti or other non-preferred denosumab products is medically necessary for the indications specified in the policy when one of the following is met: ▪ Both of the following: – History of a trial of adequate dose and duration of Prolia or Stoboclo, resulting in minimal clinical response – Physician attests that, in their clinical opinion, the clinical response would be expected to be superior with Jubbonti or other non-preferred denosumab product, than experienced with Prolia or Stoboclo ▪ Both of the following: – History of intolerance, contraindication, or adverse event to Prolia or Stoboclo – Physician attests that, in their clinical opinion, the same intolerance, contraindication, or adverse event would not be expected to occur with Jubbonti or other non-preferred denosumab product ***Non-Medical Necessity Plans*** ○ Any denosumab product is to be approved contingent on the coverage criteria in the *Diagnosis-Specific Criteria* section [of the policy] ***Diagnosis-Specific Criteria*** ○ "Denosumab" will be used to refer to all denosumab products • Replaced references to "Jubbonti, Prolia, and Stoboclo" with "denosumab" • Replaced language indicating "Denosumab is unproven *and not medically necessary* for the [listed] indications" with "denosumab is unproven for the [listed] indications" • Removed language indicating: ○ Jubbonti, Prolia, and Stoboclo are proven and medically necessary: ▪ To increase bone mass in patients at high risk for fracture receiving androgen deprivation therapy for non-metastatic prostate cancer ▪ To treat patients at high risk for fracture receiving adjuvant aromatase inhibitor therapy for breast cancer ○ Osenvelt, Wyost, and Xgeva are proven and medically necessary for: ▪ The prevention of skeletal-related events in patients with multiple myeloma and with bone metastases from solid tumors ▪ The treatment of giant cell tumor of the bone ▪ The treatment of hypercalcemia of malignancy ▪ The prevention of skeletal-related events in men with castration-resistant prostate cancer who have bone metastases ▪ The treatment of osteopenia/osteoporosis in patients with systemic mastocytosis with bone pain not responding to bisphosphonates ○ Denosumab-bbdz and denosumab-bmwo are unproven and not medically necessary for the following indications: ▪ Combination therapy with intravenous bisphosphonates ▪ Bone loss associated with hormone-ablation therapy (other than aromatase inhibitors) in breast/prostate cancer ▪ Cancer pain ▪ Central giant cell granuloma ▪ Hyper-parathyroidism ▪ Immobilization hypercalcemia ▪ Osteogenesis imperfecta ▪ Osteopenia ○ Denosumab is unproven for the following indications: ▪ Bone loss associated with hormone-ablation therapy (other than aromatase inhibitors) in breast/prostate cancer ▪ Cancer pain ▪ Central giant cell granuloma **Applicable Codes** • Removed ICD-10 diagnosis codes C61 and C79.81

Proprietary Information of UnitedHealthcare. Copyright 2026 United HealthCare Services, Inc.

Date	Summary of Changes
	• Removed list of applicable ICD-10 diagnosis codes for Osenvelt, Wyost, and Xgeva **Supporting Information** • Updated *Clinical Evidence*, *FDA*, *CMS*, and *References* sections to reflect the most current information • Archived previous policy version 2025D0068Q

Instructions for Use

This Medical Benefit Drug Policy provides assistance in interpreting UnitedHealthcare standard benefit plans. When deciding coverage, the member specific benefit plan document must be referenced as the terms of the member specific benefit plan may differ from the standard plan. In the event of a conflict, the member specific benefit plan document governs. Before using this policy, check the member specific benefit plan document and any applicable federal or state mandates. UnitedHealthcare reserves the right to modify its Policies and Guidelines as necessary. This Medical Benefit Drug Policy is provided for informational purposes. It does not constitute medical advice.

This Medical Benefit Drug Policy may also be applied to Medicare Advantage plans in certain instances. In the absence of a Medicare National Coverage Determination (NCD), Local Coverage Determination (LCD), or other Medicare coverage guidance, CMS allows a Medicare Advantage Organization (MAO) to create its own coverage determinations, using objective evidence-based rationale relying on authoritative evidence (Medicare IOM Pub. No. 100-16, Ch. 4, §90.5).

UnitedHealthcare may also use tools developed by third parties, such as the InterQual® criteria, to assist us in administering health benefits. UnitedHealthcare Medical Benefit Drug Policies are intended to be used in connection with the independent professional medical judgment of a qualified health care provider and do not constitute the practice of medicine or medical advice.

Proprietary Information of UnitedHealthcare. Copyright 2026 United HealthCare Services, Inc.