# Category III Codes

**Policy Number**: 2026T0644O
**Effective Date**: January 1, 2026

➲ Instructions for Use

**Table of Contents** **Page**

Application ..... 1
Coverage Rationale ..... 1
Applicable Codes ..... 1
Description of Services ..... 10
Benefit Considerations ..... 11
References ..... 11
Policy History/Revision Information ..... 11
Instructions for Use ..... 11

**Medicare Advantage Policy**

- Category III CPT Codes

## Application

### UnitedHealthcare Commercial

This Medical Policy applies to UnitedHealthcare Commercial benefit plans.

### UnitedHealthcare Individual Exchange

This Medical Policy applies to Individual Exchange benefit plans.

## Coverage Rationale

➲ See Benefit Considerations

**Due to the specific purpose that the CPT Category III codes serve, the procedures, services, or items represented by these codes are generally considered experimental, investigational, or unproven and not medically necessary due to insufficient evidence of efficacy unless specifically addressed in another UnitedHealthcare Policy.** Refer to the Applicable Codes section.

## Applicable Codes

The following list(s) of procedure and/or diagnosis codes is provided for reference purposes only and may not be all inclusive. Listing of a code in this policy does not imply that the service described by the code is a covered or non-covered health service. Benefit coverage for health services is determined by the member specific benefit plan document and applicable laws that may require coverage for a specific service. The inclusion of a code does not imply any right to reimbursement or guarantee claim payment. Other Policies and Guidelines may apply (COC).

| CPT Code | Description |
|---|---|
| 0419T | Destruction of neurofibroma, extensive (cutaneous, dermal extending into subcutaneous); face, head and neck, greater than 50 neurofibromas |
| 0420T | Destruction of neurofibroma, extensive (cutaneous, dermal extending into subcutaneous); trunk and extremities, extensive, greater than 100 neurofibromas |
| 0524T | Endovenous catheter directed chemical ablation with balloon isolation of incompetent extremity vein, open or percutaneous, including all vascular access, catheter manipulation, diagnostic imaging, imaging guidance and monitoring |


**Proprietary Information of UnitedHealthcare. Copyright 2026 United HealthCare Services, Inc.**

| CPT Code | Description |
|---|---|
| 0541T | Myocardial imaging by magnetocardiography (MCG) for detection of cardiac ischemia, by signal acquisition using minimum 36 channel grid, generation of magnetic-field time-series images, quantitative analysis of magnetic dipoles, machine learning-derived clinical scoring, and automated report generation, single study; |
| 0542T | Myocardial imaging by magnetocardiography (MCG) for detection of cardiac ischemia, by signal acquisition using minimum 36 channel grid, generation of magnetic-field time-series images, quantitative analysis of magnetic dipoles, machine learning-derived clinical scoring, and automated report generation, single study; interpretation and report |
| 0546T | Radiofrequency spectroscopy, real time, intraoperative margin assessment, at the time of partial mastectomy, with report |
| 0547T | Bone-material quality testing by microindentation(s) of the tibia(s), with results reported as a score |
| 0554T | Bone strength and fracture risk using finite element analysis of functional data, and bone-mineral density, utilizing data from a computed tomography scan; retrieval and transmission of the scan data, assessment of bone strength and fracture risk and bone mineral density, interpretation and report |
| 0555T | Bone strength and fracture risk using finite element analysis of functional data, and bone-mineral density, utilizing data from a computed tomography scan; retrieval and transmission of the scan data |
| 0556T | Bone strength and fracture risk using finite element analysis of functional data, and bone-mineral density, utilizing data from a computed tomography scan; assessment of bone strength and fracture risk and bone mineral density |
| 0557T | Bone strength and fracture risk using finite element analysis of functional data, and bone-mineral density, utilizing data from a computed tomography scan; interpretation and report |
| 0558T | Computed tomography scan taken for the purpose of biomechanical computed tomography analysis |
| 0587T | Percutaneous implantation or replacement of integrated single device neurostimulation system for bladder dysfunction including electrode array and receiver or pulse generator, including analysis, programming, and imaging guidance when performed, posterior tibial nerve |
| 0588T | Revision or removal of percutaneously placed integrated single device neurostimulation system for bladder dysfunction including electrode array and receiver or pulse generator, including analysis, programming, and imaging guidance when performed, posterior tibial nerve |
| 0589T | Electronic analysis with simple programming of implanted integrated neurostimulation system for bladder dysfunction (e.g., electrode array and receiver), including contact group(s), amplitude, pulse width, frequency (Hz), on/off cycling, burst, dose lockout, patient-selectable parameters, responsive neurostimulation, detection algorithms, closed-loop parameters, and passive parameters, when performed by physician or other qualified health care professional, posterior tibial nerve, 1-3 parameters |
| 0590T | Electronic analysis with complex programming of implanted integrated neurostimulation system for bladder dysfunction (e.g., electrode array and receiver), including contact group(s), amplitude, pulse width, frequency (Hz), on/off cycling, burst, dose lockout, patient-selectable parameters, responsive neurostimulation, detection algorithms, closed-loop parameters, and passive parameters, when performed by physician or other qualified health care professional, posterior tibial nerve, 4 or more parameters |
| 0602T | Glomerular filtration rate (GFR) measurement(s), transdermal, including sensor placement and administration of a single dose of fluorescent pyrazine agent |
| 0603T | Glomerular filtration rate (GFR) monitoring, transdermal, including sensor placement and administration of more than one dose of fluorescent pyrazine agent, each 24 hours |
| 0604T | Optical coherence tomography (OCT) of retina, remote, patient-initiated image capture and transmission to a remote surveillance center unilateral or bilateral; initial device provision, set-up and patient education on use of equipment |
| 0605T | Optical coherence tomography (OCT) of retina, remote, patient-initiated image capture and transmission to a remote surveillance center unilateral or bilateral; remote surveillance center technical support, data analyses and reports, with a minimum of 8 daily recordings, each 30 days |


**Proprietary Information of UnitedHealthcare. Copyright 2026 United HealthCare Services, Inc.**

| CPT Code | Description |
|---|---|
| 0606T | Optical coherence tomography (OCT) of retina, remote, patient-initiated image capture and transmission to a remote surveillance center unilateral or bilateral; review, interpretation and report by the prescribing physician or other qualified health care professional of remote surveillance center data analyses, each 30 days |
| 0620T | Endovascular venous arterialization, tibial or peroneal vein, with transcatheter placement of intravascular stent graft(s) and closure by any method, including percutaneous or open vascular access, ultrasound guidance for vascular access when performed, all catheterization(s) and intraprocedural roadmapping and imaging guidance necessary to complete the intervention, all associated radiological supervision and interpretation, when performed |
| 0643T | Transcatheter left ventricular restoration device implantation including right and left heart catheterization and left ventriculography when performed, arterial approach |
| 0644T | Transcatheter removal or debulking of intracardiac mass (e.g., vegetations, thrombus) via suction (e.g., vacuum, aspiration) device, percutaneous approach, with intraoperative reinfusion of aspirated blood, including imaging guidance, when performed |
| 0648T | Quantitative magnetic resonance for analysis of tissue composition (e.g., fat, iron, water content), including multiparametric data acquisition, data preparation and transmission, interpretation and report, obtained without diagnostic MRI examination of the same anatomy (e.g., organ, gland, tissue, target structure) during the same session; single organ |
| 0649T | Quantitative magnetic resonance for analysis of tissue composition (e.g., fat, iron, water content), including multiparametric data acquisition, data preparation and transmission, interpretation and report, obtained with diagnostic MRI examination of the same anatomy (e.g., organ, gland, tissue, target structure); single organ (List separately in addition to code for primary procedure) |
| 0652T | Esophagogastroduodenoscopy, flexible, transnasal; diagnostic, including collection of specimen(s) by brushing or washing, when performed (separate procedure) |
| 0653T | Esophagogastroduodenoscopy, flexible, transnasal; with biopsy, single or multiple |
| 0654T | Esophagogastroduodenoscopy, flexible, transnasal; with insertion of intraluminal tube or catheter |
| 0660T | Implantation of anterior segment intraocular nonbiodegradable drug-eluting system, internal approach |
| 0661T | Removal and reimplantation of anterior segment intraocular nonbiodegradable drug-eluting implant |
| 0673T | Ablation, benign thyroid nodule(s), percutaneous, laser, including imaging guidance |
| 0689T | Quantitative ultrasound tissue characterization (non-elastographic), including interpretation and report, obtained without diagnostic ultrasound examination of the same anatomy (e.g., organ, gland, tissue, target structure) |
| 0691T | Automated analysis of an existing computed tomography study for vertebral fracture(s), including assessment of bone density when performed, data preparation, interpretation, and report |
| 0699T | Injection, posterior chamber of eye, medication |
| 0707T | Injection(s), bone substitute material (e.g., calcium phosphate) into subchondral bone defect (i.e., bone marrow lesion, bone bruise, stress injury, microtrabecular fracture), including imaging guidance and arthroscopic assistance for joint visualization |
| 0708T | Intradermal cancer immunotherapy; preparation and initial injection |
| 0721T | Quantitative computed tomography (CT) tissue characterization, including interpretation and report, obtained without concurrent CT examination of any structure contained in previously acquired diagnostic imaging |
| 0723T | Quantitative magnetic resonance cholangiopancreatography (QMRCP) including data preparation and transmission, interpretation and report, obtained without diagnostic magnetic resonance imaging (MRI) examination of the same anatomy (e.g., organ, gland, tissue, target structure) during the same session |
| 0733T | Remote real-time, motion capture-based neurorehabilitative therapy ordered by a physician or other qualified health care professional; supply and technical support, per 30 days |
| 0734T | Remote real-time, motion capture-based neurorehabilitative therapy ordered by a physician or other qualified health care professional; treatment management services by a physician or other qualified health care professional, per calendar month |


**Proprietary Information of UnitedHealthcare. Copyright 2026 United HealthCare Services, Inc.**

| CPT Code | Description |
|---|---|
| 0740T | Remote autonomous algorithm-based recommendation system for insulin dose calculation and titration; initial set-up and patient education |
| 0741T | Remote autonomous algorithm-based recommendation system for insulin dose calculation and titration; provision of software, data collection, transmission, and storage, each 30 days |
| 0743T | Bone strength and fracture risk using finite element analysis of functional data and bone mineral density (BMD), with concurrent vertebral fracture assessment, utilizing data from a computed tomography scan, retrieval and transmission of the scan data, measurement of bone strength and BMD and classification of any vertebral fractures, with overall fracture-risk assessment, interpretation and report |
| 0748T | Injections of stem cell product into perianal perifistular soft tissue, including fistula preparation (e.g., removal of setons, fistula curettage, closure of internal openings) |
| 0765T | Assistive algorithmic electrocardiogram risk-based assessment for cardiac dysfunction (e.g., low-ejection fraction, pulmonary hypertension, hypertrophic cardiomyopathy); related to previously performed electrocardiogram |
| 0771T | Virtual reality (VR) procedural dissociation services provided by the same physician or other qualified health care professional performing the diagnostic or therapeutic service that the VR procedural dissociation supports, requiring the presence of an independent, trained observer to assist in the monitoring of the patient's level of dissociation or consciousness and physiological status; initial 15 minutes of intraservice time, patient age 5 years or older |
| 0773T | Virtual reality (VR) procedural dissociation services provided by a physician or other qualified health care professional other than the physician or other qualified health care professional performing the diagnostic or therapeutic service that the VR procedural dissociation supports; initial 15 minutes of intraservice time, patient age 5 years or older |
| 0791T | Motor-cognitive, semi-immersive virtual reality–facilitated gait training, each 15 minutes (List separately in addition to code for primary procedure) |
| 0792T | Application of silver diamine fluoride 38%, by a physician or other qualified health care professional |
| 0794T | Patient-specific, assistive, rules-based algorithm for ranking pharmaco-oncologic treatment options based on the patient's tumor-specific cancer marker information obtained from prior molecular pathology, immunohistochemical, or other pathology results which have been previously interpreted and reported separately |
| 0795T | Transcatheter insertion of permanent dual-chamber leadless pacemaker, including imaging guidance (e.g., fluoroscopy, venous ultrasound, right atrial angiography, right ventriculography, femoral venography) and device evaluation (e.g., interrogation or programming), when performed; complete system (i.e., right atrial and right ventricular pacemaker components) |
| 0796T | Transcatheter insertion of permanent dual-chamber leadless pacemaker, including imaging guidance (e.g., fluoroscopy, venous ultrasound, right atrial angiography, right ventriculography, femoral venography) and device evaluation (e.g., interrogation or programming), when performed; right atrial pacemaker component (when an existing right ventricular single leadless pacemaker exists to create a dual-chamber leadless pacemaker system) |
| 0797T | Transcatheter insertion of permanent dual-chamber leadless pacemaker, including imaging guidance (e.g., fluoroscopy, venous ultrasound, right atrial angiography, right ventriculography, femoral venography) and device evaluation (e.g., interrogation or programming), when performed; right ventricular pacemaker component (when part of a dual-chamber leadless pacemaker system) |
| 0798T | Transcatheter removal of permanent dual-chamber leadless pacemaker, including imaging guidance (e.g., fluoroscopy, venous ultrasound, right atrial angiography, right ventriculography, femoral venography), when performed; complete system (i.e., right atrial and right ventricular pacemaker components) |
| 0799T | Transcatheter removal of permanent dual-chamber leadless pacemaker, including imaging guidance (e.g., fluoroscopy, venous ultrasound, right atrial angiography, right ventriculography, femoral venography), when performed; right atrial pacemaker component |
| 0800T | Transcatheter removal of permanent dual-chamber leadless pacemaker, including imaging guidance (e.g., fluoroscopy, venous ultrasound, right atrial angiography, right ventriculography, femoral venography), when performed; right ventricular pacemaker component (when part of a dual-chamber leadless pacemaker system) |


**Proprietary Information of UnitedHealthcare. Copyright 2026 United HealthCare Services, Inc.**

| CPT Code | Description |
|---|---|
| 0801T | Transcatheter removal and replacement of permanent dual-chamber leadless pacemaker, including imaging guidance (e.g., fluoroscopy, venous ultrasound, right atrial angiography, right ventriculography, femoral venography) and device evaluation (e.g., interrogation or programming), when performed; dual-chamber system (i.e., right atrial and right ventricular pacemaker components) |
| 0802T | Transcatheter removal and replacement of permanent dual-chamber leadless pacemaker, including imaging guidance (e.g., fluoroscopy, venous ultrasound, right atrial angiography, right ventriculography, femoral venography) and device evaluation (e.g., interrogation or programming), when performed; right atrial pacemaker component |
| 0803T | Transcatheter removal and replacement of permanent dual-chamber leadless pacemaker, including imaging guidance (e.g., fluoroscopy, venous ultrasound, right atrial angiography, right ventriculography, femoral venography) and device evaluation (e.g., interrogation or programming), when performed; right ventricular pacemaker component (when part of a dual-chamber leadless pacemaker system) |
| 0807T | Pulmonary tissue ventilation analysis using software-based processing of data from separately captured cinefluorograph images; in combination with previously acquired computed tomography (CT) images, including data preparation and transmission, quantification of pulmonary tissue ventilation, data review, interpretation and report |
| 0808T | Pulmonary tissue ventilation analysis using software-based processing of data from separately captured cinefluorograph images; in combination with computed tomography (CT) images taken for the purpose of pulmonary tissue ventilation analysis, including data preparation and transmission, quantification of pulmonary tissue ventilation, data review, interpretation and report |
| 0811T | Remote multi-day complex uroflowmetry (e.g., calibrated electronic equipment); set-up and patient education on use of equipment |
| 0812T | Remote multi-day complex uroflowmetry (e.g., calibrated electronic equipment); device supply with automated report generation, up to 10 days |
| 0815T | Ultrasound-based radiofrequency echographic multi-spectrometry (REMS), bone-density study and fracture-risk assessment, 1 or more sites, hips, pelvis, or spine |
| 0820T | Continuous in-person monitoring and intervention (e.g., psychotherapy, crisis intervention), as needed, during psychedelic medication therapy; first physician or other qualified health care professional, each hour |
| 0869T | Injection(s), bone-substitute material for bone and/or soft tissue hardware fixation augmentation, including intraoperative imaging guidance, when performed |
| 0884T | Esophagoscopy, flexible, transoral, with initial transendoscopic mechanical dilation (e.g., nondrug-coated balloon) followed by therapeutic drug delivery by drug-coated balloon catheter for esophageal stricture, including fluoroscopic guidance, when performed |
| 0885T | Colonoscopy, flexible, with initial transendoscopic mechanical dilation (e.g., nondrug-coated balloon) followed by therapeutic drug delivery by drug-coated balloon catheter for colonic stricture, including fluoroscopic guidance, when performed |
| 0886T | Sigmoidoscopy, flexible, with initial transendoscopic mechanical dilation (e.g., nondrug-coated balloon) followed by therapeutic drug delivery by drug-coated balloon catheter for colonic stricture, including fluoroscopic guidance, when performed |
| 0893T | Noninvasive assessment of blood oxygenation, gas exchange efficiency, and cardiorespiratory status, with physician or other qualified health care professional interpretation and report |
| 0894T | Cannulation of the liver allograft in preparation for connection to the normothermic perfusion device and decannulation of the liver allograft following normothermic perfusion |
| 0895T | Connection of liver allograft to normothermic machine perfusion device, hemostasis control; initial 4 hours of monitoring time, including hourly physiological and laboratory assessments (e.g., perfusate temperature, perfusate pH, hemodynamic parameters, bile production, bile pH, bile glucose, biliary bicarbonate, lactate levels, macroscopic assessment) |


**Proprietary Information of UnitedHealthcare. Copyright 2026 United HealthCare Services, Inc.**

| CPT Code | Description |
|---|---|
| 0896T | Connection of liver allograft to normothermic machine perfusion device, hemostasis control; each additional hour, including physiological and laboratory assessments (e.g., perfusate temperature, perfusate pH, hemodynamic parameters, bile production, bile pH, bile glucose, biliary bicarbonate, lactate levels, macroscopic assessment) (List separately in addition to code for primary procedure) |
| 0897T | Noninvasive augmentative arrhythmia analysis derived from quantitative computational cardiac arrhythmia simulations, based on selected intervals of interest from 12-lead electrocardiogram and uploaded clinical parameters, including uploading clinical parameters with interpretation and report |
| 0898T | Noninvasive prostate cancer estimation map, derived from augmentative analysis of image-guided fusion biopsy and pathology, including visualization of margin volume and location, with margin determination and physician interpretation and report |
| 0903T | Electrocardiogram, algorithmically generated 12-lead ECG from a reduced-lead ECG; with interpretation and report |
| 0904T | Electrocardiogram, algorithmically generated 12-lead ECG from a reduced-lead ECG; tracing only |
| 0905T | Electrocardiogram, algorithmically generated 12-lead ECG from a reduced-lead ECG; interpretation and report only |
| 0906T | Concurrent optical and magnetic stimulation (COMS) therapy, wound assessment and dressing care; first application, total wound(s) surface area less than or equal to 50 sq cm |
| 0907T | Concurrent optical and magnetic stimulation (COMS) therapy, wound assessment and dressing care; each additional application, total wound(s) surface area less than or equal to 50 sq cm (List separately in addition to code for primary procedure) |
| 0908T | Open implantation of integrated neurostimulation system, vagus nerve, including analysis and programming, when performed |
| 0909T | Replacement of integrated neurostimulation system, vagus nerve, including analysis and programming, when performed |
| 0910T | Removal of integrated neurostimulation system, vagus nerve |
| 0911T | Electronic analysis of implanted integrated neurostimulation system, vagus nerve; without programming by physician or other qualified health care professional |
| 0912T | Electronic analysis of implanted integrated neurostimulation system, vagus nerve; with simple programming by physician or other qualified health care professional |
| 0915T | Insertion of permanent cardiac contractility modulation-defibrillation system component(s), including fluoroscopic guidance, and evaluation and programming of sensing and therapeutic parameters; pulse generator and dual transvenous electrodes/leads (pacing and defibrillation) |
| 0916T | Insertion of permanent cardiac contractility modulation-defibrillation system component(s), including fluoroscopic guidance, and evaluation and programming of sensing and therapeutic parameters; pulse generator only |
| 0917T | Insertion of permanent cardiac contractility modulation-defibrillation system component(s), including fluoroscopic guidance, and evaluation and programming of sensing and therapeutic parameters; single transvenous lead (pacing or defibrillation) only |
| 0918T | Insertion of permanent cardiac contractility modulation-defibrillation system component(s), including fluoroscopic guidance, and evaluation and programming of sensing and therapeutic parameters; dual transvenous leads (pacing and defibrillation) only |
| 0919T | Removal of a permanent cardiac contractility modulation-defibrillation system component(s); pulse generator only |
| 0920T | Removal of a permanent cardiac contractility modulation-defibrillation system component(s); single transvenous pacing lead only |
| 0921T | Removal of a permanent cardiac contractility modulation-defibrillation system component(s); single transvenous defibrillation lead only |
| 0922T | Removal of a permanent cardiac contractility modulation-defibrillation system component(s); dual (pacing and defibrillation) transvenous leads only |


**Proprietary Information of UnitedHealthcare. Copyright 2026 United HealthCare Services, Inc.**

| CPT Code | Description |
|---|---|
| 0923T | Removal and replacement of permanent cardiac contractility modulation-defibrillation pulse generator only |
| 0924T | Repositioning of previously implanted cardiac contractility modulation-defibrillation transvenous electrode(s)/lead(s), including fluoroscopic guidance and programming of sensing and therapeutic parameters |
| 0925T | Relocation of skin pocket for implanted cardiac contractility modulation-defibrillation pulse generator |
| 0926T | Programming device evaluation (in person) with iterative adjustment of the implantable device to test the function of the device and select optimal permanent programmed values with analysis, including review and report, implantable cardiac contractility modulation-defibrillation system |
| 0927T | Interrogation device evaluation (in person) with analysis, review, and report, including connection, recording, and disconnection, per patient encounter, implantable cardiac contractility modulation-defibrillation system |
| 0928T | Interrogation device evaluation (remote), up to 90 days, cardiac contractility modulation-defibrillation system with interim analysis and report(s) by a physician or other qualified health care professional |
| 0929T | Interrogation device evaluation (remote), up to 90 days, cardiac contractility modulation-defibrillation system, remote data acquisition(s), receipt of transmissions, technician review, technical support, and distribution of results |
| 0930T | Electrophysiologic evaluation of cardiac contractility modulation-defibrillator leads, including defibrillation-threshold evaluation (induction of arrhythmia, evaluation of sensing and therapy for arrhythmia termination), at time of initial implantation or replacement with testing of cardiac contractility modulation-defibrillator pulse generator |
| 0931T | Electrophysiologic evaluation of cardiac contractility modulation-defibrillator leads, including defibrillation-threshold evaluation (induction of arrhythmia, evaluation of sensing and therapy for arrhythmia termination), separate from initial implantation or replacement with testing of cardiac contractility modulation-defibrillator pulse generator |
| 0933T | Transcatheter implantation of wireless left atrial pressure sensor for long-term left atrial pressure monitoring, including sensor calibration and deployment, right heart catheterization, transseptal puncture, imaging guidance, and radiological supervision and interpretation |
| 0934T | Remote monitoring of a wireless left atrial pressure sensor for up to 30 days, including data from daily uploads of left atrial pressure recordings, interpretation(s) and trend analysis, with adjustments to the diuretics plan, treatment paradigm thresholds, medications or lifestyle modifications, when performed, and report(s) by a physician or other qualified health care professional |
| 0935T | Cystourethroscopy with renal pelvic sympathetic denervation, radiofrequency ablation, retrograde ureteral approach, including insertion of guide wire, selective placement of ureteral sheath(s) and multiple conformable electrodes, contrast injection(s), and fluoroscopy, bilateral |
| 0936T | Photobiomodulation therapy of retina, single session |
| 0941T | Cystourethroscopy, flexible; with insertion and expansion of prostatic urethral scaffold using integrated cystoscopic visualization |
| 0942T | Cystourethroscopy, flexible; with removal and replacement of prostatic urethral scaffold |
| 0943T | Cystourethroscopy, flexible; with removal of prostatic urethral scaffold |
| 0944T | 3D contour simulation of target liver lesion(s) and margin(s) for image-guided percutaneous microwave ablation |
| 0946T | Orthopedic implant movement analysis using paired computed tomography (CT) examination of the target structure, including data acquisition, data preparation and transmission, interpretation and report (including CT scan of the joint or extremity performed with paired views) |
| 0947T | Magnetic resonance image guided low intensity focused ultrasound (MRgFUS), stereotactic blood-brain barrier disruption using microbubble resonators to increase the concentration of blood-based biomarkers of target, intracranial, including stereotactic navigation and frame placement, when performed |
| 0948T | Interrogation device evaluation (remote), up to 90 days, cardiac contractility modulation system with interim analysis, review and report(s) by a physician or other qualified health care professional |


**Proprietary Information of UnitedHealthcare. Copyright 2026 United HealthCare Services, Inc.**

| CPT Code | Description |
|---|---|
| 0949T | Interrogation device evaluation (remote), up to 90 days, cardiac contractility modulation system, remote data acquisition(s), receipt of transmissions, technician review, technical support, and distribution of results |
| 0950T | Ablation of benign prostate tissue, transrectal, with high intensity–focused ultrasound (HIFU), including ultrasound guidance |
| 0956T | Partial craniectomy, channel creation, and tunneling of electrode for sub-scalp implantation of an electrode array, receiver, and telemetry unit for continuous bilateral electroencephalography monitoring system, including imaging guidance |
| 0957T | Revision of sub-scalp implanted electrode array, receiver, and telemetry unit for electrode, when required, including imaging guidance |
| 0958T | Removal of sub-scalp implanted electrode array, receiver, and telemetry unit for continuous bilateral electroencephalography monitoring system, including imaging guidance |
| 0959T | Removal or replacement of magnet from coil assembly that is connected to continuous bilateral electroencephalography monitoring system, including imaging guidance |
| 0960T | Replacement of sub-scalp implanted electrode array, receiver, and telemetry unit with tunneling of electrode for continuous bilateral electroencephalography monitoring system, including imaging guidance |
| 0962T | Assistive algorithmic analysis of acoustic and electrocardiogram recording for detection of cardiac dysfunction (e.g., reduced ejection fraction, cardiac murmurs, atrial fibrillation), with review and interpretation by a physician or other qualified health care professional |
| 0963T | Anoscopy with directed submucosal injection of bulking agent into anal canal |
| 0967T | Transanal insertion of endoluminal temporary colorectal anastomosis protection device, including vacuum anchoring component and flexible sheath connected to external vacuum source and monitoring system |
| 0968T | Insertion or replacement of epicranial neurostimulator system, including electrode array and pulse generator, with connection to electrode array |
| 0969T | Removal of epicranial neurostimulator system |
| 0970T | Ablation, benign breast tumor (e.g., fibroadenoma), percutaneous, laser, including imaging guidance when performed, each tumor |
| 0971T | Ablation, malignant breast tumor(s), percutaneous, laser, including imaging guidance when performed, unilateral |
| 0972T | Assistive algorithmic classification of burn healing (i.e., healing or nonhealing) by noninvasive multispectral imaging, including system set-up and acquisition, selection, and transmission of images, with automated generation of report |
| 0973T | Selective enzymatic debridement, partial-thickness and/or full-thickness burn eschar, requiring anesthesia (i.e., general anesthesia, moderate sedation), including patient monitoring, trunk, arms, legs; first 100 sq cm |
| 0974T | Selective enzymatic debridement, partial-thickness and/or full-thickness burn eschar, requiring anesthesia (i.e., general anesthesia, moderate sedation), including patient monitoring, trunk, arms, legs; each additional 100 sq cm (List separately in addition to code for primary procedure) |
| 0975T | Selective enzymatic debridement, partial-thickness and/or full-thickness burn eschar, requiring anesthesia (i.e., general anesthesia, moderate sedation), including patient monitoring, scalp, neck, hands, feet, and/or multiple digits; first 100 sq cm |
| 0976T | Selective enzymatic debridement, partial-thickness and/or full-thickness burn eschar, requiring anesthesia (i.e., general anesthesia, moderate sedation), including patient monitoring, scalp, neck, hands, feet, and/or multiple digits; each additional 100 sq cm (List separately in addition to code for primary procedure) |
| 0977T | Upper gastrointestinal blood detection, sensor capsule, with interpretation and report |
| 0978T | Submucosal cryolysis therapy; soft palate, base of tongue, and lingual tonsil |
| 0979T | Submucosal cryolysis therapy; soft palate only |


**Proprietary Information of UnitedHealthcare. Copyright 2026 United HealthCare Services, Inc.**

| CPT Code | Description |
|---|---|
| 0980T | Submucosal cryolysis therapy; base of tongue and lingual tonsil only |
| 0981T | Transcatheter implantation of wireless inferior vena cava sensor for long-term hemodynamic monitoring, including deployment of the sensor, radiological supervision and interpretation, right heart catheterization, and inferior vena cava venography, when performed |
| 0982T | Remote monitoring of implantable inferior vena cava pressure sensor, physiologic parameter(s) (e.g., weight, blood pressure, pulse oximetry, respiratory flow rate), initial set-up and patient education on use of equipment |
| 0983T | Remote monitoring of an implanted inferior vena cava sensor for up to 30 days, including at least weekly downloads of inferior vena cava area recordings, interpretation(s), trend analysis, and report(s) by a physician or other qualified health care professional |
| 0990T | Transcervical instillation of biodegradable hydrogel materials, intrauterine |
| 0991T | Cystourethroscopy, with low-energy lithotripsy and acoustically actuated microspheres, including imaging |
| 0992T | Noninvasive assessment of cardiac risk derived from augmentative software analysis of perivascular fat without concurrent computed tomography (CT) scan of the heart, including patient-specific clinical factors, with interpretation and report by a physician or other qualified health care professional |
| 0993T | Noninvasive assessment of cardiac risk derived from augmentative software analysis of perivascular fat with concurrent computed tomography scan of the heart, including patient-specific clinical factors, with interpretation and report by a physician or other qualified health care professional (List separately in addition to code for primary procedure) |
| 0994T | Endovascular delivery of aortic wall stabilization drug therapy through a sheath positioned within an abdominal aortic aneurysm, with aortic roadmapping, balloon occlusion, imaging guidance, and radiological supervision and interpretation; percutaneous |
| 0995T | Endovascular delivery of aortic wall stabilization drug therapy through a sheath positioned within an abdominal aortic aneurysm, with aortic roadmapping, balloon occlusion, imaging guidance, and radiological supervision and interpretation; open |
| 0996T | Insertion and scleral fixation of a capsular bag prosthesis containing an intraocular lens prosthesis, with vitrectomy, including removal of crystalline lens or dislocated intraocular lens prosthesis, when performed |
| 0997T | Precuneus magnetic stimulation; treatment planning using magnetic resonance imaging-guided neuronavigation to determine optimal location, dose, and intensity for magnetic stimulation therapy, derived from evoked potentials from single pulses of electromagnetic energy recorded by 64-channel electroencephalogram, including automated data processing, transmission, analysis, generation of treatment parameters with review, interpretation, and report |
| 0998T | Precuneus magnetic stimulation; personalized treatment delivery of magnetic stimulation therapy to a prespecified target area derived from analysis of evoked potentials within the precuneus, utilizing magnetic resonance imaging-based neuronavigation, with management, per day |
| 1002T | Air displacement plethysmography, whole-body composition assessment, with interpretation and report |
| 1003T | Arthroplasty, first carpometacarpal joint, with distal trapezial and proximal first metacarpal prosthetic replacement (e.g., first carpometacarpal total joint) |
| 1004T | Electronic analysis of implanted sub-scalp continuous bilateral electroencephalography monitoring system (e.g., contact group[s], gain, bandpass filters) by physician or other qualified health care professional; without programming |
| 1005T | Electronic analysis of implanted sub-scalp continuous bilateral electroencephalography monitoring system (e.g., contact group[s], gain, bandpass filters) by physician or other qualified health care professional; with programming, first 15 minutes face-to-face time with physician or other qualified health care professional |
| 1006T | Electronic analysis of implanted sub-scalp continuous bilateral electroencephalography monitoring system (e.g., contact group[s], gain, bandpass filters) by physician or other qualified health care professional; with programming, each additional 15 minutes face-to-face time with physician or other qualified health care professional (List separately in addition to code for primary procedure) |


**Proprietary Information of UnitedHealthcare. Copyright 2026 United HealthCare Services, Inc.**

| CPT Code | Description |
|---|---|
| 1007T | Electroencephalogram from implanted sub-scalp continuous bilateral electroencephalography monitoring system, physician or other qualified health care professional review of recorded events, analysis of spike and seizure detection, interpretation, and report, up to 30 days of recording without video |
| 1008T | Remote monitoring of sub-scalp implanted continuous bilateral electroencephalography monitoring system, device fitting, initial set-up, and patient education in wearing of system and use of equipment |
| 1009T | Remote monitoring of a sub-scalp implanted continuous bilateral electroencephalography monitoring system, physician or other qualified health care professional review of recorded events, analysis of spike and seizure detection, interpretation, and report, up to 30 days of recording without video |
| 1010T | Computerized ophthalmic analysis of monocular eye movements using retinal-based eye-tracking without spatial calibration, including fixation, microsaccades, drift, and horizontal saccades, when performed, unilateral or bilateral, with interpretation and report |
| 1013T | Laparoscopy, surgical, implantation or replacement of lower esophageal sphincter neurostimulator electrode array and neurostimulator pulse generator or receiver, requiring pocket creation and connection between electrode array and pulse generator or receiver, including cruroplasty and/or electronic analysis, when performed |
| 1014T | Laparoscopic revision or removal, lower esophageal sphincter neurostimulator electrodes |
| 1015T | Revision or removal, lower esophageal sphincter neurostimulator pulse generator or receiver |
| 1016T | Electronic analysis of implanted neurostimulator pulse generator system (e.g., rate, pulse amplitude and duration, configuration of waveform, battery status, electrode selectability, output modulation, cycling, impedance and patient measurements), lower esophageal sphincter neurostimulator pulse generator/transmitter; intraoperative, with programming |
| 1017T | Electronic analysis of implanted neurostimulator pulse generator system (e.g., rate, pulse amplitude and duration, configuration of waveform, battery status, electrode selectability, output modulation, cycling, impedance and patient measurements), lower esophageal sphincter neurostimulator pulse generator/transmitter; subsequent, without reprogramming |
| 1018T | Electronic analysis of implanted neurostimulator pulse generator system (e.g., rate, pulse amplitude and duration, configuration of waveform, battery status, electrode selectability, output modulation, cycling, impedance and patient measurements), lower esophageal sphincter neurostimulator pulse generator/transmitter; subsequent, with reprogramming |
| 1025T | Alternating electric fields dosimetry and delivery-simulation modeling, creation and selection of patient-specific array layouts, and placement verification |

*CPT® is a registered trademark of the American Medical Association*

# Description of Services

American Medical Association (AMA) Current Procedural Terminology (CPT®) Category III codes are a set of temporary codes that allow physicians and other qualified health care professionals to identify and submit for emerging technology, services, and procedures for clinical efficacy, utilization, and outcomes. The assignment of these codes from the AMA offers the opportunity for specific data collection, unlike unlisted codes, which require specific documentation describing the procedure.

Unlike Category I CPT codes, Category III codes do not necessitate U.S. Food and Drug Administration approval and therefore have been placed in a separate section of the CPT book. Per the AMA, “the inclusion of a service or procedure in this section does not constitute a finding of support, or lack thereof, with regard to clinical efficacy, safety, applicability to clinical practice, or payer coverage.”

Category III codes may or may not eventually receive a Category I code. “In general, a given Category III code will be archived five years from the date of initial publication or extension unless a modification of the archival date is specifically noted at the time of a revision or change to a code.” (AMA, 2025)


**Proprietary Information of UnitedHealthcare. Copyright 2026 United HealthCare Services, Inc.**

## Benefit Considerations

Services that are not medically necessary; experimental or investigational; or unproven are excluded from coverage on most plans. The fact that such services may be the only available treatment(s) for a particular condition will not result in benefits if the service is considered to be not medically necessary; experimental or investigational; or unproven in the treatment of that particular condition. This exclusion does not apply to certain covered health care services provided during a clinical trial for which benefits may be provided under the benefit plan document.

## References


American Medical Association (AMA). Current Procedural Terminology (CPT®) book. Chicago, IL. 2025.

UnitedHealthcare Insurance Company Generic Certificate of Coverage, 2018.


## Policy History/Revision Information

| Date | Summary of Changes |
|---|---|
| 01/01/2026 | **Template Update**<br>• Created shared policy version to support application to Oxford plan membership<br>**Applicable Codes**<br>• Updated list of applicable CPT codes to reflect annual edits:<br>  ○ Added 0990T, 0991T, 0992T, 0993T, 0994T, 0995T, 0996T, 0997T, 0998T, 1002T, 1003T, 1004T, 1005T, 1006T, 1007T, 1008T, 1009T, 1010T, 1013T, 1014T, 1015T, 1016T, 1017T, 1018T, and 1025T<br>  ○ Removed 0623T, 0624T, 0625T, and 0626T<br>**Supporting Information**<br>• Archived previous policy version 2025T0644N |

## Instructions for Use

This Medical Policy provides assistance in interpreting UnitedHealthcare standard benefit plans. When deciding coverage, the member specific benefit plan document must be referenced as the terms of the member specific benefit plan may differ from the standard plan. In the event of a conflict, the member specific benefit plan document governs. Before using this policy, check the member specific benefit plan document and any applicable federal or state mandates. UnitedHealthcare reserves the right to modify its Policies and Guidelines as necessary. This Medical Policy is provided for informational purposes. It does not constitute medical advice.

This Medical Policy may also be applied to Medicare Advantage plans in certain instances. In the absence of a Medicare National Coverage Determination (NCD), Local Coverage Determination (LCD), or other Medicare coverage guidance, CMS allows a Medicare Advantage Organization (MAO) to create its own coverage determinations, using objective evidence-based rationale relying on authoritative evidence (Medicare IOM Pub. No. 100-16, Ch. 4, §90.5).

UnitedHealthcare may also use tools developed by third parties, such as the InterQual® criteria, to assist us in administering health benefits. UnitedHealthcare Medical Policies are intended to be used in connection with the independent professional medical judgment of a qualified health care provider and do not constitute the practice of medicine or medical advice.



**Proprietary Information of UnitedHealthcare. Copyright 2026 United HealthCare Services, Inc.**