


### Question 1

- a) Consider the following Stack and draw the Stack frames after executing each statement given below.

`int a = 22, b = 44;`



- i) `theStack.push(2);`
- ii) `theStack.push(a);`
- iii) `theStack.push(a + b);`
- iv) `theStack.pop();`
- v) `theStack.push(b);`
- vi) `theStack.push(a - b);`

### Question 2

- i) Implement `isEmpty()` and `isFull()` methods of the stack class.
- ii) A stack class has already been implemented with `push()`, `pop()` and `peek()` methods. It is used to store characters. Write a code segment to insert following characters to a 'myStack' object created from the stack class.  
'g', 't', 'o', 'p'
- iii) Write code segment to display all the values in a stack by removing them.
- iv) What is the result of section iii) above?

**Additional Exercises:****Question 1**

- i) Implement a class called StackX to store a set of characters.
- ii) Create a class called Reverser to reverse a given string using the stack class created above.

```
class Reverser
{
    private String input;
    private String output;

    .....
}
```

(Hint: Pass the string to be reversed as an argument to the constructor and store it in input)

- iii) In main() get a string from the user and reverse the string using the Reverser class.

**Question 2**

Use the stack class created in Question1 (i) and check whether a user entered expression is correctly parenthesized.

Ex:  $3 + ((6 * 2) - 3)$  → valid  
 $5 * 6 + (2 - 5$  → not valid