

SYNTHETIC EXTRACTION STRESS-TEST REPORT

A Legal / Financial Technical Document — Synthetic Data Only

Document Version: 3.7
Generated: 2026-08-28
Document ID: DOC.04.7.19
Classification: CONFIDENTIAL — SYNTHETIC TEST DOCUMENT
Prepared for: Automated Document-Processing Benchmark Suite

This report contains no real personal, financial, or legal information.

TABLE OF CONTENTS

1. Introduction & Methodology	2
2. Two/Three-Column Analysis	3
3. Operational Findings (2-col)	4
4. Multi-Page Financial Table	5
5. Merged-Cell & Nested Tables	8
6. Typography & Encoding Tests	9
7. Synthetic Form / Record Extraction	10
8. Reading-Order Stress Tests	11
9. OCR / Visual Noise Section	13
10. Edge Cases	14
11. Extraction Test Checklist	15

1. Introduction & Methodology

This synthetic technical report is generated exclusively to stress-test automated document extraction pipelines, including OCR engines, layout analysis models, table detectors, and reading-order reconstruction algorithms.[1] All figures, identifiers, and names appearing herein are fictitious and synthetically generated for evaluation purposes only.

The extraction pipeline must preserve the logical reading order even when the visual layout introduces competing text regions.

Throughout the document, the reader will encounter deliberately irregular hyphenation, implementation notes, and extra-

ction markers designed to probe the robustness of line- and word-joining heuristics used by downstream NLP systems.[2]

Section 2 introduces multi-column layouts. Section 3 continues with operational findings rendered in a dense two-column format. Later sections address tables of escalating structural complexity, typography and encoding edge cases, key-value form extraction, and finally a series of pages engineered specifically to defeat naive top-to-bottom, left-to-right reading order assumptions.[3]

EXTRACTION WARNING
This callout intentionally interrupts the surrounding reading order.

NOTE A —
Verify source
order

1.1 Borderless Summary Table

Invoice ID	98402	Currency	USD
Customer Code	CX-771	Status	Pending
Subtotal	12,480.00	Tax	1,497.60
Total	13,977.60	Due Date	2026-09-15

OCR CHECK

[1] Synthetic reference used to test footnote separation from body text.
[2] This note intentionally contains a longer sentence that wraps across multiple lines so that footnote-region segmentation can be evaluated against body-text segmentation.
[3] See §4.2 for continuation of this discussion.

Reviewer
comment:
table
continues

2. Three-Column Analysis

The following section presents narrative commentary, statistical summaries, and reviewer observations side by side in a three-column arrangement, testing column segmentation and cross-column reading order.

NARRATIVE

Operational throughput increased across all monitored regions during the review period. Analysts attribute the change to revised intake procedures and expanded synthetic data validation checkpoints. Several anomalies were flagged for manual review but none required escalation beyond Tier 2.

STATISTICS

Metric	Val
Uptime	99.2%
Errors	12
Latency	84ms
Flag	N/A

Statistics reflect synthetic monitoring data aggregated over a fourteen-day rolling window for benchmark purposes only.

REVIEWER OBSERVATIONS

Reviewer note: values in the statistics column are synthetic placeholders. Cross-reference against Section 4 multi-page table before final sign-off. Escalation not required at this time.

Interim Conclusion

Full-width summary: the three-column format above intentionally places a table in the middle column between narrative and reviewer text, challenging simple column-order concatenation strategies.

3. Operational Findings

Dense technical prose occupies the first column of this page. The extraction pipeline should recognize that this column reads fully from top to bottom before the second column begins, even though both columns are visually adjacent. Efficient, official, and affiliation are examples of ligature-bearing words embedded here for typography testing. The financial subsystem processed 13,977.60 units of synthetic currency during the observed interval, with an official efficiency rating of 91.4%. Continued monitoring is recommended, and any deviation exceeding $\pm 0.25\%$ should be flagged for reviewer follow-up per protocol REF-2026-0048-A.

Column two continues the operational narrative. A small callout and short list are embedded below to interrupt the flow of dense paragraphs and test whether extraction correctly separates list items from surrounding prose.

REVIEWER NOTE

Values in this section are synthetic.

Key observations:

- Throughput variance within tolerance
- Two anomalies auto-resolved
- No Tier-3 escalations recorded

IMPORTANT

4. Multi-Page Financial Ledger

The table below intentionally spans multiple pages. Each new page repeats the header row. Columns mix numeric, textual, date, percentage, and currency data, and include empty cells, N/A markers, dashes, and negative values.

Item	Description	Category	Qty	Unit Price	Discount	Tax	Net	Status	Review Date
1000	Placeholder consulting engagement block	Software	1	76.30	10%	6.10	70.20	Active	2026-04-05
1001	Synthetic component evaluation unit	Services	1	2,931.99	0%	234.56	2,697.43	—	2026-02-07
1002	N/A	Maintenance	0	2,784.29	N/A	222.74	2,561.55	Closed	2026-04-15
1003	Long unbroken descriptor string: XZQPL	Licensing	0	3,781.98	5%	302.56	3,479.42	Pending	2026-07-11
1004	Synthetic component evaluation unit	Hardware	3	4,783.93	10%	382.71	4,401.22	Closed	2026-02-13
1005	Long unbroken descriptor string: XZQPL	Hardware	8	2,998.82	0%	239.91	2,758.91	N/A	2026-08-18
1006	Recurring maintenance allocation	Software	1	2,737.81	N/A	219.02	2,518.79	Active	2026-10-07
1007	Synthetic component evaluation unit	Hardware	0	3,289.38	10%	263.15	3,026.23	N/A	2026-04-28
1008	Placeholder consulting engagement block	Services	5	2,239.72	10%	179.18	2,060.54	Review	2026-06-12
1009	—	Maintenance	5	3,494.19	0%	279.54	3,214.65	Review	2026-11-06
1010	Recurring maintenance allocation	Maintenance	3	775.18	—	62.01	713.17	Pending	2026-11-23
1011	Placeholder consulting engagement block	Licensing	8	4,206.40	0%	336.51	3,869.89	N/A	2026-01-26
1012	Long unbroken descriptor string: XZQPL	Software	5	284.25	N/A	22.74	261.51	N/A	2026-06-07
1013	Placeholder consulting engagement block	Services	12	4,417.65	—	353.41	4,064.24	Review	2026-05-05
1014	—	Services	5	3,722.42	—	297.79	3,424.63	Pending	2026-07-12
1015	Synthetic component evaluation unit	Services	N/A	409.09	0%	32.73	376.36	Review	2026-03-21
1016	N/A	Maintenance	12	2,961.87	—	236.95	2,724.92	Closed	2026-10-15
1017	Long unbroken descriptor string: XZQPL	Licensing	0	3,385.43	0%	270.83	3,114.60	Review	2026-09-25
1018	Placeholder consulting engagement block	Software	8	513.34	—	41.07	472.27	Review	2026-08-01
1019	—	Software	5	4,858.03	5%	388.64	4,469.39	Closed	2026-02-28
1020	—	Maintenance	3	721.84	5%	57.75	664.09	Closed	2026-09-01
1021	Recurring maintenance allocation	Services	N/A	48.36	10%	3.87	44.49	—	2026-04-02
1022	Synthetic component evaluation unit	Services	1	382.55	—	30.60	351.95	Pending	2026-09-25
1023	Recurring maintenance allocation	Maintenance	N/A	4,731.59	5%	378.53	4,353.06	N/A	2026-09-28

4. Multi-Page Financial Ledger (continued)

Item	Description	Category	Qty	Unit Price	Discount	Tax	Net	Status	Review Date
1024	Long unbroken descriptor string: XZQP	Software	3	4,641.01	5%	371.28	4,269.73	Review	2026-05-13
1025	N/A	Services	8	2,162.41	N/A	172.99	1,989.42	Active	2026-02-08
1026	Placeholder consulting engagement block	Hardware	8	56.22	N/A	4.50	51.72	Active	2026-10-08
1027	Recurring maintenance allocation	Services	0	1,106.16	0%	88.49	1,017.67	Closed	2026-02-17
1028	Long unbroken descriptor string: XZQP	Consulting	N/A	1,031.90	5%	82.55	949.35	Pending	2026-10-19
1029	Synthetic component evaluation unit	Consulting	N/A	4,027.86	5%	322.23	3,705.63	Closed	2026-02-22
1030	Long unbroken descriptor string: XZQP	Hardware	12	2,026.07	0%	162.09	1,863.98	Active	2026-11-21
1031	Placeholder consulting engagement block	Maintenance	12	3,627.48	0%	290.20	3,337.28	N/A	2026-04-07
1032	N/A	Hardware	2	2,080.50	10%	166.44	1,914.06	N/A	2026-04-28
1033	Synthetic component evaluation unit	Logistics	1	205.47	N/A	16.44	189.03	Pending	2026-02-25
1034	Placeholder consulting engagement block	Services	2	2,002.39	—	160.19	1,842.20	N/A	2026-07-02
1035	N/A	Software	0	4,925.81	10%	394.06	4,531.75	Review	2026-05-14
1036	Placeholder consulting engagement block	Software	N/A	731.72	10%	58.54	673.18	—	2026-01-19
1037	Synthetic component evaluation unit	Maintenance	0	3,727.28	0%	298.18	3,429.10	—	2026-10-16
1038	Synthetic component evaluation unit	Maintenance	2	237.24	N/A	18.98	218.26	Active	2026-03-03
1039	Placeholder consulting engagement block	Hardware	3	1,989.07	N/A	159.13	1,829.94	—	2026-10-20
1040	—	Licensing	1	2,067.09	N/A	165.37	1,901.72	Pending	2026-09-11
1041	Placeholder consulting engagement block	Licensing	8	1,155.36	—	92.43	1,062.93	N/A	2026-11-21

— End of Section 4 Ledger Table —

[4] Ledger values are entirely synthetic and randomly generated for benchmark purposes.

5. Merged-Cell & Nested Tables

	FINANCIAL DATA (merged across 4 columns)			
	Q1	Q2	Q3	Q4
	Actual/Forecast/Var	Actual/Forecast/Var	Actual/Forecast/Var	Actual/Forecast/Var
Region A (rowspan=2)	12,000 / 11,500 / +500	9,800 / 10,000 / -200	15,220 / 14,900 / +320	10,010 / 9,900 / +110
	8,400 / 8,600 / -200	7,750 / 7,500 / +250	6,300 / 6,300 / 0	9,950 / 9,700 / +250

5.1 Nested Table Example

Outer table with a nested inner table physically contained within the 'Details' cell of the third row.

Category	Details	Amount									
Equipment	Standard synthetic hardware allocation	4,820.00									
Services		1,940.35									
	<table><tr><th>Metric</th><th>Value</th></tr><tr><td>Rate</td><td>7.25%</td></tr><tr><td>Units</td><td>48</td></tr><tr><td>Flag</td><td>Y</td></tr></table>		Metric	Value	Rate	7.25%	Units	48	Flag	Y	
	Metric		Value								
	Rate		7.25%								
	Units		48								
Flag	Y										

6. Typography & Encoding Tests

Ligatures

financial — official — efficient — affiliation

Superscripts & Subscripts

$x^2 x^3 \text{H}_2\text{O} \text{CO}_2 E = mc^2 a_1 + a_2 + a_3$

Mathematical Symbols

$\sum \int \sqrt{\pm \leq \geq \neq \approx \infty \Delta \pi}$

$\sum_{i=1}^n x_i$ (sum over i from 1 to n of x-sub-i)

$\int_0^1 f(x) dx$

$\sqrt{(x^2 + y^2)}$

$\Delta P = P_2 - P_1$

Encoding Artifacts (intentional noise)

â€™™ quotes: â€œquoted textâ€

Â© Â± â€“ â€” • ...

Clean text mixed with — em dash — and – en dash –, “curly quotes”, ‘straight quotes’, apostrophe’s.

Multiple Fonts on One Line

Bold normal *italic* monospace ***bold italic*** SMALL CAPS

Font Family Sampler (4 families)

Serif — Times-Roman sample text

Sans — Helvetica sample text

Monospace — Courier sample text

Sans Italic — Helvetica-Oblique sample text

7. Synthetic Form / Record Extraction

Key-Value Pairs

Invoice ID: 98402
Customer ID: CX-771
Reference No.: REF-2026-0048
Account Type: Enterprise
Processing Status: Pending Review
Amount Due: \$13,977.60
Review Date: 2026-09-15

Reviewer
comment:
table
continues

Checkboxes

[X] Approved ☒
[] Rejected ☐
[X] Requires Review ☒
[] Escalated ☐
[] Archived ☐

Radio Button Groups

(●) Monthly (■) Quarterly (■) Annual
(■) Low (●) Medium (■) High

Signature Block

Authorized Representative: _____

Signature: _____

Date: _____

Reviewer: _____

Signature: _____

8. Reading-Order Stress Test — Page A

Full-width heading and introductory paragraph. The test deliberately places a sidebar and floating callout so that visual top-to-bottom order differs from the intended logic

Main body text begins in column one, positioned at the top of the content region. This text should be read first according to logical order, even though a sidebar element to its right begins at a higher visual position on the page and a floating callout crosses between the two text columns lower on the page.

SIDEBAR
Sidebar text begins above the point where column two starts, testing spatial-vs-logical ordering.

Column two begins before the sidebar visually ends. A floating callout, positioned further down the page, crosses the vertical boundary between column one and column two, further complicating naive column-detection heuristics.

EXTRACTION WARNING
This callout intentionally crosses the boundary between column one and column two.

Continuation of column one below the callout region, resuming the primary narrative thread that a reading-order model must reconnect correctly.

Continuation of column two below the sidebar and callout, presenting a small embedded table for additional complexity.

Field	Value
Code	RO-771
State	Active
Flag	—

See §4.2

[5] Reading-order test footnote for Page A; visual and logical order deliberately diverge on this page.

NOTE A —
Verify source
order

8. Reading-Order Stress Test — Page B

Full-width heading and introductory paragraph. This test case intentionally places a sidebar and floating callout so that visual top-to-bottom order differs from the intended logic.

Main body text begins in column one, positioned at the top of the content region. This text should be read first according to logical order, even though a sidebar element to its right begins at a higher visual position on the page and a floating callout crosses between the two text columns lower on the page.

SIDEBAR
Sidebar text begins above the point where column two starts, testing spatial-vs-logical ordering.

Column two begins before the sidebar visually ends. A floating callout, positioned further down the page, crosses the vertical boundary between column one and column two, further complicating naive column-detection heuristics.

EXTRACTION WARNING
This callout intentionally crosses the boundary between column one and column two.

Continuation of column one below the callout region, resuming the primary narrative thread that a reading-order model must reconnect correctly.

Continuation of column two below the sidebar and callout, presenting a small embedded table for additional complexity.

Field	Value
Code	RO-771
State	Active
Flag	—

See §4.2

[5] Reading-order test footnote for Page B; visual and logical order deliberately diverge on this page.

NOTE A —
Verify source
order

8. Reading-Order Stress Test — Page C

Full-width heading and introductory paragraph. This test case intentionally places a sidebar and floating callout so that visual top-to-bottom order differs from the intended logic

Main body text begins in column one, positioned at the top of the content region. This text should be read first according to logical order, even though a sidebar element to its right begins at a higher visual position on the page and a floating callout crosses between the two text columns lower on the page.

SIDEBAR
Sidebar text begins above the point where column two starts, testing spatial-vs-logical ordering.

Column two begins before the sidebar visually ends. A floating callout, positioned further down the page, crosses the vertical boundary between column one and column two, further complicating naive column-detection heuristics.

EXTRACTION WARNING
This callout intentionally crosses the boundary between column one and column two.

Continuation of column one below the callout region, resuming the primary narrative thread that a reading-order model must reconnect correctly.

Continuation of column two below the sidebar and callout, presenting a small embedded table for additional complexity.

Field	Value
Code	RO-771
State	Active
Flag	—

See §4.2

[5] Reading-order test footnote for Page C; visual and logical order deliberately diverge on this page.

NOTE A —
Verify source
order

9. OCR / Visual Noise Section

This section emulates artifacts typical of a poorly digitized scanned document, while remaining fully synthetic and largely legible.

INV0ICE ID: 98402
CUSTOMER C0DE: CX-77I
T0TAL: \$13,977.6O
status:pending R E V I E W needed immediately.
Acc0unt Ho1der : J. D0e-Sm1th (synthetic)
REF# : REF-2026-0048 / D0C.O4.7.I9
Note: 0 / O and I / l / 1 are visually ambiguous by design.

smallfont irregularSpacing inconsistentCapitalization missingspace exampleHERE

LARGER MIXED-SIZE HEADING FRAGMENT

Punctuation immediately adjacent to numbers:98402,and CX-771.also testmissing spaces between.words here.

10. Deliberate Edge Cases

Edge-case table (empty cells, dashes, zero, N/A)

Field	Value A	Value B	Value C
Alpha		0	N/A
Beta	—	12.50%	—
Gamma	REF-2026-0048-A	TXN_98402_07	CASE/26/771

Heading immediately followed by table

A	B
1	2

[6] Footnote immediately following the table above, testing adjacency handling.

Lists interrupted by a callout

1. First numbered item
2. Second numbered item

REVIEWER NOTE

List interrupted intentionally here.

3. Third numbered item (resumes after callout)

- Bullet item one
 - Nested bullet item
- Bullet item two

Bold/italic spanning a line break, quotes, brackets, symbols

**This bold sentence intentionally continues
onto a second line without breaking style.**

*This italic sentence intentionally continues
onto a second line as well.*

Quotes: “example”, ‘example’, (parentheses), [brackets], 50%, \$1,000, ±0.25%

Dates: 2026-09-15, 09/15/2026, 15 Sep 2026, Sep. 15, 2026

URL-like: www.synthetic-example.test/report?id=98402 Email-like: reviewer.sample@synthetic-example.test

One-word paragraph:

Pending.

[6] See table adjacency note above.

11. Extraction Test Checklist

- | | |
|--|--|
| ☐ Running headers | ☐ Ligatures |
| ☐ Running footers | ☐ Superscripts/subscripts |
| ☐ Page X of Y | ☐ Mathematical symbols |
| ☐ Sidenotes | ☐ Encoding artifacts |
| ☐ Footnotes | ☐ Rotated text |
| ☐ Two-column layout | ☐ Key-value pairs |
| ☐ Three-column layout | ☐ Checkboxes |
| ☐ Floating callouts | ☐ Radio buttons |
| ☐ Borderless table | ☐ Signature blocks |
| ☐ Multi-page table | ☐ Reading-order conflicts |
| ☐ Merged cells | ☐ OCR noise |
| ☐ Nested table | |

END OF SYNTHETIC DOCUMENT — EXTRACTION STRESS TEST

REVIEW COPY