Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area



Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

Document checking completed. No errors or warnings to show.

Source

```
1. ←
 2. <!DOCTYPE html>←
 3. <html lang="pt">↔
4.
      <head>←
        <meta charset="utf-8">↔
 5.
        <meta http-equiv="X-UA-Compatible" content="IE=edge">\leftarrow
6.
7.
        <meta name="viewport" content="width=device-width, initial-scale=1">←
8. ←
        <!-- CSRF Token -->↔
9.
10.
        <meta name="csrf-token"</pre>
    content="tbiwxInySfzsvn10CIHMGQzGbknu9bHwPu9CPTcL">←
11. ←
12.
        <title>L.EIC Q&amp;A - Detalhe de Unidade Curricular [C]</title>↔
13. ←
14.
        <!-- Styles -->↔
15.
        <!-- Bootstrap -->↔
16.
        link ←
```

```
17.
    href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css"
18.
          rel="stylesheet" ↔
19.
          integrity="sha384-
    1BmE4kWBq78iYhFldvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqy12QvZ6jIW3" ↔
20.
          crossorigin="anonymous"↔
21.
        />↩
22.
        <!-- Font Awesome -->↔
23.
        k↔
24.
          href="https://cdnjs.cloudflare.com/ajax/libs/font-
    awesome/5.15.1/css/all.min.css"↔
25.
          rel="stylesheet"↔
26.
        />←
27.
        <!-- Google Fonts -->↔
28.
        link←
29.
          href="https://fonts.googleapis.com/css?
    family=Roboto:300,400,500,700&display=swap"↔
30.
          rel="stylesheet"↔
31.
        />↩
32.
        <!-- MDB -->↔
33.
        k↔
34.
          href="https://cdnjs.cloudflare.com/ajax/libs/mdb-ui-
    kit/3.10.1/mdb.min.css"↔
35.
          rel="stylesheet"↔
36.
        />←
37.
        <!-- DataTable -->↩
38.
        link↔
39.
    href="https://cdn.datatables.net/1.11.3/css/dataTables.bootstrap5.min.css"↔
40.
          rel="stylesheet"↔
41.
        />↩
42.
        <!-- Select2 -->↔
43.
        link ←
44.
          href="https://cdn.jsdelivr.net/npm/select2@4.1.0-
    rc.0/dist/css/select2.min.css" ↔
45.
          rel="stylesheet" ←
46.
        />↩
47.
        \leftarrow
48.
        <!-- App CSS -->↔
49.
        <link href="http://localhost:8000/css/app.min.css" rel="stylesheet">↔
50. ←
51. ←
52.
        <!-- JOuerv -->↔
53.
        <script
    src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js">
    </script>↩
54.
        <!-- DataTable -->↔
55.
        <script
    src="https://cdn.datatables.net/1.11.3/js/jquery.dataTables.min.js">
    </script>↔
56.
        <script
    src="https://cdn.datatables.net/1.11.3/js/dataTables.bootstrap5.min.js">
    </script>↩
57.
        <!-- Text Editor -->↔
58.
        <script
    src="https://cdn.tiny.cloud/1/1963coctjgncao7e2p2fv27rcx394sxc74mhd0srm6vgldn3
    /tinymce/5/tinymce.min.js" referrerpolicy="origin"></script>↔
59.
        <!-- Select2 -->↔
        <script src="https://cdn.jsdelivr.net/npm/select2@4.1.0-</pre>
60
    rc.0/dist/js/select2.min.js"></script>↔
61. ←
62.
        <!-- App JS -->↔
        <script src="http://localhost:8000/js/app.min.js" defer></script>↔
63.
64.
      </head>↔
65.
      <body>←
66.
        <main>←
67.
          <header class="py-2 bg-light border-bottom sticky-top">←
68
      <div id="header-container" class="container-fluid d-grid gap-0 align-items-</pre>
    center">↩
```

```
69.
         <a href="http://localhost:8000/home" id="header-logo-column" class="d-
 70
    block text-decoration-none">↔
 71.
           <img src="http://localhost:8000/images/logo.png" alt="Logo" id="logo-</pre>
     img" class="w-auto">↔
 72.
         </a>←
 73.
         \downarrow
 74.
         <div id="header-options-column" class="d-flex align-items-center">←
 75.
           <form class="w-100 me-3" action="/search">←
 76.
             <div class="input-group mb-0">←
 77.
               <span class="input-group-text bg-white">←
                 <a tabindex="0" class="contextual-help btn btn-link p-0"</pre>
 78.
     role="button" data-bs-toggle="popover" data-bs-placement="bottom" data-bs-
    \texttt{trigger="focus"} \; \leftarrow \;
      title="" data-bs-content="Pesquise questões por palavras chave que estejam
     contidas no título e/ou no corpo da questão, ou por expressões exatas
     colocando estas entre aspas ("). Os resultados são mostrados sempre por
    ordem de importância, dando prioridade à existência das expressões exatas,
     caso existam, seguida da identificação das palavras chave no título e no
     corpo.">↩
 80.
         <i class="far fa-question-circle"></i>↔
 81. </a>←
 82.
               </span>←
 83. ←
 84.
               <input type="search" id="search-input" class="form-control"</pre>
    placeholder="Pesquisa..." aria-label="Search" name="q">↔
 85.
             </div>←
 86.
           </form>←
 87. ←
 88.
                 <a href="http://localhost:8000/notifications" id="header-</pre>
    notification-icon" class="d-flex me-2 link-dark text-decoration-none fs-4 far
    fa-bell position-relative" data-toogle="tooltip" title="As suas
    Notificações">↔
 89.
                             <span class="position-absolute top-0 translate-middle"</pre>
    badge rounded-pill bg-danger">↔
 90.
               2←
 91.
             </span>←
                   </a>←
 92.
 93.
 94.
           <div class="flex-shrink-0 dropdown">←
 95.
             <a href="#" class="d-block link-dark text-decoration-none dropdown-</pre>
     toggle" id="dropdown-user" data-bs-toggle="dropdown" aria-expanded="false"> \leftarrow
 96.
                         <img src="http://localhost:8000/images/users/default.jpg"</pre>
     alt="profile-photo" id="profile-photo" class="rounded-circle w-32">←
 97.
                       </a>←
             98.
     user">↩
 99.
               <a class="dropdown-item" href="http://localhost:8000/users/1">0</a>
    meu Perfil</a>←
100.
               <a class="dropdown-item border-top"</li>
    href="http://localhost:8000/logout">Terminar sessão</a>↔
101.
             ↩
102.
           </div>←
103.
104.
         </div>↩
105.
       </div>←
106. </header>↔
107. ←
108.
109.
           <div class="container-fluid px-0">←
110.
             <div id="navbar-content-container" class="d-grid gap-0">←
111.
               <div class="border-end" id="navbar-column">←
                 <nav id="sidebar" class="navbar shadow-none">←
112.
       <div class="container-fluid">←
113.
114.
         ←
           class="nav-item">←
115.
116.
             <a class="nav-link text-uppercase"</pre>
    href="http://localhost:8000/home">Início</a>↔
117.
           ↩
118.
           \hookrightarrow
```

```
119.
         Público←
120.
         ∠li>←
121.
          ←
122.
            <a class="nav-link pt-0" href="http://localhost:8000/questions"></a>
    <i class="fas fa-question"></i> Questões</a>↔
123.
            <a class="nav-link pt-0" href="http://localhost:8000/ucs"><i
    class="fas fa-book"></i> Unidades Curriculares</a>↔
124.
            <a class="nav-link pt-0" href="http://localhost:8000/users"><i</pre>
    class="fas fa-user-circle"></i> Utilizadores</a>
125.
            <a class="nav-link pt-0" href="#" onclick="focusSearchInput()"></a>
    <i class="fas fa-search"></i> Pesquisar</a>↔
126.
          ←
127.
         ←
128.
129.
130.
          Administração
131.
132.
            ←
133.
              <a class="nav-link pt-0"
    href="http://localhost:8000/admin/ucs"><i class="fas fa-tags"></i> Gerir
    UCs</a>
              <a class="nav-link pt-0"
134.
    href="http://localhost:8000/admin/users"><i class="fas fa-user-cog"></i> Gerir
    Contas</a>←
135.
              <a class="nav-link pt-0"
    href="http://localhost:8000/admin/requests"><i class="fas fa-user-check"></i>
    Pedidos Ativação</a>←
136.
              <a class="nav-link pt-0"
    href="http://localhost:8000/admin/reports"><i class="fas fa-exclamation-
    triangle"></i> Reportes</a>↔
137.
            ←
138.
           ↩
139.
140.
         <hr></
         \downarrow
141.
142.
         class="nav-item">←
143.
          <a class="nav-link text-uppercase"</pre>
    href="http://localhost:8000/about">Sobre</a>↔
144.
         ↔
145.
         class="nav-item">←
           <a class="nav-link text-uppercase"</pre>
146.
    href="http://localhost:8000/faq">FAQ</a>↔
147.
         ↩
148.
         class="nav-item">←
149.
           <a class="nav-link text-uppercase"</pre>
    href="http://localhost:8000/contact">Contactos</a>↔
150.
         ↔
151. ←
152.
       ↩
153.
     </div>←
154. </nav>←
155. ←
156.
            </div>←
157.
            <div class="container py-3 px-4" id="content-column">←
158.
              <div class="row">↔
159.
     <nav aria-label="breadcrumb">←
160.

    class="breadcrumb">←

         <a href="/">Home</a>
161.
162. ←
163.
                                           ←
164.
                <a href="/ucs"> Ucs </a>↔
165.
              ←
166.
              ←
167.
168.
               6←
              ↔
169.
170.
                 \hookrightarrow
171.
       ↔
172.
      </nav>↩
173. </div>←
```

```
174. ←
175.
176. <section id="uc-page" data-id="1">↔
177.
      <div class="row uc-card" data-id="6"> ↔
        <div class="error-msg"></div>←
178.
179. ←
180.
        <div class="col-12 position-relative">←
181.
          <h2 class="me-4">↔
182.
           Compiladores↔
183.
                 </h2> ←
184.
          <span class="badge bg-info text-dark mt-1 mb-2">C</span>↔
185.
186.
          Fornecer os conceitos que permitam: compreender as fases de
    compilação de linguagens, em especial das linguagens imperativas e orientada
    por objectos; especificar a sintaxe...
187.
               <div class="table-responsive">←
          ←
188.
189.
           <caption>Docentes da Unidade Curricular</caption>↔
           <thead>←
190.
191.
             192.
               Nome←
193.
               Email←
194.
             ←
195.
           </thead>↩
196.
           ←
197.
                                              198.
                   <a href="http://localhost:8000/users/19"</pre>
    class="app-link">João Manuel Paiva Cardoso</a>←
199.
                   jmpc@fe.up.qa.pt↔
200.
                 ↔
201.
                            →
202.
                   <a href="http://localhost:8000/users/9"</pre>
    class="app-link">Pedro Miguel Alves Brandão</a>←
203.
                   pabranda@fc.up.qa.pt↔
204.
                 ↩
205.
                               ←
206.
         ←
207.
          </div>↔
208.
             </div>↩
209.
      </div>←
210.
211. </section>←
212. ←
213.
             </div>←
214.
           </div>←
215.
          </div>←
216.
         \leftarrow
217.
          <footer class="p-2 border-top">←
      Copyright © 2021 Q&A L.EIC. Todos
218.
    os direitos reservados↔
219. </footer>↔
220. ←
221.
          <!-- Bootstrap -->↔
222. <script ←
223.
    src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle.min
    .js" ↩
224.
      integrity="sha384-
    ka7Sk0Gln4gmtz2MlQnikT1wXgYsOg+OMhuP+I1RH9sENBO0LRn5q+8nbTov4+1p" ↔
225.
      crossorigin="anonymous"↔
226. ></script>↔
227. <!-- MDB -->↔
228. <script↔
229.
      src="https://cdnjs.cloudflare.com/ajax/libs/mdb-ui-kit/3.10.1/mdb.min.js"

230. ></script>↔
231. <!-- Working Bootstrap Tabs -->↔
232. <script ↔
233.
      src="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/js/bootstrap.min.js"

234. ></script>↔
235.
        \hookrightarrow
```

236. $</main> \leftarrow$ 237. $</body> \leftarrow$ 238. </html>

Used the HTML parser.

Total execution time 19 milliseconds.

About this checker • Report an issue • Version: 22.1.13