
Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area



Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

Document checking completed. No errors or warnings to show.

Source

```
1. ←
 2. <!DOCTYPE html>←
 3. <html lang="pt">↔
 4.
      <head>←
        <meta charset="utf-8">↔
 5.
        \verb|\dots| \verb| http-equiv="X-UA-Compatible" content="IE=edge"> \hookrightarrow \\
 6.
 7.
        <meta name="viewport" content="width=device-width, initial-scale=1">←
 8. ←
 9.
        <!-- CSRF Token -->↔
10.
        <meta name="csrf-token"</pre>
    content="7C17rBqog3faxd8ofwPPc5s0BPe1ULDdnFuauFV7">↔
11. ←
12.
        <title>L.EIC Q&amp;A - Editar Questão</title>←
13. ←
14.
        <!-- Styles -->↔
15.
        <!-- Bootstrap -->↔
16.
        link ←
```

```
17.
    href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css"
18.
          rel="stylesheet" ↔
19.
          integrity="sha384-
    1BmE4kWBq78iYhFldvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqy12QvZ6jIW3" ↔
20.
          crossorigin="anonymous"↔
21.
        />←
22.
        <!-- Font Awesome -->↔
23.
        k↔
24.
          href="https://cdnjs.cloudflare.com/ajax/libs/font-
    awesome/5.15.1/css/all.min.css"↔
25.
          rel="stylesheet"↔
26.
        />←
27.
        <!-- Google Fonts -->↔
28.
        link←
29.
          href="https://fonts.googleapis.com/css?
    family=Roboto:300,400,500,700&display=swap"↔
30.
          rel="stylesheet"↔
31.
        />↩
32.
        <!-- MDB -->↔
33.
        k↔
34.
          href="https://cdnjs.cloudflare.com/ajax/libs/mdb-ui-
    kit/3.10.1/mdb.min.css"↔
35.
          rel="stylesheet"↔
36.
        />←
37.
        <!-- DataTable -->↩
38.
        link↔
39.
    href="https://cdn.datatables.net/1.11.3/css/dataTables.bootstrap5.min.css"↔
40.
          rel="stylesheet"↔
41.
        />↩
42.
        <!-- Select2 -->↔
43.
        link ←
44.
          href="https://cdn.jsdelivr.net/npm/select2@4.1.0-
    rc.0/dist/css/select2.min.css" ↔
45.
          rel="stylesheet" ←
46.
        />↩
47.
        \leftarrow
48.
        <!-- App CSS -->↔
49.
        <link href="http://localhost:8000/css/app.min.css" rel="stylesheet">↔
50. ←
51. ←
52.
        <!-- JOuerv -->↔
53.
        <script
    src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js">
    </script>↩
54.
        <!-- DataTable -->↔
55.
        <script
    src="https://cdn.datatables.net/1.11.3/js/jquery.dataTables.min.js">
    </script>↔
56.
        <script
    src="https://cdn.datatables.net/1.11.3/js/dataTables.bootstrap5.min.js">
    </script>↩
57.
        <!-- Text Editor -->↔
58.
        <script
    src="https://cdn.tiny.cloud/1/1963coctjgncao7e2p2fv27rcx394sxc74mhd0srm6vgldn3
    /tinymce/5/tinymce.min.js" referrerpolicy="origin"></script>↔
59.
        <!-- Select2 -->↔
        <script src="https://cdn.jsdelivr.net/npm/select2@4.1.0-</pre>
60
    rc.0/dist/js/select2.min.js"></script>↔
61. ←
62.
        <!-- App JS -->↔
        <script src="http://localhost:8000/js/app.min.js" defer></script>↔
63.
64.
      </head>↔
65.
      <body>←
66.
        <main>←
67.
          <header class="py-2 bg-light border-bottom sticky-top">←
68
      <div id="header-container" class="container-fluid d-grid gap-0 align-items-</pre>
    center">↩
```

```
69.
 70.
         <a href="http://localhost:8000/home" id="header-logo-column" class="d-
    block text-decoration-none">↔
 71.
          <img src="http://localhost:8000/images/logo.png" alt="Logo" id="logo-</pre>
     img" class="w-auto">↔
 72.
        </a>↔
 73.
 74.
         <div id="header-options-column" class="d-flex align-items-center">←
 75.
           <form class="w-100 me-3" action="/search">←
 76.
             <div class="input-group mb-0">←
 77.
               <span class="input-group-text bg-white">←
                 <a tabindex="0" class="contextual-help btn btn-link p-0"</pre>
 78.
     role="button" data-bs-toggle="popover" data-bs-placement="bottom" data-bs-
    \texttt{trigger="focus"} \; \leftarrow \;
      title="" data-bs-content="Pesquise questões por palavras chave que estejam
     contidas no título e/ou no corpo da questão, ou por expressões exatas
     colocando estas entre aspas ("). Os resultados são mostrados sempre por
    ordem de importância, dando prioridade à existência das expressões exatas,
     caso existam, seguida da identificação das palavras chave no título e no
     corpo.">↩
 80.
        <i class="far fa-question-circle"></i></i>
 81. </a>←
 82.
               </span>←
 83. ←
 84.
               <input type="search" id="search-input" class="form-control"</pre>
    placeholder="Pesquisa..." aria-label="Search" name="q">↔
 85.
             </div>←
 86.
           </form>←
 87. ←
 88.
                 <a href="http://localhost:8000/notifications" id="header-</pre>
    notification-icon" class="d-flex me-2 link-dark text-decoration-none fs-4 far
    fa-bell position-relative" data-toogle="tooltip" title="As suas
    Notificações">↩
 89.
                             <span class="position-absolute top-0 translate-middle"</pre>
    badge rounded-pill bg-danger">↔
 90.
               12←
 91.
             </span>←
 92.
                  </a>←
 93.
 94.
           <div class="flex-shrink-0 dropdown">←
 95.
            <a href="#" class="d-block link-dark text-decoration-none dropdown-</pre>
     toggle" id="dropdown-user" data-bs-toggle="dropdown" aria-expanded="false">↔
 96.
                         <img
     src="http://localhost:8000/images/users/11 1641229484 onzioN1AGD.png"
     alt="profile-photo" id="profile-photo" class="rounded-circle w-32">↔
 97.
            98.
     user">↩
 99.
               <a class="dropdown-item" href="http://localhost:8000/users/11">0
    meu Perfil</a>↔
100.
               <a class="dropdown-item border-top"</li>
    href="http://localhost:8000/logout">Terminar sessão</a>↔
101.
             ↩
102.
           </div>↩
103.
          ے
104.
         </div>↩
105.
       </div>←
106. </header>↔
107. ←
108.
109.
           <div class="container-fluid px-0">←
             <div id="navbar-content-container" class="d-grid gap-0">←
110.
111.
               <div class="border-end" id="navbar-column">←
                 <nav id="sidebar" class="navbar shadow-none">←
112.
113.
       <div class="container-fluid">←
         ←
114.
115.
           class="nav-item">↔
116.
             <a class="nav-link text-uppercase"</pre>
    href="http://localhost:8000/home">Início</a>↔
117.
          ↩
```

```
118.
119.
         Público←
120.
         ←
121.
           ←
             <a class="nav-link pt-0" href="http://localhost:8000/questions">
122.
    <i class="fas fa-question"></i> Questões</a>↔
123.
             <a class="nav-link pt-0" href="http://localhost:8000/ucs"><i</a>
    class="fas fa-book"></i> Unidades Curriculares</a>↔
124.
             <a class="nav-link pt-0" href="http://localhost:8000/users"><i</a>
    class="fas fa-user-circle"></i> Utilizadores</a>
             <a class="nav-link pt-0" href="#" onclick="focusSearchInput()">
125.
    <i class="fas fa-search"></i> Pesquisar</a>↔
126.
           ←
127.
         ←
128.
             \hookrightarrow
129.
130
         <hr></
131.
132.
         class="nav-item">↔
133.
           <a class="nav-link text-uppercase"</pre>
    href="http://localhost:8000/about">Sobre</a>↔
134.
         ↔
135.
         class="nav-item">↔
136.
           <a class="nav-link text-uppercase"</pre>
    href="http://localhost:8000/faq">FAQ</a>↔
137.
138.
         class="nav-item">←
139.
           <a class="nav-link text-uppercase"</pre>
    href="http://localhost:8000/contact">Contactos</a>↔
140.
         ←
141. ←
142.
        ←
143.
      </div>↩
144. </nav>←
145. ←
146.
             </div>↩
147.
             <div class="container py-3 px-4" id="content-column">←
148.
               <div class="row">↔
      <nav aria-label="breadcrumb">←
149.
        ↔
150.
         <a href="/">Home</a>
151.
152. ←
153.
                                             ←
154.
                 <a href="/questions"> Questions </a>↔
155.
               ↩
156.
                                                 class="breadcrumb-
    item">↩
157.
                 <a href="/questions/2"> 2 </a>↔
158.
               ↩
159.
160.
               ←
161.
                Edit↩
               ←
162.
                  \leftarrow
163.
164.
        ↔
165.
      </nav>↔
166. </div>←
167. ←
168.
               <h2 class="text-center">Editar Questão</h2> ↔
169. ←
170. <form method="POST" action="http://localhost:8000/questions/2/edit" id="form-
    question-edit" class="row w-75 mx-auto">↔
171.
        <input type="hidden" name=" token"</pre>
    value="7C17rBqog3faxd8ofwPPc5s0BPe1ULDdnFuauFV7">↔
172.
173.
        <div class="mb-3 col-12">←
           <label for="title" class="form-label required">Titulo</label>←
174.
           <input type="text" id="title" class="form-control" name="title"</pre>
175.
    value="Sitemap:pode existir ligação componente-página?" required>↔
176.
               </div>←
```

```
177. ←
         <div class="mb-3 col-12">↔
178.
             <label for="text" class="form-label required">Texto</label>←
179.
             <textarea id="text" rows="15" class="form-control text-editor"</pre>
180.
     name="text">É correto ligar uma página diretamente a uma componente de outra
     página?</textarea>↔
181.
                  </div>↩
182.
183.
         <div class="mb-3 col-12">↔
             <label for="category" class="form-label">Unidade Curricular</label> \leftarrow <select id="category" class="form-select" name="category" aria-</pre>
184.
185.
     label="category" disabled>←
                 <option value="3" selected>[ LBAW ] Laboratório de Bases de Dados
186.
     e Aplicações Web</option>↔
187.
             </select>↔
188.
                 </div>←
189. ←
         <div class="col-12">↔
190.
191.
             <button type="submit" class="btn btn-primary btn-</pre>
     block">Alterar</button>↔
192.
         </div>↩
193. </form>←
194.
                </div>←
195.
             </div>↩
196.
           </div>↩
197.
198.
           <footer class="p-2 border-top">←
199.
       Copyright © 2021 Q&A L.EIC. Todos
     os direitos reservados↔
200. </footer>←
201. ←
202.
           <!-- Bootstrap -->↔
203. <script ←
204.
     src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle.min
     .js" ↔
205.
       integrity="sha384-
     ka7Sk0Gln4gmtz2MlQnikT1wXgYsOg+OMhuP+I1RH9sENBO0LRn5q+8nbTov4+1p" ↔
206.
       crossorigin="anonymous"↔
207. ></script>↔
208. <!-- MDB -->↔
209. <script↔
210.
       src="https://cdnjs.cloudflare.com/ajax/libs/mdb-ui-kit/3.10.1/mdb.min.js"

211. ></script>←
212. <!-- Working Bootstrap Tabs -->↔
213. <script ←
       src="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/js/bootstrap.min.js"

214.
215. ></script>↔
216.
         \leftarrow
217.
         </main>↩
218.
       </body>←
219. </html>
```

Used the HTML parser.

Total execution time 39 milliseconds.