# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☑ source ☐ outline ☐ image report

Options…

Check by text input ☐ css

```
<!DOCTYPE html>
<html lang="pt">
  <head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1">

    <!-- CSRF Token -->
    <meta name="csrf-token" content="AWIowaUoXh4nA1Np0OReG3Rte2nykCBeVhykCmk8">

    <title>L.EIC Q&amp;A - Página Contactos</title>

    <!-- Styles -->
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

Document checking completed. No errors or warnings to show.

Source

1. ↵
2. `<!DOCTYPE html>`↵
3. `<html lang="pt">`↵
4. `<head>`↵
5. `<meta charset="utf-8">`↵
6. `<meta http-equiv="X-UA-Compatible" content="IE=edge">`↵
7. `<meta name="viewport" content="width=device-width, initial-scale=1">`↵
8. ↵
9. `<!-- CSRF Token -->`↵
10. `<meta name="csrf-token" content="AWIowaUoXh4nA1Np0OReG3Rte2nykCBeVhykCmk8">`↵
11. ↵
12. `<title>L.EIC Q&A - Página Contactos</title>`↵
13. ↵
14. `<!-- Styles -->`↵
15. `<!-- Bootstrap -->`↵
16. `<link `↵

```html
17.
  href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css"
  ↵
18.       rel="stylesheet" ↵
19.       integrity="sha384-
  1BmE4kWBq78iYhFldvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqyl2QvZ6jIW3" ↵
20.       crossorigin="anonymous"↵
21.     />↵
22.     <!-- Font Awesome -->↵
23.     <link↵
24.       href="https://cdnjs.cloudflare.com/ajax/libs/font-
  awesome/5.15.1/css/all.min.css"↵
25.       rel="stylesheet"↵
26.     />↵
27.     <!-- Google Fonts -->↵
28.     <link↵
29.       href="https://fonts.googleapis.com/css?
  family=Roboto:300,400,500,700&display=swap"↵
30.       rel="stylesheet"↵
31.     />↵
32.     <!-- MDB -->↵
33.     <link↵
34.       href="https://cdnjs.cloudflare.com/ajax/libs/mdb-ui-
  kit/3.10.1/mdb.min.css"↵
35.       rel="stylesheet"↵
36.     />↵
37.     <!-- DataTable -->↵
38.     <link↵
39.
  href="https://cdn.datatables.net/1.11.3/css/dataTables.bootstrap5.min.css"↵
40.       rel="stylesheet"↵
41.     />↵
42.     <!-- Select2 -->↵
43.     <link ↵
44.       href="https://cdn.jsdelivr.net/npm/select2@4.1.0-
  rc.0/dist/css/select2.min.css" ↵
45.       rel="stylesheet" ↵
46.     />↵
47.     ↵
48.     <!-- App CSS -->↵
49.     <link href="http://localhost:8000/css/app.min.css" rel="stylesheet">↵
50. ↵
51. ↵
52.     <!-- JQuery -->↵
53.     <script
  src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js">
  </script>↵
54.     <!-- DataTable -->↵
55.     <script
  src="https://cdn.datatables.net/1.11.3/js/jquery.dataTables.min.js">
  </script>↵
56.     <script
  src="https://cdn.datatables.net/1.11.3/js/dataTables.bootstrap5.min.js">
  </script>↵
57.     <!-- Text Editor -->↵
58.     <script
  src="https://cdn.tiny.cloud/1/l963coctjgncao7e2p2fv27rcx394sxc74mhd0srm6vgldn3
  /tinymce/5/tinymce.min.js" referrerpolicy="origin"></script>↵
59.     <!-- Select2 -->↵
60.     <script src="https://cdn.jsdelivr.net/npm/select2@4.1.0-
  rc.0/dist/js/select2.min.js"></script>↵
61. ↵
62.     <!-- App JS -->↵
63.     <script src="http://localhost:8000/js/app.min.js" defer></script>↵
64.   </head>↵
65.   <body>↵
66.     <main>↵
67.       <header class="py-2 bg-light border-bottom sticky-top">↵
68.   <div id="header-container" class="container-fluid d-grid gap-0 align-items-
  center">↵
```

```
69.      ↵
70.        <a href="http://localhost:8000/home" id="header-logo-column" class="d-
     block text-decoration-none">↵
71.          <img src="http://localhost:8000/images/logo.png" alt="Logo" id="logo-
     img" class="w-auto">↵
72.        </a>↵
73.        ↵
74.        <div id="header-options-column" class="d-flex align-items-center">↵
75.          <form class="w-100 me-3" action="/search">↵
76.            <div class="input-group mb-0">↵
77.              <span class="input-group-text bg-white">↵
78.                <a tabindex="0" class="contextual-help btn btn-link p-0"
     role="button" data-bs-toggle="popover" data-bs-placement="bottom" data-bs-
     trigger="focus" ↵
79.      title="" data-bs-content="Pesquise questões por palavras chave que estejam
     contidas no título e/ou no corpo da questão, ou por expressões exatas
     colocando estas entre aspas (&quot;). Os resultados são mostrados sempre por
     ordem de importância, dando prioridade à existência das expressões exatas,
     caso existam, seguida da identificação das palavras chave no título e no
     corpo.">↵
80.        <i class="far fa-question-circle"></i>↵
81. </a>↵
82.              </span>↵
83. ↵
84.              <input type="search" id="search-input" class="form-control"
     placeholder="Pesquisa..." aria-label="Search" name="q">↵
85.            </div>↵
86.          </form>↵
87. ↵
88.              <a class="btn btn-outline-primary me-2"
     href="http://localhost:8000/register"> Registar </a>↵
89.          <a class="btn btn-primary" href="http://localhost:8000/login"> Entrar
     </a>↵
90.          ↵
91.        </div>↵
92.      </div>↵
93. </header>↵
94. ↵
95.          ↵
96.        <div class="container-fluid px-0">↵
97.          <div id="navbar-content-container" class="d-grid gap-0">↵
98.            <div class="border-end" id="navbar-column">↵
99.              <nav id="sidebar" class="navbar shadow-none">↵
100.    <div class="container-fluid">↵
101.      <ul class="navbar-nav w-100">↵
102.        <li class="nav-item">↵
103.          <a class="nav-link text-uppercase"
     href="http://localhost:8000/home">Início</a>↵
104.        </li>↵
105.          ↵
106.        <li class="navbar-text text-uppercase pt-3">Público</li>↵
107.        <li>↵
108.          <ul class="text-decoration-none list-unstyled ps-3">↵
109.            <li><a class="nav-link pt-0" href="http://localhost:8000/questions">
     <i class="fas fa-question"></i> Questões</a></li>↵
110.            <li><a class="nav-link pt-0" href="http://localhost:8000/ucs"><i
     class="fas fa-book"></i> Unidades Curriculares</a></li>↵
111.            <li><a class="nav-link pt-0" href="http://localhost:8000/users"><i
     class="fas fa-user-circle"></i> Utilizadores</a></li>↵
112.            <li><a class="nav-link pt-0" href="#" onclick="focusSearchInput()">
     <i class="fas fa-search"></i> Pesquisar</a></li>↵
113.          </ul>↵
114.        </li>↵
115.          ↵
116.        ↵
117.        <li><hr></li>↵
118.        ↵
119.        <li class="nav-item">↵
120.          <a class="nav-link text-uppercase"
     href="http://localhost:8000/about">Sobre</a>↵
```

```html
121.        </li>↵
122.        <li class="nav-item">↵
123.          <a class="nav-link text-uppercase"
     href="http://localhost:8000/faq">FAQ</a>↵
124.        </li>↵
125.        <li class="nav-item">↵
126.          <a class="nav-link text-uppercase"
     href="http://localhost:8000/contact">Contactos</a>↵
127.        </li>↵
128.  ↵
129.      </ul>↵
130.    </div>↵
131. </nav>↵
132.  ↵
133.          </div>↵
134.          <div class="container py-3 px-4" id="content-column">↵
135.            <div class="row">↵
136.  <nav aria-label="breadcrumb">↵
137.    <ol class="breadcrumb">↵
138.      <li class="breadcrumb-item"><a href="/">Home</a></li>↵
139.  ↵
140.                      ↵
141.          <li class="breadcrumb-item active" aria-current="page">↵
142.            Contact↵
143.          </li>↵
144.              ↵
145.    </ol>↵
146.  </nav>↵
147. </div>↵
148.  ↵
149.          <section id="contact-page">↵
150.  <div class="row">↵
151.    <div class="col-md-12">↵
152.      <h2>Entre em Contacto Connosco</h2>↵
153.    </div>↵
154.  </div>↵
155.  ↵
156.  <div class="row">↵
157.    <div class="col-md-6 mt-3">↵
158.      <p>Aplicação desenvolvida no âmbito da Unidade Curricular Laboratório de
     Bases de Dados e Aplicações Web.</p>↵
159.  ↵
160.      <div class="">↵
161.        <b>Organização</b>:  <a
     href="https://sigarra.up.pt/feup/pt/web_page.inicial" target="blank"
     class="app-link">FEUP</a>↵
162.      </div>↵
163.      <div class="">↵
164.        <b>Grupo</b>: lbaw2185↵
165.      </div>↵
166.      <div class="">↵
167.        <b>Elementos</b>:↵
168.      <ul class="list-unstyled ms-3">↵
169.        <li>Henrique Nunes, up201906852@up.pt</li>↵
170.        <li>Patrícia Oliveira, up201905427@up.pt</li>↵
171.        <li>Alexandre Afonso, up201805455@up.pt</li>↵
172.        <li>Tiago Antunes, up201805327@up.pt</li>↵
173.      </ul>↵
174.    </div>↵
175.    </div>↵
176.  ↵
177.    <div class="col-md-6 mt-3 email-form">↵
178.        <div class="error-msg"></div>↵
179.        <form id="form-contact" name="form-contact" data-toggle="validator">↵
180.          <div class="mb-3">↵
181.            <label for="name" class="form-label required">Nome</label>↵
182.            <input type="text" id="name" class="form-control" name="name"
     required data-error="Introduza o seu Nome">↵
183.          </div>↵
184.          <div class="mb-3">↵
```

```
185.          <label for="email" class="form-label required">E-mail</label>↵
186.          <input type="email" id="email" class="form-control" name="email"
      required data-error="Introduza o seu E-mail">↵
187.          </div>↵
188.          <div class="mb-3">↵
189.          <label for="subject" class="form-label required">Assunto</label>↵
190.          <input type="text" id="subject" class="form-control"
      name="subject" required data-error="Introduza o Assunto da sua mensagem">↵
191.          </div>↵
192.          <div class="mb-3">↵
193.          <label for="message" class="form-label
      required">Mensagem</label>↵
194.          <textarea rows="3" id="message" class="form-control"
      name="message" required data-error="Introduza a sua mensagem"></textarea>↵
195.          </div>↵
196. ↵
197.          <input type="hidden" name="_token"
      value="AWIowaUoXh4nA1Np0OReG3Rte2nykCBeVhykCmk8">↵
198.          <a class="btn btn-primary btn-block submit_email">Enviar</a>↵
199.       </form>↵
200.      </div>↵
201.    </div>↵
202. ↵
203.    <div class="row">↵
204. ↵
205.    </div>↵
206. </section>↵
207.          </div>↵
208.        </div>↵
209.      </div>↵
210.      ↵
211.      <footer class="p-2 border-top">↵
212.    <p class="text-end fst-italic mb-0">Copyright &copy; 2021 Q&A L.EIC. Todos
      os direitos reservados</p>↵
213. </footer>↵
214. ↵
215.      <!-- Bootstrap -->↵
216. <script ↵
217.
      src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle.min
      .js" ↵
218.   integrity="sha384-
      ka7Sk0Gln4gmtz2MlQnikT1wXgYsOg+OMhuP+IlRH9sENBO0LRn5q+8nbTov4+1p" ↵
219.   crossorigin="anonymous"↵
220. ></script>↵
221. <!-- MDB -->↵
222. <script↵
223.   src="https://cdnjs.cloudflare.com/ajax/libs/mdb-ui-kit/3.10.1/mdb.min.js"↵
224. ></script>↵
225. <!-- Working Bootstrap Tabs -->↵
226. <script ↵
227.   src="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/js/bootstrap.min.js"↵
228. ></script>↵
229.      ↵
230.      </main>↵
231.    </body>↵
232. </html>
```

Used the HTML parser.

Total execution time 22 milliseconds.

....