

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report

Options...

Check by

text input

☐ css

```
<!DOCTYPE html>
<html lang="pt">
  <head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1">

    <!-- CSRF Token -->
    <meta name="csrf-token" content="tbiwxInySfzsvn10CIHMGQzGbkn9bHwPu9CPTcL">

    <title>L.EIC Q&amp;A - Administração Denúncias</title>

    <!-- Styles -->
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

Document checking completed. No errors or warnings to show.

Source

```
1. ↵
2. <!DOCTYPE html>↵
3. <html lang="pt">↵
4.   <head>↵
5.     <meta charset="utf-8">↵
6.     <meta http-equiv="X-UA-Compatible" content="IE=edge">↵
7.     <meta name="viewport" content="width=device-width, initial-scale=1">↵
8.   ↵
9.     <!-- CSRF Token -->↵
10.    <meta name="csrf-token"
    content="tbiwxInySfzsvn10CIHMGQzGbkn9bHwPu9CPTcL">↵
11.  ↵
12.    <title>L.EIC Q&amp;A - Administração Denúncias</title>↵
13.  ↵
14.    <!-- Styles -->↵
15.    <!-- Bootstrap -->↵
16.    <link ↵
```

```

17. href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css"
    ↵
18.     rel="stylesheet" ↵
19.     integrity="sha384-
20. 1BmE4kWBq78iYhFldvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqyl2QvZ6jIW3" ↵
21.     crossorigin="anonymous"↵
22. />↵
23. <!-- Font Awesome -->↵
24. <link↵
25. href="https://cdnjs.cloudflare.com/ajax/libs/font-
26. awesome/5.15.1/css/all.min.css"↵
27. rel="stylesheet"↵
28. />↵
29. <!-- Google Fonts -->↵
30. <link↵
31. href="https://fonts.googleapis.com/css?
32. family=Roboto:300,400,500,700&display=swap"↵
33. rel="stylesheet"↵
34. />↵
35. <!-- MDB -->↵
36. <link↵
37. href="https://cdnjs.cloudflare.com/ajax/libs/mdb-ui-
38. kit/3.10.1/mdb.min.css"↵
39. rel="stylesheet"↵
40. />↵
41. <!-- Select2 -->↵
42. <link ↵
43. href="https://cdn.jsdelivr.net/npm/select2@4.1.0-
44. rc.0/dist/css/select2.min.css" ↵
45. rel="stylesheet" ↵
46. />↵
47. ↵
48. <!-- App CSS -->↵
49. <link href="http://localhost:8000/css/app.min.css" rel="stylesheet">↵
50. ↵
51. ↵
52. <!-- JQuery -->↵
53. <script
54. src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js">
55. </script>↵
56. <!-- DataTable -->↵
57. <script
58. src="https://cdn.datatables.net/1.11.3/js/jquery.dataTables.min.js">
59. </script>↵
60. <script
61. src="https://cdn.datatables.net/1.11.3/js/dataTables.bootstrap5.min.js">
62. </script>↵
63. <!-- Text Editor -->↵
64. <script
65. src="https://cdn.tiny.cloud/1/1963coctjgncao7e2p2fv27rcx394sxc74mhd0srm6vgldn3
66. /tinymce/5/tinymce.min.js" referrerpolicy="origin"></script>↵
67. <!-- Select2 -->↵
68. <script src="https://cdn.jsdelivr.net/npm/select2@4.1.0-
69. rc.0/dist/js/select2.min.js"></script>↵
70. ↵
71. <!-- App JS -->↵
72. <script src="http://localhost:8000/js/app.min.js" defer></script>↵
73. </head>↵
74. <body>↵
75. <main>↵
76. <header class="py-2 bg-light border-bottom sticky-top">↵
77. <div id="header-container" class="container-fluid d-grid gap-0 align-items-
78. center">↵

```

```

69.     <
70.     <a href="http://localhost:8000/home" id="header-logo-column" class="d-
block text-decoration-none"><
71.     <
72.     </a><
73.     <
74.     <div id="header-options-column" class="d-flex align-items-center"><
75.     <form class="w-100 me-3" action="/search"><
76.     <div class="input-group mb-0"><
77.     <span class="input-group-text bg-white"><
78.     <a tabindex="0" class="contextual-help btn btn-link p-0"
role="button" data-bs-toggle="popover" data-bs-placement="bottom" data-bs-
trigger="focus" <
79.     title="" data-bs-content="Pesquise questões por palavras chave que estejam
contidas no título e/ou no corpo da questão, ou por expressões exatas
colocando estas entre aspas (&quot;). Os resultados são mostrados sempre por
ordem de importância, dando prioridade à existência das expressões exatas,
caso existam, seguida da identificação das palavras chave no título e no
corpo."><
80.     <i class="far fa-question-circle"></i><
81. </a><
82.     </span><
83. <
84.     <input type="search" id="search-input" class="form-control"
placeholder="Pesquisa..." aria-label="Search" name="q"><
85.     </div><
86.     </form><
87. <
88.     <a href="http://localhost:8000/notifications" id="header-
notification-icon" class="d-flex me-2 link-dark text-decoration-none fs-4 far
fa-bell position-relative" data-toogle="tooltip" title="As suas
Notificações"><
89.     <span class="position-absolute top-0 translate-middle
badge rounded-pill bg-danger"><
90.         2<
91.     </span><
92.     </a><
93.     <
94.     <div class="flex-shrink-0 dropdown"><
95.     <a href="#" class="d-block link-dark text-decoration-none dropdown-
toggle" id="dropdown-user" data-bs-toggle="dropdown" aria-expanded="false"><
96.     <
97.     </a><
98.     <ul class="dropdown-menu text-small shadow" aria-labelledby="dropdown-
user"><
99.     <li><a class="dropdown-item" href="http://localhost:8000/users/1">0
meu Perfil</a></li><
100.    <li><a class="dropdown-item border-top"
href="http://localhost:8000/logout">Terminar sessão</a></li><
101.    </ul><
102.    </div><
103.    <
104.    </div><
105. </div><
106. </header><
107. <
108.     <
109.     <div class="container-fluid px-0"><
110.     <div id="navbar-content-container" class="d-grid gap-0"><
111.     <div class="border-end" id="navbar-column"><
112.     <nav id="sidebar" class="navbar shadow-none"><
113.     <div class="container-fluid"><
114.     <ul class="navbar-nav w-100"><
115.     <li class="nav-item"><
116.     <a class="nav-link text-uppercase"
href="http://localhost:8000/home">Início</a><
117.     </li><
118.     <

```

```

119.     <li class="navbar-text text-uppercase pt-3">Público</li>↵
120.     </li>↵
121.     <ul class="text-decoration-none list-unstyled ps-3">↵
122.         <li><a class="nav-link pt-0" href="http://localhost:8000/questions">
123.         <i class="fas fa-question"></i> Questões</a></li>↵
124.         <li><a class="nav-link pt-0" href="http://localhost:8000/ucs"><i
125.         class="fas fa-book"></i> Unidades Curriculares</a></li>↵
126.         <li><a class="nav-link pt-0" href="http://localhost:8000/users"><i
127.         class="fas fa-user-circle"></i> Utilizadores</a></li>↵
128.         <li><a class="nav-link pt-0" href="#" onclick="focusSearchInput()">
129.         <i class="fas fa-search"></i> Pesquisar</a></li>↵
130.     </ul>↵
131. </li>↵
132.     ↵
133.     <li class="navbar-text text-uppercase pt-3">Administração</li>↵
134.     </li>↵
135.     <ul class="text-decoration-none list-unstyled ps-3">↵
136.         <li><a class="nav-link pt-0"
137.         href="http://localhost:8000/admin/ucs"><i class="fas fa-tags"></i> Gerir
138.         UCs</a></li> ↵
139.         <li><a class="nav-link pt-0"
140.         href="http://localhost:8000/admin/users"><i class="fas fa-user-cog"></i> Gerir
141.         Contas</a></li>↵
142.         <li><a class="nav-link pt-0"
143.         href="http://localhost:8000/admin/requests"><i class="fas fa-user-check"></i>
144.         Pedidos Ativação</a></li>↵
145.         <li><a class="nav-link pt-0"
146.         href="http://localhost:8000/admin/reports"><i class="fas fa-exclamation-
147.         triangle"></i> Reportes</a></li>↵
148.     </ul>↵
149. </li>↵
150.     ↵
151.     <li><hr></li>↵
152.     ↵
153.     <li class="nav-item">↵
154.         <a class="nav-link text-uppercase"
155.         href="http://localhost:8000/about">Sobre</a>↵
156.     </li>↵
157.     <li class="nav-item">↵
158.         <a class="nav-link text-uppercase"
159.         href="http://localhost:8000/faq">FAQ</a>↵
160.     </li>↵
161.     <li class="nav-item">↵
162.         <a class="nav-link text-uppercase"
163.         href="http://localhost:8000/contact">Contactos</a>↵
164.     </li>↵
165. ↵
166. </ul>↵
167. </div>↵
168. </nav>↵
169. ↵
170.     </div>↵
171.     <div class="container py-3 px-4" id="content-column">↵
172.         <div class="row">↵
173.             <nav aria-label="breadcrumb">↵
174.                 <ol class="breadcrumb">↵
175.                     <li class="breadcrumb-item"><a href="/">Home</a></li>↵
176.                     ↵
177.                     <li class="breadcrumb-item">↵
178.                         <a href="/admin"> Admin </a>↵
179.                     </li>↵
180.                     ↵
181.                     <li class="breadcrumb-item active" aria-current="page">↵
182.                         Reports↵
183.                     </li>↵
184.                 </ol>↵
185.             </nav>↵
186.         </div>↵

```

```

174. ↵
175.         ↵
176. <section id="admin-reports-page">↵
177.     <h2>Denúncias</h2> ↵
178. ↵
179.     <div class="row mt-3 mb-4">↵
180.         <div class="col-12">↵
181.             <small class="text-muted">Gestão de Intervenções Reportadas</small>↵
182.         </div>↵
183.     </div>↵
184. ↵
185.     <div class="row"> ↵
186.         <div class="col-12">↵
187.             <div class="table-responsive">↵
188.                 <table id="admin-table" class="table table-striped table-bordered
caption-top">↵
189.                     <thead>↵
190.                         <tr>↵
191.                             <th scope="col">ID</th>↵
192.                             <th scope="col">Tipo</th>↵
193.                             <th scope="col">Título da Questão</th>↵
194.                             <th scope="col">Texto</th>↵
195.                             <th scope="col">Autor da Intervenção</th>↵
196.                             <th scope="col">Autor da Denúncia</th>↵
197.                             <th scope="col">Ações</th>↵
198.                         </tr>↵
199.                     </thead>↵
200.                     <tbody>↵
201.                         <tr data-id="34">↵
202.                             <th scope="row"><a
href="http://localhost:8000/questions/3#3" class="app-link">3</a></th>↵
203.                             <td><span class="badge bg-danger text-dark">Questão</span>
</td>↵
204.                             <td><a href="http://localhost:8000/questions/3#3" class="app-
link">↵
205.                                 Qual o nome do professor de LTW?↵
206.                                 </a>↵
207.                             </td>↵
208.                             <td><a href="http://localhost:8000/questions/3#3" class="app-
link">↵
209.                                 Não consigo entrar no sigarra e preciso
mesmo de saber o nome do prof↵
210.                                 ...↵
211.                                 </a>↵
212.                             </td>↵
213.                             <td>↵
214.                                 <a href="http://localhost:8000/admin/users?
searchDt=up201906852@fe.up.qa.pt" class="app-link" data-toogle="tooltip"
title="Gerir Utilizador"><i class="fas fa-user-cog"></i></a>↵
215.                                 <a href="http://localhost:8000/users/11" class="app-link"
data-toogle="tooltip" title="Visitar Perfil">up201906852</a>↵
216.                             </td>↵
217.                             <td>↵
218.                                 <a href="http://localhost:8000/admin/users?
searchDt=jfcunha@fe.up.qa.pt" class="app-link" data-toogle="tooltip"
title="Gerir Utilizador"><i class="fas fa-user-cog"></i></a>↵
219.                                 <a href="http://localhost:8000/users/1" class="app-link" data-
toogle="tooltip" title="Visitar Perfil">admin</a>↵
220.                             </td>↵
221.                             <td class="text-center admin-table-reports-actions">↵
222.                                 <div class="actions-buttons">↵
223.                                     <a href="http://localhost:8000/questions/3#3" class="btn
btn-info text-black me-1" data-toogle="tooltip" title="Visitar Intervenção"><i
class="fas fa-search"
"></i></a>↵
224.                                     <a class="btn btn-danger text-white reports-page-remove me-
1" data-toogle="tooltip" title="Descartar Denúncia"><i class="far fa-trash-
alt"></i></a>↵
225.                                 </div>↵
226.                             </td>↵
227.                         </tr>↵

```

```

228.                 <tr data-id="33">↵
229.                     <th scope="row"><a
href="http://localhost:8000/questions/3#3" class="app-link">3</a></th>↵
230.                     <td><span class="badge bg-danger text-dark">Questão</span>
</td>↵
231.                     <td><a href="http://localhost:8000/questions/3#3" class="app-
link">↵
232.                         Qual o nome do professor de LTW?↵
233.                         </a>↵
234.                     </td>↵
235.                     <td><a href="http://localhost:8000/questions/3#3" class="app-
link">↵
236.                         Não consigo entrar no sigarra e preciso
mesmo de saber o nome do prof↵
237.                         ...↵
238.                         </a>↵
239.                     </td>↵
240.                     <td>↵
241.                         <a href="http://localhost:8000/admin/users?
searchDt=up201906852@fe.up.qa.pt" class="app-link" data-toogle="tooltip"
title="Gerir Utilizador"><i class="fas fa-user-cog"></i></a>↵
242.                         <a href="http://localhost:8000/users/11" class="app-link"
data-toogle="tooltip" title="Visitar Perfil">up201906852</a>↵
243.                     </td>↵
244.                     <td>↵
245.                         <a href="http://localhost:8000/admin/users?
searchDt=jfcunha@fe.up.qa.pt" class="app-link" data-toogle="tooltip"
title="Gerir Utilizador"><i class="fas fa-user-cog"></i></a>↵
246.                         <a href="http://localhost:8000/users/1" class="app-link" data-
toogle="tooltip" title="Visitar Perfil">admin</a>↵
247.                     </td>↵
248.                     <td class="text-center admin-table-reports-actions">↵
249.                         <div class="actions-buttons">↵
250.                             <a href="http://localhost:8000/questions/3#3" class="btn
btn-info text-black me-1" data-toogle="tooltip" title="Visitar Intervenção"><i
class="fas fa-search"
"></i></a>↵
251.                             <a class="btn btn-danger text-white reports-page-remove me-
1" data-toogle="tooltip" title="Descartar Denúncia"><i class="far fa-trash-
alt"></i></a>↵
252.                         </div>↵
253.                     </td>↵
254.                 </tr>↵
255.             </tbody>↵
256.         </table>↵
257.     </div>↵
258. </div>↵
259. </div>↵
260. ↵
261. </section>↵
262. ↵
263.         </div>↵
264.     </div>↵
265. </div>↵
266. ↵
267.     <footer class="p-2 border-top">↵
268.         <p class="text-end fst-italic mb-0">Copyright &copy; 2021 Q&A L.EIC. Todos
os direitos reservados</p>↵
269.     </footer>↵
270.     ↵
271.     <!-- Bootstrap -->↵
272.     <script ↵
273.         src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle.min
.js" ↵
274.         integrity="sha384-
ka7Sk0Gln4gmtz2MlQnikT1wXgYsOg+OMhuP+IlRH9sENB00LRn5q+8nbTov4+1p" ↵
275.         crossorigin="anonymous">↵
276.     ></script>↵
277.     <!-- MDB -->↵
278.     <script↵

```

```
279.     src="https://cdnjs.cloudflare.com/ajax/libs/mdb-ui-kit/3.10.1/mdb.min.js"↵
280. ></script>↵
281. <!-- Working Bootstrap Tabs -->↵
282. <script ↵
283.     src="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/js/bootstrap.min.js"↵
284. ></script>↵
285.     ↵
286.     </main>↵
287. </body>↵
288. </html>
```

Used the HTML parser.

Total execution time 23 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 22.1.15