
Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area



Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

Document checking completed. No errors or warnings to show.

Source

```
1. ←
 2. <!DOCTYPE html>←
 3. <html lang="pt">↔
4.
      <head>←
        <meta charset="utf-8">↔
 5.
6.
        <meta http-equiv="X-UA-Compatible" content="IE=edge">←
7.
        <meta name="viewport" content="width=device-width, initial-scale=1">←
8. ←
9.
        <!-- CSRF Token -->↔
10.
        <meta name="csrf-token"</pre>
   content="D6mSFuqBwsRF5ljrbwt0uLujgCiBKZK4jZNecDry">↔
11. ←
12.
        <title>L.EIC Q&amp;A - Redifinir Password</title>←
13. ←
14.
        <!-- Styles -->↔
15.
        <!-- Bootstrap -->↔
16.
        link ←
```

```
17.
    href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css"
18.
          rel="stylesheet" ↔
19.
          integrity="sha384-
    1BmE4kWBq78iYhFldvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqy12QvZ6jIW3" ↔
20.
          crossorigin="anonymous"↔
21.
        />←
22.
        <!-- Font Awesome -->↔
23.
        k↔
24.
          href="https://cdnjs.cloudflare.com/ajax/libs/font-
    awesome/5.15.1/css/all.min.css"↔
25.
          rel="stylesheet"↔
26.
        />←
27.
        <!-- Google Fonts -->↔
28.
        link←
29.
          href="https://fonts.googleapis.com/css?
    family=Roboto:300,400,500,700&display=swap"↔
30.
          rel="stylesheet"↔
31.
        />↩
32.
        <!-- MDB -->↔
33.
        k↔
34.
          href="https://cdnjs.cloudflare.com/ajax/libs/mdb-ui-
    kit/3.10.1/mdb.min.css"↔
35.
          rel="stylesheet"↔
36.
        />←
37.
        <!-- DataTable -->↩
38.
        link↔
39.
    href="https://cdn.datatables.net/1.11.3/css/dataTables.bootstrap5.min.css"↔
40.
          rel="stylesheet"↔
41.
        />↩
42.
        <!-- Select2 -->↔
43.
        link ←
44.
          href="https://cdn.jsdelivr.net/npm/select2@4.1.0-
    rc.0/dist/css/select2.min.css" ↔
45.
          rel="stylesheet" ←
46.
        />↩
47.
        \leftarrow
48.
        <!-- App CSS -->↔
49.
        <link href="http://localhost:8000/css/app.min.css" rel="stylesheet">↔
50. ←
51. ←
52.
        <!-- JOuerv -->↔
53.
        <script
    src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js">
    </script>↩
54.
        <!-- DataTable -->↔
55.
        <script
    src="https://cdn.datatables.net/1.11.3/js/jquery.dataTables.min.js">
    </script>↔
56.
        <script
    src="https://cdn.datatables.net/1.11.3/js/dataTables.bootstrap5.min.js">
    </script>↩
57.
        <!-- Text Editor -->↔
58.
        <script
    src="https://cdn.tiny.cloud/1/1963coctjgncao7e2p2fv27rcx394sxc74mhd0srm6vgldn3
    /tinymce/5/tinymce.min.js" referrerpolicy="origin"></script>↔
59.
        <!-- Select2 -->↔
        <script src="https://cdn.jsdelivr.net/npm/select2@4.1.0-</pre>
60
    rc.0/dist/js/select2.min.js"></script>↔
61. ←
62.
        <!-- App JS -->↔
        <script src="http://localhost:8000/js/app.min.js" defer></script>↔
63.
64.
      </head>↔
65.
      <body>←
66.
        <main>←
67.
          <header class="py-2 bg-light border-bottom sticky-top">←
68
      <div id="header-container" class="container-fluid d-grid gap-0 align-items-</pre>
    center">↩
```

```
69.
        <a href="http://localhost:8000/home" id="header-logo-column" class="d-
 70
    block text-decoration-none">↔
 71.
          <img src="http://localhost:8000/images/logo.png" alt="Logo" id="logo-</pre>
     img" class="w-auto">↔
 72.
        </a>←
 73.
 74.
        <div id="header-options-column" class="d-flex align-items-center">←
 75.
          <form class="w-100 me-3" action="/search">←
 76.
            <div class="input-group mb-0">←
 77.
              <span class="input-group-text bg-white">←
                <a tabindex="0" class="contextual-help btn btn-link p-0"</pre>
 78.
    role="button" data-bs-toggle="popover" data-bs-placement="bottom" data-bs-
    trigger="focus" ←
      title="" data-bs-content="Pesquise questões por palavras chave que estejam
    contidas no título e/ou no corpo da questão, ou por expressões exatas
    colocando estas entre aspas ("). Os resultados são mostrados sempre por
    ordem de importância, dando prioridade à existência das expressões exatas,
    caso existam, seguida da identificação das palavras chave no título e no
    corpo.">↩
 80.
        <i class="far fa-question-circle"></i>↔
 81. </a>←
 82.
              </span>←
 83. ←
 84.
              <input type="search" id="search-input" class="form-control"</pre>
    placeholder="Pesquisa..." aria-label="Search" name="q">↔
 85.
            </div>←
 86.
          </form>←
 87. ←
 88.
                <a class="btn btn-outline-primary me-2"</pre>
    href="http://localhost:8000/register"> Registar </a>↔
 89.
          <a class="btn btn-primary" href="http://localhost:8000/login"> Entrar
    </a>↩
 90.
 91.
        </div>←
      </div>↩
 92.
 93. </header>↩
 94. ←
 95.
 96.
          <div class="container-fluid px-0">←
 97.
            <div id="navbar-content-container" class="d-grid gap-0">←
 98.
              <div class="border-end" id="navbar-column">↔
                <nav id="sidebar" class="navbar shadow-none">←
 99.
100.
      <div class="container-fluid">←
        ←
101.
           class="nav-item">↔
102.
            <a class="nav-link text-uppercase"</pre>
103.
    href="http://localhost:8000/home">Início</a>↔
104.
          ←
105.
          \hookrightarrow
106.
          Público←
107.
          ←
108.
            ←
109.
              <a class="nav-link pt-0" href="http://localhost:8000/questions">
    <i class="fas fa-question"></i> Questões</a>
              <a class="nav-link pt-0" href="http://localhost:8000/ucs"><i</pre>
110.
    class="fas fa-book"></i> Unidades Curriculares</a>↔
              <a class="nav-link pt-0" href="http://localhost:8000/users"><i</pre>
111.
    class="fas fa-user-circle"></i> Utilizadores</a>
112.
              <a class="nav-link pt-0" href="#" onclick="focusSearchInput()"></a>
    <i class="fas fa-search"></i> Pesquisar</a>↔
113.
            ←
114.
          ←
115.
          \leftarrow
116.
117.
          <hr>↔
118.
          \hookrightarrow
119.
          class="nav-item">←
120.
            <a class="nav-link text-uppercase"</pre>
    href="http://localhost:8000/about">Sobre</a>↔
```

```
121.
          ↔
122.
          class="nav-item">↔
123.
            <a class="nav-link text-uppercase"</pre>
    href="http://localhost:8000/faq">FAQ</a>↔
124.
          ↩
125.
          class="nav-item">↔
126.
            <a class="nav-link text-uppercase"</pre>
    href="http://localhost:8000/contact">Contactos</a>↔
127.
          ↔
128. ←
129.
        ←
130.
      </div>←
131. </nav>↔
132. ←
133.
              </div>←
134.
              <div class="container py-3 px-4" id="content-column">←
                <div class="row">↔
135.
136.
      <nav aria-label="breadcrumb">←
137.

    class="breadcrumb">←

138.
          <a href="/">Home</a>
139. ←
140.
                                                 ←
141.
                  <a href="/reset-password"> Reset Password </a>↔
142.
                ↩
143.
144.
                ←
145.
    Fdaca41ae6a3aa1646fdd366994fe9b19fd4246eb7e272b3dc0108d9e28209ae↔
146.
                ↩
147.
148.
        ←
149.
      </nav>↔
150. </div>←
151. ←
152.
                <h2 class="text-center">Redifinir Password</h2> ↔
153. ←
154. <form method="POST" action="http://localhost:8000/reset-password" id="form-
    reset-password" class="row w-50 mx-auto">↔
155.
        <input type="hidden" name="_token"</pre>
    value="D6mSFuqBwsRF5ljrbwt0uLujgCiBKZK4jZNecDry">
                                                        <input type="hidden"</pre>
    name="token"
    value="fdaca41ae6a3aa1646fdd366994fe9b19fd4246eb7e272b3dc0108d9e28209ae">↔
156. ←
157.
        <div class="mb-3 col-12">←
158.
            <label for="email address" class="form-label required">E-
    mail</label>↔
159.
            <input type="email" id="email address" class="form-control"</pre>
    name="email" required autofocus>↔
160.
                </div>←
161. ←
162.
        <div class="mb-3 col-12">←
            <label for="password" class="form-label required">Password</label>↔
163.
            <input type="password" id="password" class="form-control"</pre>
164.
    name="password" required>↔
165.
                </div>←
166. ←
        <div class="mb-3 col-12">↔
167.
            <label for="password-confirm" class="form-label required">Confirme
168.
    Password</label>↔
169.
            <input type="password" id="password-confirm" class="form-control"</pre>
    name="password confirmation" required>←
170.
                </div>←
171. ←
172.
        <div class="col-12">↔
            <button type="submit" class="btn btn-primary btn-block">Alterar
173.
    Password</button>↔
174.
        </div>↩
175. </form>↔
176.
              </div>←
177.
            </div>←
```

```
178.
          </div>←
179.
180.
          <footer class="p-2 border-top">↔
181.
      Copyright © 2021 Q&A L.EIC. Todos
    os direitos reservados↔
182. </footer>↔
183. ←
184.
          <!-- Bootstrap -->↔
185. <script ←
186.
    src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle.min
    .js" ↔
187.
      integrity="sha384-
    ka7Sk0Gln4gmtz2MlQnikT1wXgYsOg+OMhuP+I1RH9sENBO0LRn5q+8nbTov4+1p" ↔
188.
      crossorigin="anonymous"↔
189. ></script>↔
190. <!-- MDB -->↔
191. <script↔
192.
      src="https://cdnjs.cloudflare.com/ajax/libs/mdb-ui-kit/3.10.1/mdb.min.js"

193. ></script>←
194. <!-- Working Bootstrap Tabs -->↔
195. <script ←
196.
      src="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/js/bootstrap.min.js"

197. ></script>↔
198.
        \leftarrow
199.
        </main>↩
200.
      </body>←
201. </html>
```

Used the HTML parser.

Total execution time 24 milliseconds.

About this checker • Report an issue • Version: 22.1.10