

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show

☒ source

☐ outline

☐ image report

Options...

Check by

text input

▼

☐ css

```
<!DOCTYPE html>
<html lang="pt">
  <head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1">

    <!-- CSRF Token -->
    <meta name="csrf-token" content="AWIowaUoXh4nA1Np0ReG3Rte2nykCBeVhykCmk8">

    <title>L.EIC Q&amp;A - Iniciar Sessão</title>

    <!-- Styles -->
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

Document checking completed. No errors or warnings to show.

Source

```
1. ↵
2. <!DOCTYPE html>↵
3. <html lang="pt">↵
4.   <head>↵
5.     <meta charset="utf-8">↵
6.     <meta http-equiv="X-UA-Compatible" content="IE=edge">↵
7.     <meta name="viewport" content="width=device-width, initial-scale=1">↵
8.   ↵
9.     <!-- CSRF Token -->↵
10.    <meta name="csrf-token"
    content="AWIowaUoXh4nA1Np0ReG3Rte2nykCBeVhykCmk8">↵
11.  ↵
12.    <title>L.EIC Q&amp;A - Iniciar Sessão</title>↵
13.  ↵
14.    <!-- Styles -->↵
15.    <!-- Bootstrap -->↵
16.    <link ↵
```

```

17. href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css"
    ↵
18.     rel="stylesheet" ↵
19.     integrity="sha384-
20. 1BmE4kWBq78iYhFldvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqyl2QvZ6jIW3" ↵
21.     crossorigin="anonymous"↵
22.     />↵
23.     <!-- Font Awesome -->↵
24.     <link↵
25.         href="https://cdnjs.cloudflare.com/ajax/libs/font-
26. awesome/5.15.1/css/all.min.css"↵
27.         rel="stylesheet"↵
28.         />↵
29.     <!-- Google Fonts -->↵
30.     <link↵
31.         href="https://fonts.googleapis.com/css?
32. family=Roboto:300,400,500,700&display=swap"↵
33.         rel="stylesheet"↵
34.         />↵
35.     <!-- MDB -->↵
36.     <link↵
37.         href="https://cdnjs.cloudflare.com/ajax/libs/mdb-ui-
38. kit/3.10.1/mdb.min.css"↵
39.         rel="stylesheet"↵
40.         />↵
41.     <!-- Select2 -->↵
42.     <link ↵
43.         href="https://cdn.jsdelivr.net/npm/select2@4.1.0-
44. rc.0/dist/css/select2.min.css" ↵
45.         rel="stylesheet" ↵
46.         />↵
47.     ↵
48.     <!-- App CSS -->↵
49.     <link href="http://localhost:8000/css/app.min.css" rel="stylesheet">↵
50. ↵
51. ↵
52.     <!-- JQuery -->↵
53.     <script
54.         src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js">
55.     </script>↵
56.     <!-- DataTable -->↵
57.     <script
58.         src="https://cdn.datatables.net/1.11.3/js/jquery.dataTables.min.js">
59.     </script>↵
60.     <script
61.         src="https://cdn.datatables.net/1.11.3/js/dataTables.bootstrap5.min.js">
62.     </script>↵
63.     <!-- Text Editor -->↵
64.     <script
65.         src="https://cdn.tiny.cloud/1/1963coctjgncao7e2p2fv27rcx394sxc74mhd0srm6vgldn3
66. /tinymce/5/tinymce.min.js" referrerpolicy="origin"></script>↵
67.     <!-- Select2 -->↵
68.     <script src="https://cdn.jsdelivr.net/npm/select2@4.1.0-
69. rc.0/dist/js/select2.min.js"></script>↵
70.     ↵
71.     <!-- App JS -->↵
72.     <script src="http://localhost:8000/js/app.min.js" defer></script>↵
73. </head>↵
74. <body>↵
75.     <main>↵
76.         <header class="py-2 bg-light border-bottom sticky-top">↵
77.         <div id="header-container" class="container-fluid d-grid gap-0 align-items-
78. center">↵

```

```

69.     ↵
70.     <a href="http://localhost:8000/home" id="header-logo-column" class="d-
block text-decoration-none">↵
71.         ↵
72.     </a>↵
73.     ↵
74.     <div id="header-options-column" class="d-flex align-items-center">↵
75.         <form class="w-100 me-3" action="/search">↵
76.             <div class="input-group mb-0">↵
77.                 <span class="input-group-text bg-white">↵
78.                     <a tabindex="0" class="contextual-help btn btn-link p-0"
role="button" data-bs-toggle="popover" data-bs-placement="bottom" data-bs-
trigger="focus" ↵
79.                         title="" data-bs-content="Pesquise questões por palavras chave que estejam
contidas no título e/ou no corpo da questão, ou por expressões exatas
colocando estas entre aspas (&quot;). Os resultados são mostrados sempre por
ordem de importância, dando prioridade à existência das expressões exatas,
caso existam, seguida da identificação das palavras chave no título e no
corpo.">↵
80.                     <i class="far fa-question-circle"></i>↵
81.                 </a>↵
82.             </span>↵
83.         ↵
84.             <input type="search" id="search-input" class="form-control"
placeholder="Pesquisa..." aria-label="Search" name="q">↵
85.         </div>↵
86.     </form>↵
87.     ↵
88.         <a class="btn btn-outline-primary me-2"
href="http://localhost:8000/register"> Registrar </a>↵
89.         <a class="btn btn-primary" href="http://localhost:8000/login"> Entrar
</a>↵
90.     ↵
91.     </div>↵
92. </div>↵
93. </header>↵
94. ↵
95.     ↵
96.     <div class="container-fluid px-0">↵
97.         <div id="navbar-content-container" class="d-grid gap-0">↵
98.             <div class="border-end" id="navbar-column">↵
99.                 <nav id="sidebar" class="navbar shadow-none">↵
100.         <div class="container-fluid">↵
101.             <ul class="navbar-nav w-100">↵
102.                 <li class="nav-item">↵
103.                     <a class="nav-link text-uppercase"
href="http://localhost:8000/home">Início</a>↵
104.                 </li>↵
105.                 ↵
106.                 <li class="navbar-text text-uppercase pt-3">Público</li>↵
107.                 <li>↵
108.                     <ul class="text-decoration-none list-unstyled ps-3">↵
109.                         <li><a class="nav-link pt-0" href="http://localhost:8000/questions">
<i class="fas fa-question"></i> Questões</a></li>↵
110.                         <li><a class="nav-link pt-0" href="http://localhost:8000/ucs"><i
class="fas fa-book"></i> Unidades Curriculares</a></li>↵
111.                         <li><a class="nav-link pt-0" href="http://localhost:8000/users"><i
class="fas fa-user-circle"></i> Utilizadores</a></li>↵
112.                         <li><a class="nav-link pt-0" href="#" onclick="focusSearchInput()">
<i class="fas fa-search"></i> Pesquisar</a></li>↵
113.                     </ul>↵
114.                 </li>↵
115.                 ↵
116.                 ↵
117.                 <li><hr></li>↵
118.                 ↵
119.                 <li class="nav-item">↵
120.                     <a class="nav-link text-uppercase"
href="http://localhost:8000/about">Sobre</a>↵

```

```

121.         </li><↵
122.         <li class="nav-item"><↵
123.             <a class="nav-link text-uppercase"
href="http://localhost:8000/faq">FAQ</a><↵
124.         </li><↵
125.         <li class="nav-item"><↵
126.             <a class="nav-link text-uppercase"
href="http://localhost:8000/contact">Contactos</a><↵
127.         </li><↵
128.     <↵
129. </ul><↵
130. </div><↵
131. </nav><↵
132. <↵
133.         </div><↵
134.         <div class="container py-3 px-4" id="content-column"><↵
135.             <div class="row"><↵
136.                 <nav aria-label="breadcrumb"><↵
137.                     <ol class="breadcrumb"><↵
138.                         <li class="breadcrumb-item"><a href="/">Home</a></li><↵
139.                     <↵
140.                         <li class="breadcrumb-item active" aria-current="page"><↵
141.                             Login<↵
142.                         </li><↵
143.                     <↵
144.                 </ol><↵
145.             </nav><↵
146.         </div><↵
147.     <↵
148.         <h2 class="text-center"><↵
149.         Login<↵
150.         <a tabindex="0" class="contextual-help btn btn-link p-0" role="button"
data-bs-toggle="popover" data-bs-placement="right" data-bs-trigger="focus" <↵
151.         title="" data-bs-content="Introduza o seu email e password para iniciar
sessão. Se não tiver conta registe-se!"><↵
152.         <i class="far fa-question-circle"></i><↵
153.     </a><↵
154. </h2> <↵
155. <↵
156. <form method="POST" action="http://localhost:8000/login" id="form-login"
class="row w-50 mx-auto"><↵
157.     <input type="hidden" name="_token"
value="AWIowaUoXh4nA1Np00ReG3Rte2nykCBeVhykCmk8"><↵
158.     <↵
159.         <div class="mb-3 col-12"><↵
160.             <label for="email" class="form-label required">E-mail</label><↵
161.             <input type="email" id="email" class="form-control" name="email"
value="" required autofocus><↵
162.         </div><↵
163.         <div class="mb-3 col-12"><↵
164.             <label for="password" class="form-label required">Password</label><↵
165.             <input type="password" id="password" class="form-control"
name="password" required><↵
166.         </div><↵
167.         <div class="col-12 mb-3"><↵
168.             <div class="form-check"><↵
169.                 <input type="checkbox" id="remember" class="form-check-input"
name="remember" ><↵
170.                 <label class="form-check-label" for="remember">Manter sessão
iniciada</label><↵
171.             </div><↵
172.         </div><↵
173.         <div class="col-12"><↵
174.             <button type="submit" class="btn btn-primary btn-block">Iniciar
Sessão</button><↵

```

```

180.     </div>↵
181. ↵
182.     <div class ="col-12" style="padding-top:5px;">↵
183.         <a href="http://localhost:8000/google/login" class="btn btn-google
184.         btn-user btn-block">↵
185.             <i class="fab fa-google fa-fw"></i> Iniciar Sessão com Google↵
186.         </a>↵
187.     </div>↵
188. ↵
189.     <div class="col-12 d-flex justify-content-center mt-3">↵
190.         <a href="http://localhost:8000/forgot-password" class="app-
191.         link">Recuperar Password?</a>↵
192.     </div>↵
193. </form>↵
194.     </div>↵
195.     </div>↵
196.     </div>↵
197.     <div class="p-2 border-top">↵
198.         <p class="text-end fst-italic mb-0">Copyright &copy; 2021 Q&A L.EIC. Todos
199.         os direitos reservados</p>↵
200.     </div>↵
201.     <!-- Bootstrap -->↵
202.     <script ↵
203.         src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle.min
204.         .js" ↵
205.         integrity="sha384-
206.         ka7Sk0Gln4gmtz2MlQnikT1wXgYsOg+OMhuP+IlRH9sENBO0LRn5q+8nbTov4+1p" ↵
207.         crossorigin="anonymous">↵
208.     </script>↵
209.     <!-- MDB -->↵
210.     <script ↵
211.         src="https://cdn.jsdelivr.net/npm/mdb-ui-kit@3.10.1/dist/js/mdb.min.js" ↵
212.     </script>↵
213.     <!-- Working Bootstrap Tabs -->↵
214.     <script ↵
215.         src="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/js/bootstrap.min.js" ↵
216.     </script>↵
217.     </main>↵
218. </body>↵
219. </html>

```

Used the HTML parser.

Total execution time 18 milliseconds.