Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area



Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

Document checking completed. No errors or warnings to show.

Source

```
1. ←
 2. <!DOCTYPE html>←
 3. <html lang="pt">↔
 4.
      <head>←
        <meta charset="utf-8">↔
 5.
        \verb|\dots| \verb| http-equiv="X-UA-Compatible" content="IE=edge"> \hookrightarrow \\
 6.
 7.
        <meta name="viewport" content="width=device-width, initial-scale=1">←
 8. ←
 9.
        <!-- CSRF Token -->↔
10.
        <meta name="csrf-token"</pre>
    content="tbiwxInySfzsvn10CIHMGQzGbknu9bHwPu9CPTcL">↔
11. ←
12.
        <title>L.EIC Q&amp; A - Administração Pedidos de Ativação de
    Contas</title>←
13. ←
        <!-- Styles -->↔
14.
15.
        <!-- Bootstrap -->↔
16.
        link ←
```

```
17.
    href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css"
18.
          rel="stylesheet" ↔
19.
          integrity="sha384-
    1BmE4kWBq78iYhFldvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqy12QvZ6jIW3" ↔
20.
          crossorigin="anonymous"↔
21.
        />↩
22.
        <!-- Font Awesome -->↔
23.
        k↔
24.
          href="https://cdnjs.cloudflare.com/ajax/libs/font-
    awesome/5.15.1/css/all.min.css"↔
25.
          rel="stylesheet"↔
26.
        />←
27.
        <!-- Google Fonts -->↔
28.
        link←
29.
          href="https://fonts.googleapis.com/css?
    family=Roboto:300,400,500,700&display=swap"↔
30.
          rel="stylesheet"↔
31.
        />↩
32.
        <!-- MDB -->↔
33.
        k↔
34.
          href="https://cdnjs.cloudflare.com/ajax/libs/mdb-ui-
    kit/3.10.1/mdb.min.css"↔
35.
          rel="stylesheet"↔
36.
        />←
37.
        <!-- DataTable -->↩
38.
        link↔
39.
    href="https://cdn.datatables.net/1.11.3/css/dataTables.bootstrap5.min.css"↔
40.
          rel="stylesheet"↔
41.
        />↩
42.
        <!-- Select2 -->↔
43.
        link ←
44.
          href="https://cdn.jsdelivr.net/npm/select2@4.1.0-
    rc.0/dist/css/select2.min.css" ↔
45.
          rel="stylesheet" ←
46.
        />↩
47.
        \leftarrow
48.
        <!-- App CSS -->↔
49.
        <link href="http://localhost:8000/css/app.min.css" rel="stylesheet">←
50. ←
51. ←
52.
        <!-- JOuerv -->↔
53.
        <script
    src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js">
    </script>↩
54.
        <!-- DataTable -->↔
55.
        <script
    src="https://cdn.datatables.net/1.11.3/js/jquery.dataTables.min.js">
    </script>↔
56.
        <script
    src="https://cdn.datatables.net/1.11.3/js/dataTables.bootstrap5.min.js">
    </script>↩
57.
        <!-- Text Editor -->↔
58.
        <script
    src="https://cdn.tiny.cloud/1/1963coctjgncao7e2p2fv27rcx394sxc74mhd0srm6vgldn3
    /tinymce/5/tinymce.min.js" referrerpolicy="origin"></script>↔
59.
        <!-- Select2 -->↔
        <script src="https://cdn.jsdelivr.net/npm/select2@4.1.0-</pre>
60
    rc.0/dist/js/select2.min.js"></script>↔
61. ←
62.
        <!-- App JS -->↔
        <script src="http://localhost:8000/js/app.min.js" defer></script>↔
63.
64.
      </head>↔
65.
      <body>←
66.
        <main>←
67.
          <header class="py-2 bg-light border-bottom sticky-top">←
68
      <div id="header-container" class="container-fluid d-grid gap-0 align-items-</pre>
    center">↩
```

```
69.
         <a href="http://localhost:8000/home" id="header-logo-column" class="d-
 70
    block text-decoration-none">↔
 71.
           <img src="http://localhost:8000/images/logo.png" alt="Logo" id="logo-</pre>
     img" class="w-auto">↔
 72.
         </a>←
 73.
         \downarrow
 74.
         <div id="header-options-column" class="d-flex align-items-center">←
 75.
           <form class="w-100 me-3" action="/search">←
 76.
             <div class="input-group mb-0">←
 77.
               <span class="input-group-text bg-white">←
                 <a tabindex="0" class="contextual-help btn btn-link p-0"</pre>
 78.
     role="button" data-bs-toggle="popover" data-bs-placement="bottom" data-bs-
    \texttt{trigger="focus"} \; \leftarrow \;
      title="" data-bs-content="Pesquise questões por palavras chave que estejam
     contidas no título e/ou no corpo da questão, ou por expressões exatas
     colocando estas entre aspas ("). Os resultados são mostrados sempre por
    ordem de importância, dando prioridade à existência das expressões exatas,
     caso existam, seguida da identificação das palavras chave no título e no
     corpo.">↩
 80.
         <i class="far fa-question-circle"></i>↔
 81. </a>←
 82.
               </span>←
 83. ←
 84.
               <input type="search" id="search-input" class="form-control"</pre>
    placeholder="Pesquisa..." aria-label="Search" name="q">↔
 85.
             </div>←
 86.
           </form>←
 87. ←
 88.
                 <a href="http://localhost:8000/notifications" id="header-</pre>
    notification-icon" class="d-flex me-2 link-dark text-decoration-none fs-4 far
    fa-bell position-relative" data-toogle="tooltip" title="As suas
    Notificações">↔
 89.
                             <span class="position-absolute top-0 translate-middle"</pre>
    badge rounded-pill bg-danger">↔
 90.
               2←
 91.
             </span>←
                   </a>←
 92.
 93.
 94.
           <div class="flex-shrink-0 dropdown">←
 95.
             <a href="#" class="d-block link-dark text-decoration-none dropdown-</pre>
     toggle" id="dropdown-user" data-bs-toggle="dropdown" aria-expanded="false"> \leftarrow
 96.
                         <img src="http://localhost:8000/images/users/default.jpg"</pre>
     alt="profile-photo" id="profile-photo" class="rounded-circle w-32">←
 97.
                       </a>←
             98.
     user">↩
 99.
               <a class="dropdown-item" href="http://localhost:8000/users/1">0</a>
    meu Perfil</a>←
100.
               <a class="dropdown-item border-top"</li>
    href="http://localhost:8000/logout">Terminar sessão</a>↔
101.
             ↩
102.
           </div>←
103.
104.
         </div>↩
105.
       </div>←
106. </header>↔
107. ←
108.
109.
           <div class="container-fluid px-0">←
110.
             <div id="navbar-content-container" class="d-grid gap-0">←
111.
               <div class="border-end" id="navbar-column">←
                 <nav id="sidebar" class="navbar shadow-none">←
112.
       <div class="container-fluid">←
113.
114.
         ←
           class="nav-item">←
115.
116.
             <a class="nav-link text-uppercase"</pre>
    href="http://localhost:8000/home">Início</a>↔
117.
           ↩
118.
           \hookrightarrow
```

```
119.
         Público←
120.
         ∠li>←
121.
          ←
122.
            <a class="nav-link pt-0" href="http://localhost:8000/questions"></a>
    <i class="fas fa-question"></i> Questões</a>↔
123.
            <a class="nav-link pt-0" href="http://localhost:8000/ucs"><i
    class="fas fa-book"></i> Unidades Curriculares</a>↔
124.
            <a class="nav-link pt-0" href="http://localhost:8000/users"><i</pre>
    class="fas fa-user-circle"></i> Utilizadores</a>
125.
            <a class="nav-link pt-0" href="#" onclick="focusSearchInput()"></a>
    <i class="fas fa-search"></i> Pesquisar</a>↔
126.
          ←
127.
         ←
128.
129.
130.
          Administração
131.
132.
            ←
              <a class="nav-link pt-0"
133.
    href="http://localhost:8000/admin/ucs"><i class="fas fa-tags"></i> Gerir
    UCs</a>
              <a class="nav-link pt-0"
134.
    href="http://localhost:8000/admin/users"><i class="fas fa-user-cog"></i> Gerir
    Contas</a>←
135.
              <a class="nav-link pt-0"
    href="http://localhost:8000/admin/requests"><i class="fas fa-user-check"></i>
    Pedidos Ativação</a>←
136.
              <a class="nav-link pt-0"
    href="http://localhost:8000/admin/reports"><i class="fas fa-exclamation-
    triangle"></i> Reportes</a>↔
137.
            ←
138.
           ↩
139.
140.
         <hr>↔
         \downarrow
141.
142.
         class="nav-item">←
143.
          <a class="nav-link text-uppercase"</pre>
    href="http://localhost:8000/about">Sobre</a>↔
144.
         ↔
145.
         class="nav-item">←
           <a class="nav-link text-uppercase"</pre>
146.
    href="http://localhost:8000/faq">FAQ</a>↔
147.
         ↩
148.
         class="nav-item">←
149.
           <a class="nav-link text-uppercase"</pre>
    href="http://localhost:8000/contact">Contactos</a>↔
150.
         ↔
151. ←
152.
       ↩
153.
     </div>←
154. </nav>←
155. ←
156.
            </div>←
157.
            <div class="container py-3 px-4" id="content-column">←
158.
              <div class="row">↔
159.
     <nav aria-label="breadcrumb">←
160.

    class="breadcrumb">←

         <a href="/">Home</a>
161.
162. ←
163.
                                           ←
164.
                <a href="/admin"> Admin </a>↔
165.
              ←
166.
              ←
167.
168.
                Requests↩
169.
              ←
170.
                 \leftarrow
171.
       ←
172.
      </nav>↩
173. </div>↔
```

```
174. ←
175.
176. <section id="admin-requests-page">↔
177.
       <div class="error-msg"></div>←
178. ←
179.
       <h2>Pedidos de Ativação de Contas</h2> ↔
180. ←
181.
       <div class="row mt-3 mb-4">←
         <div class="col-12">↔
182.
183.
           <small class="text-mutted">Gestão de pedidos para ativação de
     contas</small>↔
184.
           <div class="d-inline float-end">↔
             <button type="button" class="btn btn-success text-white me-1" data-bs-</pre>
185.
     toggle="modal" data-bs-target="#activeAllUsersModal">↔
               Ativar Todos↔
186.
187.
             </button>←
188.
             <button type="button" class="btn btn-danger text-white" data-bs-</pre>
     toggle="modal" data-bs-target="#rejectAllUsersModal">↔
               Rejeitar Todos↔
189.
190.
             </hutton>←
191.
           </div>↩
192. ←
193.
           <section class="actions-modals">←
194.
             <div class="modal fade" id="activeAllUsersModal" data-bs-</pre>
     backdrop="static" data-bs-keyboard="false" tabindex="-1" aria-
     labelledby="activeAllUsersModalLabel" aria-hidden="true">←
195.
       <div class="modal-dialog modal-dialog-centered">←
196.
         <div class="modal-content">←
197.
           <div class="modal-header">↔
             <h5 class="modal-title" id="activeAllUsersModalLabel">Activar Todas as
198.
     Contas</h5>↔
199.
             <button type="button" class="btn-close" data-bs-dismiss="modal" aria-</pre>
     label="Close"></button>↔
200.
           </div>←
201.
           <div class="modal-body text-center p-4">←
202.
             Tem a certeza que quer aceitar TODOS os pedidos para ativação de
     conta?↩
203.
           </div>←
           <div class="modal-footer">↔
204.
205.
             <button type="button" class="btn btn-outline-primary" data-bs-</pre>
     dismiss="modal">Cancelar</button>←
206.
             <a href="#" class="btn btn-primary admin-table-active-all" data-bs-</pre>
     dismiss="modal">Sim</a>↔
207.
           </div>↩
208.
         </div>←
209.
       </div>←
210. </div>←
             <div class="modal fade" id="rejectAllUsersModal" data-bs-</pre>
211
     backdrop="static" data-bs-keyboard="false" tabindex="-1" aria-
     labelledby="rejectAllUsersModalLabel" aria-hidden="true">←
212.
       <div class="modal-dialog modal-dialog-centered">←
213.
         <div class="modal-content">↔
214.
           <div class="modal-header">↔
215.
             <h5 class="modal-title" id="rejectAllUsersModalLabel">Rejeitar Todos
     os Pedidos</h5>↔
216.
             <button type="button" class="btn-close" data-bs-dismiss="modal" aria-</pre>
     label="Close"></button>←
217.
           </div>←
218.
           <div class="modal-body text-center p-4">←
219.
             Tem a certeza que quer recusar permanentemente TODOS os pedidos para
     ativação de conta?↔
220.
           </div>←
221.
           <div class="modal-footer">←
222.
             <button type="button" class="btn btn-outline-primary" data-bs-
     dismiss="modal">Cancelar</button>↔
223.
             <a href="#" class="btn btn-primary admin-table-reject-all" data-bs-
     dismiss="modal">Sim</a>←
224.
           </div>←
225.
         </div>↔
       </div>↩
226.
```

```
</section>↩
227. </div>
228.
       </div>←
229.
     </div>↔
230. ←
     <div class="row"> ←
231.
232.
       <div class="col-12">←
233.
         <div class="table-responsive">←
234.
          ↔
235.
            <thead>←
236.
             →
237.
               ↔
               Tipo↔
238.
               Nome↔
239.
               Email↔
240.
               Username←
241.
               Data do Pedido←
242
               Ações↔
243.
244.
             ←
245.
            </thead>↩
246.
            ←
247.
                         {"id":24,"email":"admin@fe.up.qa.pt","usern
    ame":"a","registry_date":"2022-01-20
    19:25:23.444589","active":false,"name":null,"pho
    to":null,"about":null,"birthdate":null,"score&qu
    ot;:null,"blocked":null,"block_reason":null,"entry_ye
    ar":null,"receive email":false,"type":"Admin&quo
    t;,"google_id":null,"email_verified_at":null}">↔
248.
                  ←
249.
                 →
250.
                                 <span class="badge bg-danger text-</pre>
    dark">Admin</span>←
251.
                 ←
252.
                 ←
253.
                 admin@fe.up.qa.pt↔
254.
                 a↔
255.
                 20/01/2022 19:25←
256.
                 ←
                  <div class="actions-buttons">←
257.
                    <button type="button" class="btn btn-success text-white</pre>
258.
    me-1 block-btn" data-toogle="tooltip" title="Ativar Conta" data-bs-
    toggle="modal" data-bs-target="#activeUser24Modal">←
259.
                      <i class="fas fa-check"></i>
260.
                    </button>←
                    <button type="button" class="btn btn-danger text-white"</pre>
261.
    data-toogle="tooltip" title="Rejeitar Pedido" data-bs-toggle="modal" data-bs-
    target="#deleteUser24Modal">↔
262
                      <i class="fas fa-times"></i>⇔
263.
                    </button>←
264.
                  </div>←
265.
                  \hookrightarrow
266.
                  <section class="actions-modals">←
                    <div class="modal fade" id="activeUser24Modal" data-bs-</pre>
267
    backdrop="static" data-bs-keyboard="false" tabindex="-1" aria-
    labelledby="activeUser24ModalLabel" aria-hidden="true">←
268.
     <div class="modal-dialog modal-dialog-centered">←
269.
       <div class="modal-content">←
270.
         <div class="modal-header">↔
271.
          <h5 class="modal-title" id="activeUser24ModalLabel">Activar
    admin@fe.up.ga.pt</h5>←
272.
          <button type="button" class="btn-close" data-bs-dismiss="modal" aria-
    label="Close"></button>↔
273.
         </div>←
274.
         <div class="modal-body text-center p-4">←
275.
          Tem a certeza que quer aceitar o pedido para ativação da conta deste
    Utilizador?←
276.
         </div>←
277.
         <div class="modal-footer">←
278.
          <button type="button" class="btn btn-outline-primary" data-bs-
    dismiss="modal">Cancelar</button>↔
```

```
<a href="#" class="btn btn-primary admin-table-active" data-bs-</pre>
279.
     dismiss="modal">Sim</a>↔
           </div>↩
280.
281.
         </div>←
282.
       </div>←
283. </div>←
284.
                          <div class="modal fade" id="deleteUser24Modal" data-bs-</pre>
     backdrop="static" data-bs-keyboard="false" tabindex="-1" aria-
     labelledby="deleteUser24ModalLabel" aria-hidden="true">↔
285.
       <div class="modal-dialog modal-dialog-centered">↔
286.
         <div class="modal-content">↔
           <div class="modal-header">↔
287.
             <h5 class="modal-title" id="deleteUser24ModalLabel">Eliminar
288.
     admin@fe.up.qa.pt</h5>↔
289.
             <button type="button" class="btn-close" data-bs-dismiss="modal" aria-</pre>
     {\tt label="Close"}{\gt</button}{\hookleftarrow}
290.
           </div>←
291.
           <div class="modal-body text-center p-4">←
292.
             Tem a certeza que quer recusar permanentemente o pedido para ativação
     da conta deste Utilizador?↔
293.
           </div>↩
           <div class="modal-footer">↔
294.
295.
             <button type="button" class="btn btn-outline-primary" data-bs-</pre>
     dismiss="modal">Cancelar</button>↔
296.
             <a href="#" class="btn btn-primary admin-table-delete" data-bs-</pre>
     dismiss="modal">Sim</a>↔
297.
           </div>←
298.
         </div>←
299.
       </div>←
300. </div>
                              </section>↔
301.
                      ←
302.
                   ↩
303.
                            ←
304.
             ↩
305.
           </div>↩
306.
         </div>↔
       </div>←
307.
308.
       \hookrightarrow
309. </section>↔
310. ←
311.
               </div>←
312.
             </div>←
313.
           </div>←
314.
           \leftarrow
315.
           <footer class="p-2 border-top">←
316.
       Copyright © 2021 Q&A L.EIC. Todos
     os direitos reservados↔
317. </footer>←
318. ←
319.
           <!-- Bootstrap -->↔
320. <script ←
321
     src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle.min
     .js" ↔
322.
       integrity="sha384-
     ka7Sk0Gln4gmtz2MlQnikT1wXgYs0g+OMhuP+I1RH9sENBO0LRn5q+8nbTov4+1p" \;\; \hookleftarrow \;\;
323.
       crossorigin="anonymous"↔
324. ></script>↔
325. <!-- MDB -->↔
326. <script↔
327.
       src="https://cdnjs.cloudflare.com/ajax/libs/mdb-ui-kit/3.10.1/mdb.min.js"

328. ></script>↔
329. <!-- Working Bootstrap Tabs -->↔
330. <script ↔
331.
       src="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/js/bootstrap.min.js"

332. ></script>↔
333.
         \leftarrow
334.
         </main>↩
335.
       </body>←
336. </html>
```

Used the HTML parser.

Total execution time 66 milliseconds.

About this checker • Report an issue • Version: 22.1.12