


Debug Progress Report



AI_judge



Riku / Codex draft

2026-07-14

Document Control

Version	0.1 draft
Prepared By	Riku / Codex
Reviewers	
Date Prepared	2026-07-14
Reporting Window	2026-07-14
Status	Draft /

Purpose

AI_judge

README

Business Context

AI_judge AI README ResNet18
Loss/Accuracy Streamlit

Debug Summary

Field	Details
Project Name	AI_judge
Debug Key	Path / import / model artifact consistency
Owner Team	
Business Owner	Riku
Product Surface	Python training pipeline + Streamlit app
Primary Objective	

Current Implementation	README Streamlit app ResNet
Target State	
Allocation	
Unit of Randomization	
Audience	/
Exclusions	
Start Date	
End Date	
Planned Runtime	-> 1 epoch ->
Actual Runtime	

Design Notes

5

Web

`archive`

Hypothesis

import

Web

UI

Success Criteria

1. import/path 2. 3. 4. 5. UI

Metric	Target/Rule
Primary Metric	`run.py`

Guardrail 1	`model/My_CNN/dataset.py`
Guardrail 2	`resnet18_real_fake.pth` `loss.csv`
Guardrail 3	
Decision Rule	

Pre-Fix Validation

- README
- `run.py` dataset
- `loss.csv`
- Streamlit
- 1 epoch

Current Progress and Evidence

epoch 18 79.53% epoch 20 79.10% README
Web

Metric	Current	Target / Next Check
Training log	best valid acc 79.53% at epoch 18	
Final epoch	train acc 79.96% / valid acc 79.10%	
Model artifact	root resnet18_real_fake.pth	
Data path	`archive`	`train/valid`
Smoke check		1 epoch Streamlit

Primary Outcome

Measure	Current	Target	Gap	Priority
Primary outcome			import/path	High
95% Confidence Interval	N/A	N/A	N/A	N/A
Two-Sided p-value	N/A	N/A	N/A	N/A
Outcome Narrative				High

ResNet

Streamlit

import

Guardrail Checks

Guardrail Metric	Current	Target	Delta	Status
User changes	`dataset.py` modified			Watch
Model overwrite risk	pth	or		Watch
Data availability	`archive`			Open
App consistency	ResNet18 pth			Open

`model/My\_CNN/dataset.py`

Debug Area Results

baseline

My_CNN

Streamlit

Area	Current Value	Target Value	Gap	Interpretation
README				
baseline	ResNet50	dataset import	`tensor`	
My_CNN	CNN	dataset import	`tensor`	
graph.py	loss.csv		BASE_DIR	
app.py	Streamlit	class		

import/path UI

Data Quality and Limitations

- `archive`
- `loss.csv`
- `model/baseline/ResNet50.py` `model.baseline.tensor` import
 `dataset.py`
- `model/My\_CNN/NN\_part1.py` `model.My\_CNN.tensor` import
- Streamlit `resnet18\_real\_fake.pth` baseline ResNet50

Interpretation

import/path ResNet50/EfficientNet
Data Augmentation

Decision Log

Item	Decision
Final Decision	
Decision Date	2026-07-14
Approvers	Riku

Rollout Type	-> ->
Rollback Trigger	
Follow Up	

Next Debug Actions

- 1. import `tensor` `dataset`
- 2. `archive/rvf10k/train` `archive/rvf10k/valid`
- 3. `output/`
- 4. `graph.py` `loss.csv`
- 5. 1 epoch Streamlit

Appendix A: Debug Metric Definitions

- : import
- : loss.csv class_to_idx
- :
- : Data ugmentation Fine-tuning
- UI :

Appendix B: Analyst Notes

- SHA-256:
d823cd0 115 186b34c01c6e4b4da3be28b64ee73cac849dbd62d6f4bb6385b0fb
-
- diff
-