

Bài 1

Nguyễn Thanh Hải CNTT1
// c1.

```
public class Circle {
```

```
    private double radius;  
    private String color;
```

// c2

```
    public Circle() {
```

```
        this.radius = 1.0;
```

```
        this.color = "red";
```

```
    }
```

```
    public Circle(double radius) {
```

```
        this.radius = radius;
```

```
        this.color = "red";
```

```
    }
```

```
    public Circle(double radius, String color) {
```

```
        this.radius = radius;
```

```
        this.color = color;
```

```
    }
```

// c3


```
public double getRadius () {
    return radius;
}
```

```
public void setRadius (double radius) {
    this.radius = radius;
}
```

```
public String getColor () {
    return color;
}
```

```
public void setColor (String color) {
this.setColor this.color = color;
}
```

//C4

```
public double getArea () {
    return Math.PI * radius * radius;
}
```

//C5

```
public String toString () {
    return "Circle[radius = " + radius + ",
    color = " + color + "];"
}
```

```
}
```



HÒA BÌNH

// c1

```
public class Rectangle  
{
```

```
    private
```

```
    private int length;
```

```
    private int width;
```

// c2

```
    public Rectangle() {
```

```
        this.length = 1;
```

```
        this.width = 1;
```

```
    }
```

```
    public Rectangle(int length, int width) {
```

```
        this.length = length;
```

```
        this.width = width;
```

```
    }
```

// c3

```
    public int getLength() {
```

```
        return length;
```

```
    }
```

```
    public void setLength(int length) {
```

```
        this.length = length;
```

```
    }
```



HÒA BÌNH


```
public int width getWidth() {  
    return width;  
}
```

```
public void setWidth() {  
    this.width = width;  
}
```

```
public int getArea() {  
    return length * width;  
}
```

//c5

```
public String toString() {  
    return "Rectangle[length = " + length + "  
    width = " + width);  
}
```

```
}
```


Nguyễn Thanh Hải

Bài 3

//C1

```
public class Employee {  
    private int id;  
    private String firstName;  
    private String lastName;  
    private int salary;
```

//C2

```
    public Employee(int id, String firstName,  
        String lastName, int salary) {  
        this.id = id;  
        this.firstName = firstName;  
        this.lastName = lastName;  
        this.salary = salary;  
    }
```

//C3

```
    public int getId() {  
        return id;  
    }
```



```
public String getFirstName() {  
    return firstName;
```

```
}
```

```
public String getLastName() {  
    return lastName;
```

```
}
```

```
public int getSalary() {  
    return salary;
```

```
}
```

```
//09
```

```
public void setSalary(int salary) {  
    this.salary = salary;
```

```
public String getFullName() {  
    return lastName + " " + firstName;
```

```
}
```

```
public int getAnnualSalary() {  
    return salary * 12;
```

```
}
```



```
public int upToSalary(int percent)
{
```

```
    salary salary = salary + (salary *  
    percent) / 100;  
    return salary;
```

```
}
```

```
public String toString() {
```

```
    return "Employee [id = " + id + "  
    name = " + lastName + " " + firstName  
    + ", salary = " + salary + "]"
```

```
}
```

```
}
```


Bài 4

// C1

```
public class Account {  
    private String id;  
    private String name;  
    private int balance;
```

// C2

```
    public Account (String id, String name,  
        int balance) {  
        this this.id = id;  
        this.name = name;  
        this.balance = balance;  
    }
```

~~public~~

// C3

```
    public String getID () {  
        return id;  
    }
```

```
    public String getName () {  
        return Name;  
        name;  
    }
```

}


```
Balance  
public int get Balance;  
return balance;  
}
```

//C4

```
public int credit (int amount) {  
    if (amount > 0) {  
        this.balance = this.balance + amount;  
    }  
    return this.balance;  
}
```

//C5

```
public int debit (int amount) {  
    if (amount <= this.balance) {  
        this.balance = this.balance - amount;  
    } else {  
        System.out.println ("Thank you Khong  
        thank cong");  
    }  
    return this.balance;  
}
```


// câu 6

```
public int transferTo (Account account,  
    int amount) {  
    if (amount <= this.balance) {  
        this.balance = this.balance - amount;  
  
        account.credit (amount);  
    } else {  
        System.out.println ("Chuyen tien Khong  
        thanh cong");  
    }  
    return this.balance;  
}  
  
public String toString () {  
    return "Account[id = " + id + ", name = "  
    + name + ", balance = " + balance + "]);"  
}  
}
```

// C5

```
public class Date {  
    private int day;
```



```
private int month;  
private int year;  
public Date (int, int Day, int month, int year,  
{  
    this.day = day;  
    this.month = month;  
    this.year = year;  
}  
  
public int getDay () {  
    return day;  
}  
  
public int getMonth () {  
    return month;  
}  
  
public int getYear () {  
    return year;  
}  
  
public void setDay (int Day) {  
    this.day = day;  
}
```



```

public void SetMonth ( int month ) {
    this.month = month ;
}

public void SetYear ( int year ) {
    this.year = year ;
}

public boolean is Leap year () {
    if ( ( year % 400 == 0 ) || ( year % 4
    == 0 && year % 100 != 0 ) ) {
        return true ;
    }
    return false ;
}

public String to String () {
    return day + "/" + month + "/"
    + year ;
}
}

```