

Lý thuyết

định hình?

các loại từ khóa?

Nguyễn Thanh Hải CNTT-1 1350080066

B1

```
public interface Mail {
```

```
    void method sendMail();
```

```
    void method log();
```

```
class MailImpl implements Mail {
```

```
    @Override
```

```
    public void sendMail() {
```

```
        System.out.println("Đang gửi mail...");
```

```
    }
```

```
    @Override
```

```
    public void log() {
```

```
        System.out.println("Đang ghi log...");
```

```
    }
```

```
}
```

```
public class Main {
```

```
    public static void main(String[] args) {
```

```
        MailImpl mail = new MailImpl();
```

```
        mail.sendMail();
```

```
        mail.log();
```

B2

```
Public Interface Shape {  
    void get Area();  
    void get Perimeter();  
}
```

```
class public class Rectangle(){  
    Private primary int width;  
    Private int height;
```

```
    Rectangle (int width, int height) {  
        this.width = width;  
        this.height = height;  
    }
```

```
    public void set Size (int width, int height)  
        this.width = width;  
        this.height = height;
```

① override

```
    get Area () {  
        return width * height;  
    }
```

① override

```
get Perimeter () {  
    return (width + height) * 2;  
}
```

② override

```
is Square () {  
    return width = height;  
}
```

```
public class Triangle () {  
    private sides int + sides ();  
    private int perimeter ();
```

```
public interface Circle {
```

```
public class Circle interface Shape {  
    private float radius;  
    implements
```

```
public Circle (float radius)  
    this.radius = radius;
```

③ override

```
get Area ()  
get return
```