

Bài 3

```
public class HangSanXuat {
```

```
    private String tenHangSanXuat;  
    private String tenQuocGia;
```

```
    public HangSanXuat (String hangSanXuat,  
                        String tenQuocGia) {  
        this.tenHangSanXuat = tenHangSanXuat;  
        this.tenQuocGia = tenQuocGia;  
    }
```

```
    public String getTenHangSanXuat () {  
        return tenHangSanXuat;  
    }
```

```
    public String getTenQuocGia () {  
        return tenQuocGia;  
    }
```

```
    public abstract class PhuongTienDichuyen {  
        protected String loaiPhuongTien;  
        protected HangSanXuat hangSanXuat;
```



```
public PhươngTien Dichuyen (String loaiPhuongTien,  
    HangSanXuat hangSanXuat) {
```

```
    this.loaiPhuongTien = loaiPhuongTien;  
    this.hangSanXuat = hangSanXuat;
```

```
}
```

```
public String layTenHangSanXuat () {
```

```
    return hangSanXuat.getTenHangSanXuat();
```

```
}
```

```
public void batDau () {
```

```
    System.out.println("phuong tien dang dichuyen");
```

```
}
```

```
public void tangToc () {
```

```
    System.out.println("phuong tien dang tang toc");
```

```
}
```

```
public void dungLai () {
```

```
    System.out.println("phuong tien dang dung lai");
```

```
}
```



HÒA BÌNH


```
public abstract double layVantoi();
```

```
}
```

```
public class MayBay extends PhuongTien dichuyen
```

```
private String loaiNhiemLieu;
```

```
public MayBay (HangSanXuat hangSanXuat,  
                String loaiNhiemLieu) {
```

```
    super ("May bay", hangSanXuat);
```

```
    this.loaiNhiemLieu = loaiNhiemLieu;
```

```
}
```

```
public void Catcanh () {
```

```
    System.out.println ("May bay đang Cat canh");
```

```
}
```

```
public void Hacaanh () {
```

```
    System.out.println ("May bay đang ha canh");
```

```
}
```

ⓐ Override


```
public double layVanTac () {  
    return 800;  
}
```

```
}
```

```
}
```

```
public class XeOto extends PhuongTienDichuyen  
{
```

```
    private String loaiNhienLieu;
```

```
    public XeOto (HangSanXuat hangSanXuat,  
        String phuongTienDichuyen loaiNhienLieu) {
```

```
        super ("XeOto", hangSanXuat);
```

```
        this.loaiNhienLieu = loaiNhienLieu;
```

```
    }
```

```
    @Override
```

```
    public double layVanTac () {
```

```
        return 120;
```

```
    }
```

```
}
```



```
public class Xedap extends PhuongTiengDiChuyen
```

```
public Xedap(HangSanXuat hangSanXuat) {  
    super("Xedap", hangSanXuat);
```

```
}
```

② Override

```
public double layVanDoe() {  
    return 25;
```

```
}
```

```
}
```

```
public class Main {
```

```
    public static void main(String[] args) {
```

```
        HangSanXuat hSX1 = new HangSanXuat("Boeing");
```