

```
import java.util.Date;
```

```
public class Person {  
    private String name;  
    private Date birthday;
```

```
    public void setName (String name) {  
        this.name = name;
```

```
    }
```

```
    public void set Birthday (Date Birthday) {  
        this.birthday = birthday;
```

```
    }
```

```
    public String getDetails() {
```

```
        return "Name: " + name + ", Birthday  
        : " + birthday
```

```
    }
```

```
}
```



```
public class Employee extends Person {  
    private double salary;
```

```
    public void setSalary(double salary) {  
        this.salary = salary;
```

```
    }
```

② Override

```
    public String getDetails () {
```

```
        return super.getDetails ()
```

```
        + ", Salary : " + salary;
```

```
    }
```

```
}
```

```
public class Manager extends Employee {  
    private Employee assistant;
```

```
    public void setAssistant (Employee  
        assistant) {
```



```
this.assistant = assistant;  
}
```

@Override

```
public String getDetails() {  
    return super.getDetails() + "Assistant"  
        + assistant.getDetails();  
}  
}
```

```
public class main {  
    public static void main (String[] args) {
```

```
    person person 1 = 1
```



```
import java.util.Date;
```

```
public class Main {  
    public static void main (String []  
        args) {
```

```
        Person person 1 = new Employee ();  
        person 1. setName ("nguyen van A");  
        person 1. setBirthday (new Date());
```

```
        Person person 2 = new Manager ();  
        person 2. setName ("Tran Van B");  
        person 2. setBirthday (new Date());
```

```
        System.out.println ("--- Upcasting  
        Employee ---");
```

```
        System.out.println (person 1. getDetails)
```



```
public class Bank {
```

```
    public float getRateOfInterest () {  
        return 0;
```

```
    }
```

```
}
```

```
public class SBI extends Bank {
```

```
    public float getRateOfInterest () {  
        return 8.0f;
```

```
    }
```

```
}
```

```
public class an ICICI extends Bank {
```

```
    public float getRateOfInterest () {  
        return 9.0f;
```

```
    }
```

```
        7.0
```

```
}
```

```
public class AXIS extends Bank {
```

```
    public float getRateOfInterest () {  
        return 9.0f;
```

```
    }
```

```
}
```



```
public class Main {  
    public static void main (String[] args)
```

```
Bank b1 = new SBI();  
Bank b2 = new ICICI();  
Bank b3 = new AXIS();
```

```
Bank b1. showInterestRate();  
Bank b2. showInterestRate();  
Bank b3. showInterestRate();
```


Bài 3

```
public class NhanVien {  
    protected String ten;  
    protected long luong;
```

```
    public NhanVien () {  
    }
```

```
    public NhanVien (String Ten) {  
        this.ten = ten;  
    }
```

```
    public String loaiNhanvien () {  
        return "Nhan vien";  
    }
```

```
    public void tinhluong () {  
    }
```

```
    public void XuatThongTin () {  
        System.out.println("ten" + ten);  
        System.out.println("loai" + loaiNhanVien  
            ());
```

```
        System.out.println("luong" + luong);
```

HÒA BÌNH

Public Class NhanVien FullTime extends

NhanVien {

private int loai chuc vu;

private int ngay lam them;

Public NhanVien FullTime (String ten, int
ngay lam them, int ~~chuc vu~~ loai chuc vu) {

Super (ten)

this . Ngay lam them = ngay lam them;

this . loai chuc vu = loai chuc vu;

} {

public String loai nhan vien () {

return "Nhan vien Full Time";

}

public void tinh luong () { }

if (loai chuc vu == 1) {

luong = 2000000;

} else {

luong = 1000000;

}


```
luong = luong + ngay km them * 8 00000;
```

```
}
```

```
}
```

```
public class NhanVienPar+Time extends  
NhanVien {
```

```
private int gio lam viec;
```

```
public NhanVienPar+Time (String Ten, int gio lam viec  
gio lam viec)  
{
```

```
super(Ten);
```

```
this.gio lam viec = gio lam viec;  
}
```

```
public String loaiNhanVien() {  
return "nhan vien Par+Time";  
}
```

```
public void tinhLuong () {  
luong = gio lam viec * 100000;  
}
```

```
}
```



```
public class main {  
    public static void main (String [] args) {
```

```
        Nhan Vien nv1 = new Nhan Vien Full Time ("*  
        Hai", 2, 1);
```

```
        Nhan vien nv 2 = new nhan vien Part Time ("Huy", 40);
```

```
        nv1 tinh luong();  
        nv2 tinh luong();
```

```
        nv1. Xuat thong tin();  
        System.out.println("-----");  
        nv2. Xuat thong tin();  
    }  
}
```


B9

```
import java.util.Scanner;  
private public class Xe {  
    private protected String soXe;  
    private protected String loai;  
    private protected String ngaydk;  
    private protected boolean trathai;
```

```
    public Xe() {  
    }
```

```
    public Xe(Xe x) {  
        this.soXe = x.soXe;  
        this.loai = x.loai;  
        this.ngaydk = x.ngaydk;  
        this.trathai = x.trathai;  
    }
```

```
    public void nhap() {
```

```
        Scanner sc = new Scanner(System.in);  
        System.out.print("nhap so xe : ");  
        soXe = sc.nextLine();  
        System.out.print("nhap loai xe : ");  
        loai = sc.nextLine();
```



```

System.out.print ("Nhập ngay đang kiểm tra: ");
ngaydk = sc.nextLine();
System.out.print ("Trạng thái (true = được lưu, false = không): ");
trithai = sc.nextBoolean();
}

```

```

public void in() {
    System.out.println("Loại xe: " + soxe);
}

```

```

public static void main (String[] args) {
    ("loai xe: " + loai);
    ("ngay đang kiểm tra: " + ngaydk);
    ("trạng thái: " + trithai);
}

```

```

System.out.println("Nhập thông tin xe X1: ");
X1.in();
X1.nhan();

```

```

public class ChuyenXe extends Xe {
    private int mscx;

```

```

    private String ten;

```

```

    private String hoidien;

```

```

    private double doanhthu;

```

```

    public void nhan() {

```

```

        Scanner sc = new Scanner(System.in);

```

```

        Super.nhan();

```

```

        System.out.print ("Mã số chuyển đổi: ");

```

```

        mscx = sc.nextInt();

```

```

        sc.nextLine();
    }
}

```


hanh): ");

```
System.out.print("Ten tai xe : ");
```

```
ten = SC.nextLine();
```

```
System.out.print("Noi dien den: ");
```

```
noiden = SC.nextLine();
```

```
System.out.print("Doanh thu : ");
```

```
doanhthu = SC.nextDouble();
```

```
}
```

```
public void in () {
```

```
    super.in();
```

```
    System.out.println("Ma chuyen xe " + mscx);
```

```
        ("Ten tai xe : " + ten);
```

```
        ("Noi dien: " + noiden);
```

```
        ("Doanh thu: " + doanhthu);
```

```
        ("Loi nhuan (30%): " + doanhthu
```

```
            * 0.3);
```

```
}
```

```
public static void main(String[] args) {
```

```
    Scanner SC = new Scanner(System.in);
```

```
    System.out.print("Nhap so chuyen xe: ");
```

```
    int m = SC.nextInt();
```



HÒA BÌNH


```
ArrayList<ChuyenXe> ds = new ArrayList<
```

```
for (int i = 0; i < m; i++) {
```

```
    System.out.println("\n nhap chuyen xe thu  
                        + (i+1);
```

```
    ChuyenXe cx = new ChuyenXe();
```

```
    cx.nhap
```

```
    ds.add(cx);
```

```
}
```

```
System.out.println("\n Danh sach chuyen  
xe: ");
```

```
for (ChuyenXe cx : ds) {
```

```
    cx.in();
```

```
}
```

```
for (System.out.println("\n Chuyen xe  
bi huy hoc danh thu (< 100000 : ");
```

```
for (ChuyenXe cx : ds) {
```

```
    if (!cx.toThoi || cx.danhThu < 10000
```

```
        System.out.println("Ma chuyen xe: "
```

```
        + cx.mscx);
```

```
}
```

```
}
```

```
}
```