

Chooser Option - Team Update

Dengyu Zhang, Junyu Lu, Riley Heiman

Group 6

Agenda

Chooser Option

The goal of our project is to study the chooser option and its application.

Research Question: How profitable is this option, assuming an unforeseen jump will occur in stock price?

There are three components to our analysis:

- Pricing a chooser option Dengyu Zhang
 - Closed-form solution
 - Monte-Carlo method
- Simulate stock price with jumps Riley Heiman
- Natural Language Processing (NLP) Junyu Lu
 Determine market sentiment using NLP. This will be an intelligent method to calibrate Jump-Diffusion

Chooser Option Pricing

 The paper by Ďurica provides an analytical solution for European-style chooser option.

$$C_{chooser}(S, X, t, T, q, r) = Se^{-qT}N(d_1) - Xe^{-rT}N(d_2)$$

- $Se^{-qT}N(-d_1^*) + Xe^{-rT}N(-d_2^*)$

- Chooser option is similar to a staddle.
 - Call option & Put combined together.
- Additionally, the following variables are defined as:
 - S = Stock Price
 - X = Strike Price
 - q = dividend yield
 - r = risk-free rate
 - T = time to maturity for *option*
 - t = time to choose option type (call or put)




Figure 1: Diagram to compare chooser option with standard option (Whaley, 2006, 276)


Chooser Option Pricing

Price based upon the following inputs:

The plot on the right shows the Monte Carlo method converges to a closed-form solution.

S = \$100, X = \$99
$$\sigma$$
 = 20%, q = 0, **T = t = .25 years**, r = 2%

<u>Method</u>	Option Price	
Monte Carlo	\$ 8.00455	
(1,000,000 simulations)	\$ 6.00433	
Analytical Solution	ф П O4 (4 O	
(Ďurica)	\$ 7.91610	
Black-Scholes	¢ 0 00E26	
(Call + Put)	\$ 8.00536	



NLP

Methods and Data Source

NLP sentiment classification model: RoBERTa^[4]

```
text = "Covid cases are increasing fast!"
ranking = np.argsort(scores)
ranking = ranking[::-1]
for i in range(scores.shape[0]):
    1 = config.id2label[ranking[i]]
    s = scores[ranking[i]]
    print(f"{i+1}) {1} {np.round(float(s), 4)}")
```

- 1) Negative 0.7236
- 2) Neutral 0.2287
- 3) Positive 0.0477

- Natural Language Processing can be used to determine how frequently good news and bad news events occur.
- This will be used to calibrate the Jump-Diffusion model discussed earlier.

Text Data Source: Twitter API


Target Company : Apple


	tweet_id	text	favorite_count	${\tt retweet_count}$	created_at	source	reply_to_status	reply_to_user	retweets	favorites
0	1582074957206806528	Wireless headphones, like Apple's popular AirP	2521	1294	2022-10-17 18:23:57	Twitter Web App	NaN	None	1294	2521
1	1581967615253446656	U.S. technology companies founded by 1st and 2	782	297	2022-10-17 11:17:25	Twitter for iPad	NaN	None	297	782
2	1581810143347417090	Get a copy from Apple Music !\n#CashOut ♥ Å \n#	3306	770	2022-10-17 00:51:41	Twitter for iPhone	NaN	None	770	3306
3	1581832785693532160	Why apple don't got rolling ray GIFs	24354	1286	2022-10-17 02:21:39	Twitter for iPhone	NaN	None	1286	24354
4	1581465816544858113	Lock and unlock your doors using your iPhone o	18169	1964	2022-10-16 02:03:27	Twitter for iPhone	NaN	None	1964	18169
5	1581673328753790977	"At the end of the day what separates Marjorie	997	352	2022-10-16 15:48:02	Twitter Web App	NaN	None	352	997
6	1581707447689183233	Ask yourself this simple question: Is your fam	1602	292	2022-10-16 18:03:36	Twitter for iPhone	NaN	None	292	1602
7	1581961454735216641	[••] Download (G)I-DLE's 5th Mini Album [I love	5264	1362	2022-10-17 10:52:56	Twitter for iPhone	NaN	None	1362	5264
8	1581995344685985792	Today's Democratic Party racializes everything	6411	987	2022-10-17 13:07:36	Twitter Web App	NaN	None	987	6411

NLP

Some analysis on twitter data

	${\sf tweet_id}$	text	favorite_count	retweet_count	Sentiment Score	Influence Index
date						
2022-10-17	1582074957206806528	Wireless headphones, like Apple's popular AirP	2521	1294	-0.624309	1662.1
2022-10-17	1581967615253446656	U.S. technology companies founded by 1st and 2	782	297	0.091430	442.5
2022-10-17	1581810143347417090	Get a copy from Apple Music !\n#CashOut ♥ Å \n#	3306	770	0.690745	1530.8
2022-10-17	1581832785693532160	Why apple don't got rolling ray GIFs	24354	1286	-0.894796	8206.4
2022-10-16	1581465816544858113	Lock and unlock your doors using your iPhone o	18169	1964	0.441314	6825.5





Jump-Diffusion


Step 1: Generate a Poisson Process, N(t)

Step 2: Generate a random sample *Y* ~ *Normal*

Step 3: Calculate
$$J(t) = \sum_{i=1}^{N_t} Y_i$$


N(t)	Y	J(t)
1	0	0
1	0	0
2	.12	.12
2	0	.12
3	01	.11
•	:	•


Mertons model can be used to simulate jumps assuming a set of paraments: λ , σ , μ



Jump-Diffusion

 $\lambda = 0 \Rightarrow$ Standard Geometric Brownian Motion $\lambda > 0 \Rightarrow$ Meton's Jump Diffusion Model





What's the plan for the rest of the semester?

Next Steps

- Pricing a chooser option
 - Simulate a Delta hedge scenario
 - Assess the accuracy of the analytical solution by comparing the price with chooser option data
- Jump-Diffusion
 - Calibrate Jump-Diffusion using empirical stock data.
- Natural Language Processing (NLP).
 - Conduct data cleaning on twitter data
 - Generate analytics using twitter data with RoBERTa predictions.





THANK YOU

Stevens Institute of Technology 1 Castle Point Terrace, Hoboken, NJ 07030

References

- [1] Whaley, Robert E. *Derivatives: markets, valuation, and risk management*. Vol. 345. John Wiley & Sons, 2006.
- [2] Ďurica, Marek and Lucia. Švábová. "Delta and Gamma for Chooser Options." In International Scientific Conference Applications of Mathematics and Statistics in Economics AMSE 2015 Full paper proceedings, pp. 75-84. 2014.
- [3] Cont, Rama and Tankov, Peter. *Financial modelling with jump processes*. Chapman and Hall/CRC, 2004.
- [4] Loureiro, Daniel, et al. "Timelms: Diachronic language models from twitter." arXiv preprint arXiv:2202.03829 (2022).

Appendix - Chooser Option Pricing

Option price, V(t), is calculated using the expected value

risk-neutral pricing formula

$$D(t)V(t) = \tilde{E}[D(T)V(T)]$$

$$V(t) = \tilde{E}[\frac{D(T)}{D(t)}V(T)]$$

Monte Carlo method, can be used to <u>estimate the expected value below</u>.

The academic literature agrees V(T) is the following.


$$V(T) = max[\ V(T)_{call}\ ,\ V(T)_{put}\]$$
 $V(T) = max[\ max(S_T - K, 0)\ ,\ max(K - S_T, 0)\]$

Appendix - Chooser Option Pricing

Collected American option chain data (Yahoo Finance)

- Single snapshot date: 11-7-2022
- Varying Strike Price
 - K = [\$ 110, \$ 115, ..., \$ 180]
- Varying time to maturities
 - T = [4 days, 11 days, ..., 3 years]

Strike Price	Time to Maturity	American Straddle (<i>Actual</i>)	Monte Carlo (<i>Predicted</i>)
138.92	0.015873	68.96	67
138.92	0.015873	63.96	62.61
1	!	!	:



S(0) = \$138.92, sigma = 36%, r= 4.25%, q = .65%

The plot above shows the Monte Carlo method can predict prices of American straddles.

Appendix

Jump-Diffusion

- Equation (10.2) is Merton's Jump diffusion model
- J(t) represents the compound poisson process
- The equation comes from the textbook by Rama Cont & Peter Tankov (Cont and Tankov, 2004, 326)

$$S_t = S_0 \exp[\mu t + \sigma W_t + J(t)] \qquad (10.2)$$

$$J(t) = \sum_{i=1}^{N_t} Y_i$$

Appendix

Analytical Solution - Chooser Option

The equation below comes from the paper titled "Delta and Gamma for chooser option" (Ďurica and Švábová, 2014, 4)

$$C_{chooser}(S,X,t,T,q,r) = Se^{-qT}N(d_1) - Xe^{-rT}N(d_2) - Se^{-qT}N(-d_1^*) + Xe^{-rT}N(-d_2^*)$$

$$d_1 = rac{ln(rac{S}{X}) + (r - q + rac{\sigma^2}{2})T}{\sigma\sqrt{T}} \ d_2 = d_1 - \sigma\sqrt{T}$$

$$d_1^* = rac{ln(rac{S}{X}) + (r-q)T + (rac{\sigma^2}{2})t}{\sigma\sqrt{t}} \ d_2^* = d_1^* - \sigma\sqrt{t}$$