



**nassli**  
LED LIGHTS

## NSL-2.8M POLE

### Application

It can be widely used for decoration, shopping malls, Palaces, Trade shows, Supermarkets, Hotels, Schools, Hospitals, etc...

### Technical Data:

Power Source: 240-200 VAC 60/50HZ

Power Supply: Nassli

LED Type: Osram SMD 2835

IK Code: IK08

Dimmable: no (can be dimmable on request)

Low tolerances for colour temperature: MacAdam3


Humidity Storage: %80-10

Aluminium Thickness: 3mm

## SPECIFICATIONS

| ITEM                  | DESCRIPTION                                                        |
|-----------------------|--------------------------------------------------------------------|
| Input Voltage         | 220-240VAC                                                         |
| Frequency             | 50/60Hz                                                            |
| LED Type              | Osram                                                              |
| Power Supply          | Nassli                                                             |
| CRI                   | 80%                                                                |
| LED Efficiency        | 120-140 Lm/w                                                       |
| Power Factor          | 98%                                                                |
| Materials             | Extruded Aluminum Pole, PC, Die cast Aluminium & Friendly material |
| CCT                   | 3000K, 4000K, 5000K, 6000K                                         |
| Life Time             | >50,000 Hours                                                      |
| Operating Temperature | -20°C to +55°C                                                     |
| Storage Temperature   | -40°C to +65°C                                                     |
| Certification         | CE, SELV, AND ISO                                                  |
| Mounting              | Ground                                                             |
| IP Rating             | IP 65                                                              |

This Pattern is customized



| Order code    | Dimensions(mm) | Power(Watt) | Lumen  |
|---------------|----------------|-------------|--------|
| NSL-2.8M POLE | 2800x200x100mm | 50W         | 3500LM |

