

Welcome!



**Have you ever felt
like your training
wasn't producing results?**



If yes! Meet Apex



Your AI-powered personal trainer



Apex, maximizing your training



- **Aaron Ricca**
 - Electrical and computer engineering
 - Ex professional skier
 - Climber
- **Derya Özsoy**
 - Informatik
 - Kickboxing



What's the problem ?

- training is far from optimized
- hard to find good exercises
- time is always too little



How does **Apex** work?

- the End User enters his **data**
- Apex learns with the collected **User data** and **data** from Internet and tries to find common patterns.
- At the end the User receives a personalized training plan



Data time !

Input attributes:

- Objective
- Available time
- Favorite exercises
- Biological attributes (Height, body fat%, medical condition, etc.)
- Alimentation (Cuisine, Diet type, enhancing substances, etc.)

Output attributes:

- Training periodization
- List of exercises
- Alimentation improvement tips
- Corresponding improvement %
[Continuous]



Data Sources

Research & Literature

- Studies & publications
- Scientific papers

User-Generated

- Surveys & questionnaires
- Smartwatch data

Real-World Data

- Gyms & fitness centers
- Testers & athletes

Continuous Growth

- Data collected from users



Data Preprocessing

- Convert different units & scales to SI units
 - Height (feet → cm), Weight (lb → kg), etc.
- **Standardization** → for classification algorithms (KNN, Random Forest)
- **Normalization** → for regression algorithms



Few data?

→ More data?



Synthetic data!



SMOTE

Synthetic Minority Oversampling Technique

- Used for **imbalanced datasets**
→ e.g., 90% fit people and 10% overweight
- Problem: ML models **bias the majority class**
- SMOTE **creates new synthetic data** of the minority class



How SMOTE Works

Our scenario: 10% overweight, 90% fit

-**User A:** Age 35, Weight 95kg, Beginner level

-**User B:** Age 40, Weight 100kg, Beginner level

SMOTE finds two **similar overweight users** and creates a new realistic profile:

-**Synthetic user C:** Age 37, Weight 97kg, Beginner level ✨

✅ Makes the minority class **denser** 10% → 27%



What methods are there and what are we using for Apex?

Unsupervised Learning

✗ No labeled data

- inherent similarities and differences

Semi-supervised Learning

- between supervised and unsupervised Learning
- has unlabeled labeled data.

Supervised Learning

✓ labeled data needed


- learns from patterns and relationships
- recognize patterns to make predictions



Tools for Supervised Learning


Classification

- predict an outcome or event
- outcome can take two possible values



Regression


- predict continuous values



Unsupervised Learning Methods

Clustering

identifies patterns, segment data, and simplify complex datasets by grouping similar items together.



Association rules

used to discover interesting relationships and dependencies between items in large datasets.


The rules are expressed as "if-then" statements, such as $X \rightarrow Y$



Dimensionality reduction

Reduces high dimensions to fewer features.

Helps avoid the "curse of dimensionality"



Supervised Learning Algorithms

Linear Regression

- Prediction of continuous values
- Uses a linear relationship between input and target variables.
- Corresponds to the “line of best fit.”

Logistic Regression

- The target variable is binary
- Uses the logit function to predict probabilities.
- Ideal for classification problems.



Decision Tree

- Makes decisions using a tree-like structure.
- Each leaf represents a decision or prediction.
- Easy to interpret and visually understandable.

K Nearest Neighbor

- Categorizes data based on proximity to other points.
- The new point is assigned to the class of its nearest neighbors.
- Simple, but computationally intensive for large data sets.



Random Forest

- Combination of many decision trees (ensemble method).
- Provides more accurate and stable results.
- Can be used for classification and regression.

Neural Networks

- Inspired by the human brain.
- Consist of layers of neurons (input, hidden layers, output).
- Learn by adjusting weights based on errors (backpropagation).
- Can recognize complex patterns and nonlinear relationships.

Naive Bayes

- Based on Bayes' theorem (probabilities).

- Assumption: Features are



Data Processing

- **SMOTE** - Balance underrepresented groups
- **Cross-Validation** - Ensure model generalization
- **PCA (Principal component analysis)** - Reduce the data dimensionality



Why is Apex better?

- **Open source** - Transparent algorithms, community improvements
- **Data-driven optimization** - Personalized vs generic programs
- **Lower injury risk** - Training plan based on personal condition
- **First of its kind** - Novel ML-based personal training approach
- **Continuous learning** - Improves with more user data



Possible risks, barriers and obstacles

- Incomplete data can lead to incorrect results.
- Time and resources.
- Data breach.



Ethical Considerations

- **Privacy & GDPR compliance** - Sensitive biometric and health data
- **Labor market impact** - Potential displacement of personal trainers
- **Economic effects** - Reduced gym memberships
- **Algorithmic bias** - Training data skewed toward young, fit persons
 - Risk: Inappropriate recommendations for underrepresented groups
 - Can lead to injuries in elderly, etc.
- **Dual-use concerns** - Technology repurposed beyond original intent
 - Example: Military training



Sources (1/2)

- Mainly class lectures
- Brownlee, Jason. 'SMOTE for Imbalanced Classification with Python'. MachineLearningMastery.Com, 16 January 2020. <https://www.machinelearningmastery.com/smote-oversampling-for-imbalanced-classification/>.
- ChatGPT. 'ChatGPT'. Accessed 26 September 2025. <https://chatgpt.com/?locale=en-US>.
- Dorogush, Anna Veronika, Vasily Ershov, and Andrey Gulin. 'CatBoost: Gradient Boosting with Categorical Features Support'. arXiv:1810.11363. Preprint, arXiv, 24 October 2018. <https://doi.org/10.48550/arXiv.1810.11363>.
- 'Explainable Boosting Machine — InterpretML Documentation'. Accessed 26 September 2025. https://interpret.ml/docs/ebm.html?utm_source=chatgpt.com.
- 'Gradient Boosting Trees vs. Random Forests | Baeldung on Computer Science'. 25 February 2022. <https://www.baeldung.com/cs/gradient-boosting-trees-vs-random-forests>.



Sources (2/2)

- Moronta, Sendoa. 'Generating, Comparing and Evaluating Synthetic Tabular Data with SDV'. Medium, 18 September 2025. <https://medium.com/@sendoamoronta/generating-comparing-and-evaluating-synthetic-tabular-data-with-sdv-1198e97c8603>.
- Ph.D, Davide Gazzè-. 'SDV: Generate Synthetic Data Using GAN and Python'. Medium, 30 March 2023. <https://medium.datadriveninvestor.com/sdv-generate-synthetic-data-using-gan-and-python-4c26a1e4b3c2>.
- Step By Step Data Science. 'LightFM Tutorial for Creating Recommendations in Python'. Accessed 26 September 2025. <https://www.stepbystepdatascience.com/hybrid-recommender-lightfm-python>.
- Wikipedia. 'Cross-validation (statistics)'. 30 September 2025. [https://en.wikipedia.org/w/index.php?title=Cross-validation_\(statistics\)&oldid=1314208627](https://en.wikipedia.org/w/index.php?title=Cross-validation_(statistics)&oldid=1314208627).
- Wikipedia. 'Synthetic minority oversampling technique'. 22 August 2025. https://en.wikipedia.org/w/index.php?title=Synthetic_minority_oversampling_technique&oldid=1307265510.





["https://github.com/Rin-Ha-n/AppliedAI/blob/development/Presentation/Presentation.pdf"](https://github.com/Rin-Ha-n/AppliedAI/blob/development/Presentation/Presentation.pdf)

Apex: Any questions?

We're happy to dive deeper.

