

Item	Model	Ref.Pic	Description	Above 20million UGX	Installer price (USD)	Warranty
1	EOT01S		All in one system(battery&inverter) 12.8V/1.5KW inverter 1.28kWh battery 100A Max. DC Charge Current Max. PV Output Power 1100W With DC and USB fast charging, silent fan MPPT controller+ off-grid inverter + LiFePO4 battery Plug and play	2,068,000	560	Inverter 3 years Battery 5 years
2	EOT02S		All in one system(battery&inverter) 25.6V/3KW Rated Output Power 230V Rated Output Voltage 2.56kWh battery 100A Max. DC Charge Current Max. PV Output Power 1500W With DC and USB fast charging, silent fan MPPT controller+ off-grid inverter + LiFePO4 battery Plug and play	2,980,000	806	inverter 3years battery 5years
3	EOT05S		All in one system(battery&inverter) 51.2V/5KW Rated Output Power 230V Rated Output Voltage 100A Max. DC Charge Current 5.12kWh Battery Max. PV Output Power 5500W MPPT controller+ off-grid inverter + LiFePO4 battery Plug and play	4,180,000	1,131	inverter 3years battery 5years
4	EOV05B		EOT05S Battery Pack: Expand Capacity via Parallel Connection 51.2V 100Ah, 5.12kWh battery Stackable design for quick installation Standard USB interface for connecting the battery to a host computer via USB cable High-current terminals Supports up to 4 battery banks in parallel	2,780,000	752	5years
5	EOS02B-12		Wall Mount LiFePO4 12.8V/200Ah 2.56kWh Cycle life: 6000cycles at 80%DOD Max. charging voltage: 14.4V Standard charge/discharge current: 100A Max. charge/discharge current: 120A Support BMS Communication and parallel Support wifi monitoring Max. Parallel Capacity: 4pcs	1,740,000	471	5 Years
6	EOS02B-24		Wall Mount LiFePO4 25.6V/100Ah 2.56kWh Cycle life: 6000cycles at 80%DOD Max. charging voltage: 28.8V Standard charge/discharge current: 50A Max. charge/discharge current: 100A Support BMS Communication and parallel Support wifi monitoring Max. Parallel Capacity: 4pcs	1,868,000	506	5 Years
7	EOC05B-UL		Rack Mount LiFePO4 51.2V/100Ah 5.12kWh Cycle life: 6000cycles at 80%DOD Max. charging voltage: 57.6V Standard charge/discharge current: 50A Max. charge/discharge current: 100A Support BMS Communication and parallel Support wifi/BT monitoring Max. Parallel Capacity: 16pcs	2,780,000	752	5 Years
8	SE05B		Wall Mount LiFePO4 51.2V/100Ah 5.12kWh Cycle life: 6000cycles at 80%DOD Max. charging voltage: 58.4V Standard charge/discharge current: 50A Max. charge/discharge current: 100A Support BMS Communication and parallel Support wifi/BT monitoring	2,850,000	771	5 Years
9	SE10B		Wall Mount LiFePO4 51.2V 205Ah 10.49kWh Cycle life: 6000cycles at 80%DOD Max. charging voltage: 58.4V Standard charge/discharge current: 100A Max. charge/discharge current: 200A Support BMS Communication and parallel Support wifi/BT monitoring	5,060,000	1,369	5 Years
10	SR-SE15B		Wall Mount LiFePO4 Rated battery voltage: 51.2V Rated battery capacity: 280Ah Battery energy: 14.33kWh Cycle life: 6000cycles at 80%DOD Max. charging voltage: 58.4V Standard charge/discharge current: 140A Max. charge/discharge current: 200A Support wifi/BT monitoring	6,650,000	1,800	5 Years
11	SE16B-Pro		Wall Mount LiFePO4 51.2V/314Ah 16.07kWh Cycle life: 8000cycles at 80%DOD Max. charging voltage: 58.4V Standard charge/discharge current: 150A Max. charge/discharge current: 200A Support BMS Communication, built-in breaker(240A) Support wifi/BT monitoring	7,020,000	1,900	5 Years

Item	Model	Ref.Pic	Description	Above 20million UGX	Installer price (USD)	Warranty
12	HF1215S60-108		1.5kW/12V Single phase Solar inverter Max. Battery Charging Current 60A Max. Open Circuit Voltage: 108Vdc Max. PV array power 1000W MPPT inbuilt, voltage range: 15~90Vdc	666,000	180	2 Years
13	HF2430S60-108		3kW/24V Single phase Solar inverter Max. Battery Charging Current 60A Max. Open Circuit Voltage: 108Vdc Max. PV array power 1600W MPPT inbuilt, voltage range: 30~90Vdc	852,000	231	2 Years
14	HF2430S80-H		3.3kW/24V Single phase Solar inverter Max. Battery Charging Current 80A Max. Open Circuit Voltage: 500Vdc Max. PV array power 4000W MPPT inbuilt, voltage range: 120~500Vdc	956,000	259	2 Years
15	AFP4850S100 -H		5kW/48V Single phase, three phase inverter (Parallel) outputs Max. Battery Charging Current 100A Max. Open Circuit Voltage: 500Vdc Max. PV array power 7500W MPPT inbuilt, voltage range: 60~450Vdc Parallel Capacity : 1-6pcs	1,335,000	361	2 Years
16	HYP4860S100-H		6kW/48V Single phase, three phase inverter (Parallel) outputs Max. Battery Charging Current 100A Max. Open Circuit Voltage: 550Vdc+550Vdc 2 MPPT inbuilt, voltage range: 120~480Vdc Max. PV array power 4500W+4500W Parallel Capacity : 1-6pcs External Module(Standard)-WiFi	1,735,000	470	2 Years
17	ASP48100S200-H		10kW/48V Single phase, three phase inverter (Parallel) outputs Max. Battery Charging Current 200A Max. Open Circuit Voltage: 500Vdc+500Vdc 2 MPPT inbuilt, voltage range: 125~425Vdc Max. PV array power 5,500W+5,500W Parallel Capacity : 1-6pcs	3,335,000	903	2 Years
18	ASP48120S200 -H		12kW/48V Single phase, three phase inverter (Parallel) outputs Max. Battery Charging Current 200A Max. Open Circuit Voltage: 500Vdc+500Vdc 2 MPPT inbuilt, voltage range: 125~425Vdc Max. PV array power 6600W+6600W Parallel Capacity : 1-6pcs	3,556,000	962	2 Years
19	ASP48120H3		12kW/48V Solar inverter charger 230/400Vac three phase Max. Battery Charging Current 260A Num. of MPPT: 2 Max. PV Input Power: 9,000W+9,000W Max. PV Input Voltage: 800Vdc+800Vdc Parallel Capacity : 1-6 MPPT Voltage Range: 200~650Vdc	3,556,000	962	2 Years
20	ASP48200SH3		20KW/48V Three phase Solar inverter 230/400Vac Battery Voltage Range: 40-60V Max. Charging/Discharging Current: 360A Max. PV Input Voltage 1000V 2 MPPT inbuilt, voltage range: 160~800Vdc Max. PV Input Power 15kW+15kW PV Input Current 36A/36A Parallel Capacity: 1-6pcs	6,890,000	1,865	2 Years
21	HESP4860S100-H		Max parallel up to 6units Grid & off-grid hybrid 6KW 48V /100A MPPT charge inverter Maximum PV open circuit voltage 500Vdc Waterproof 5years warranty	2,560,000	693	5 Years
22	HESP48120H3		12kW/48V Solar inverter charger 230/400Vac three phase 260A DC charging current Solar input volatge 800Vdc+800Vdc (two string MPPT) Max. PV array power 9,000W+9,000W Supports AC coupling Parallel Capacity : 1-6 Waterproof degree IP65 MPPT Voltage Range: 200~650Vdc	5,540,000	1,499	5 Years
23	HESP48120S200		12kW/48V Solar inverter charger 230Vac Single Phase / three phase (Parallel) 200A DC charging current Solar input volatge 500V+500v (two string MPPT) Max. PV array power 6,600W+6,600W Supports AC coupling Parallel Capacity : 1-6 Waterproof degree IP65	5,540,000	1,499	5 Years
24	108306		Solarman wifi kit	125,000	34	1 Year
25	太阳能板 GS600N-144M		Power:600W Cell range: 6*24(182*91mm) Size: 2278mm*1134*30mm Packing: 36pcs/pallet Pallet size: 2300*1130*1300mm Material: 2.0mm anti-reflection coating for front glass+2.0mm heat strengthened for back glass+High efficiency solar cells+EVA+Aluminium frame Junction box+MC4 cable Weight: 31.5kg	338,000	91	1 Year

Item	Model	Ref.Pic	Description	Above 20million UGX	Installer price (USD)	Warranty
26	IESP600SH3		C&I Solution High Voltage 60kW Three Phase Inverter Battery Input: 2 Battery voltage range: 150-820vdc Max battery charging/discharging current: 160A(80A+80A) MPPT: 4 independent trackers Max PV Input Current: 40A*4 Max Short-circuit Current: 60A*4 MPPT operating voltage: 150-850vdc Peak Power(off-grid): 1.5 times of rated power, 10S Parallel Capacity: 1-9pcs	17,800,000	4,817	5 Years
27	SR-Ket60B		Nominal Capacity: 63kWh Nominal Voltage: 307.2V Maximum Charge/Discharge Current: 150A/200A Pack: 51.2V 205Ah 10.49kWh, 6pcs High Voltage Box: PDU200B, Current 200A Standard Bracket and Cables	38,800,000	10,501	5 Years
28	SR-Ket120B		Nominal Capacity: 120kWh Nominal Voltage: 614.4V Maximum Charge/Discharge Current: 150A/200A Pack: 51.2V 205Ah 10.49kWh, 12pcs High Voltage Box: PDU200B, Current 200A Standard Bracket and Cables	73,300,000	19,838	5 Years
29	SR-Ket96C		Nominal Capacity: 96.5kWh Nominal Voltage: 307.2V Maximum Charge/Discharge Current: 200A/200A Pack: 51.2V 314Ah 16.08kWh, 6pcs High Voltage Box: PDU200C, Current 250A Standard Bracket and Cables	51,200,000	13,857	5 Years
30	SR-Ket209C		Nominal Capacity: 209kWh Nominal Voltage: 665.6V Maximum Charge/Discharge Current: 200A/200A Pack: 51.2V 314Ah 16.08kWh, 13pcs High Voltage Box: PDU200C, Current 250A Standard Bracket and Cables	105,200,000	28,471	5 Years
31	Shiner2420		12V/24V MPPT Solar Controller 20A MaxPV voltage : 60vdc Heat sink cooling	123,000	33	3 Years
32	Shiner2430		12V/24V MPPT Solar Controller 30A MaxPV voltage : 100vdc Heat sink cooling	178,000	48	3 Years
33	Shiner2460		12V/24V MPPT Solar Controller 60A MaxPV voltage : 100V Heat sink cooling	338,000	91	3 Years
34	MF4860N15		12V/24V/36V/48V MPPT Solar Controller 60A Maximum input voltage : 145Vdc Fan cooling	450,000	122	3 Years
35	MC48100N25		12V/24V/36V/48V MPPT Solar Controller 100A MaxPV voltage : 250V Heat sink cooling	969,000	262	3 Years
36	DM200-W(G4)-B0		12V/24V MPPT Solar Street Light Controller 20A Max Solar input power: 260W/12V, 520W/24V	128,000	35	3 Year
37	BS200		Light control+remote control+radar sensing Material: ABS+optical reflector solar panel: 3.2V 20W monocrystalline silicon solar panel Size: 905 * 398mm Lamp body size: 910*400*91MM Battery: 60AH lithium iron phosphate battery Lamp beads: 220 beads	356,000	96	2 Years
38	BS300		Light control+remote control+radar sensing Material: ABS+optical reflector solar panel: 3.2V 30W monocrystalline silicon solar panel Size: 1165 * 398mm Lamp body size: 1170*400*91MM Battery: 75AH lithium iron phosphate battery Lamp beads: 300 beads	450,000	122	2 Years
39	BS800		Light control+remote control+radar sensing Material: ABS+optical reflector solar panel: 6V 26W monocrystalline silicon solar panel Size: 510 * 335mm Lamp body size: 615 * 350 * 72mm Battery: 20AH lithium iron phosphate battery Lamp beads: 220 beads	200,000	54	2 Years