AI-BASED DIABETES PREDICTION SYSTEM

TEAM MEMBER

720421104040 : RINSATH H

CMS COLLEGE OF ENGINEERING AND TECHNOLOGY

Phase-4 document submission

Project Title : AI-based diabetes prediction system

Phase 4 : Development part 2

Topic : Continue building AI-based diabetes prediction system model by selection, model training and evaluation.

INTRODUCTION :

- ❖ **AI in Diabetes helps to predict or Detect Diabetes. Any neglect in health can have a high cost for the patients and the medical practitioner. It becomes challenging for the patient to trust that this decision is taken by the machine that does not explain how it reaches a particular conclusion.**
- ❖ **Model training is the process of feeding the selected feature to a machine learning algorithm and allowing it to learn the relationship between the features and the target variables. Once the model is trained, it can be used to predict diabetes.**
- ❖ **Model evaluation is the process of accessing the performance of a trained machine learning model on a held-out test set. This is**

important to ensures that the model is generalizing well and that is not over-fitting the training data.

❖ **K-Nearest Neighbours (KNN)** is a popular machine learning algorithm used for classification and regression tasks. It is a **lazy learning,** non-parametric algorithm that uses data with several classes to predict the classification of the new sample point. KNN is non-parametric since it doesn't make any assumptions on the data being studied.

❖ During the training phase, the KNN algorithm stores the entire training dataset as a reference. When implementing an algorithm, you will always need a data set. So, you start by loading the training and the test data. Then, you choose the nearest data points (the value of K). K can be any integer.

The working of KNN Algorithm in Machine Learning can be summarized in three steps:

1. Load the data
2. Choose the nearest data points (the value of K)
3. Do the following, for each test data –
   o Calculate the distance between test data and each row of training data
   o Sort the calculated distances in ascending order based on distance values
   o Get top K rows from sorted array
   o Get the most frequent class of these rows
   o Return this class as output.

Given data set :

https://www.kaggle.com/datasets/mathchi/diabetes-data-set

Pregnan cies	Gluco se	BloodPres sure	SkinThick ness	Insul in	BMI	DiabetesPedigreeF unction	Age	Outco me
6	148	72	35	0	33.6	0.627	50	1
1	85	66	29	0	26.6	0.351	31	0
8	183	64	0	0	23.3	0.672	32	1
1	89	66	23	94	28.1	0.167	21	0
0	137	40	35	168	43.1	2.288	33	1

PROGRAM:

```python
import pandas as pd

import numpy as np

from sklearn.model_selection import train_test_split

from sklearn.preprocessing import StandardScaler

from sklearn.neighbors import KNeighborsClassifier

from sklearn.metrics import confusion_matrix

from sklearn.metrics import f1_score

from sklearn.metrics import accuracy_score

dataset=pd.read_csv("/kaggle/input/diabetes-data-set/diabetes.csv")

print(len(dataset))

print(dataset.head())
```

OUTPUT:

	Pregnancies	Glucose	BloodPressure	SkinThickness	Insulin	BMI \
0	6	148	72	35	0	33.6
1	1	85	66	29	0	26.6
2	8	183	64	0	0	23.3
3	1	89	66	23	94	28.1
4	0	137	40	35	168	43.1

	DiabetesPedigreeFunction	Age	Outcome
0	0.627	50	1
1	0.351	31	0
2	0.672	32	1
3	0.167	21	0
4	2.288	33	1

```python
nonzero=['Glucose','BloodPressure','SkinThickness','Insulin','BMI']

for col in nonzero:

    dataset[col]=dataset[col].replace(0,np.NaN)

    mean=int(dataset[col].mean(skipna=True))

    dataset[col]=dataset[col].replace(np.NaN,mean)

print(dataset['Glucose'])
```

OUTPUT:

```
0       148.0
1        85.0
2       183.0
3        89.0
4       137.0
        ...
763     101.0
764     122.0
765     121.0
766     126.0
767      93.0
Name: Glucose, Length: 768, dtype: float64
```

```python
x=dataset.iloc[:,0:8]

y=dataset.iloc[:,8]

x_train,x_test,y_train,y_test=train_test_split(x,y,random_state=1,test_size=0.3)

sc=StandardScaler()

x_train=sc.fit_transform(x_train)

x_test=sc.transform(x_test)

classifier=KNeighborsClassifier(n_neighbors=15,p=2,metric='euclidean')

model=classifier.fit(x_train,y_train)
```

```
yp=classifier.predict(x_test)

yp
```

OUTPUT:

```
array([1, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 1, 1, 0, 1, 0, 0, 0, 0, 1, 0,
    1, 0, 0, 0, 0, 1, 0, 0, 0, 0, 0, 1, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0,
    0, 0, 1, 1, 0, 0, 0, 0, 0, 0, 1, 0, 0, 0, 0, 1, 1, 0, 1, 0, 0, 0,
    0, 1, 1, 1, 1, 1, 1, 0, 1, 0, 1, 0, 0, 1, 0, 0, 1, 0, 0, 1, 0, 0,
    0, 0, 0, 0, 0, 0, 1, 0, 0, 0, 0, 0, 0, 0, 1, 0, 0, 0, 1, 0, 0, 0,
    1, 0, 0, 0, 1, 0, 0, 1, 0, 1, 0, 1, 1, 0, 0, 0, 1, 0, 0, 0, 1, 0,
    0, 0, 0, 0, 0, 1, 0, 0, 1, 0, 0, 1, 1, 0, 0, 0, 0, 0, 1, 1, 0,
    1, 1, 0, 0, 0, 0, 1, 1, 0, 0, 0, 0, 0, 1, 1, 1, 1, 1, 0, 0, 1, 0,
    1, 0, 0, 0, 0, 1, 0, 1, 0, 0, 0, 0, 0, 0, 0, 0, 0, 1, 0, 0, 0,
    0, 1, 1, 0, 0, 0, 1, 1, 0, 0, 0, 1, 0, 0, 1, 0, 0, 0, 0, 0, 0, 0,
    0, 0, 0, 1, 0, 0, 0, 0, 0, 1, 0])
```

```
CM=confusion_matrix(y_test,yp)

print(CM)
```

OUTPUT:

```
[[133  13]
 [ 34  51]]
```

```
print("F-Score: ",(f1_score(y_test,yp)))
```

OUTPUT:

```
F-Score:  0.6845637583892616
```

CONCLUSION:

❖ **The AI prediction system using the KNN algorithm has shown promise in making accurate predictions. While it has its strengths, we acknowledge its limitations and recommend further research and improvements to maximize its potential. The system has the potential to contribute to data-driven decision-making and add value in real-world applications.**

❖ **In the quest to build an accurate and reliable AI-based diabetes prediction system, we have embarked on a journey that encompasses critical phases from model selection to model training and evaluation. Each of these stages play an indispensible role in crafting a model that can provide meaningful insights.**

❖ **Model training's where models predictive power is forged.**

❖ **Finally, model evaluation is the litmus test for our predictive powers. This phase provide us with confidence to trust the models prediction and access its ability to adapt to unseen data.**