

PORTFOLIO

Xinran Zhang

Selected work 2020–2022

CV

XINRAN ZHANG

Xinranzhang0520@gmail.com
+8613110515228

EDUCATION

09/2017–06/2022
FUZHOU UNIVERSITY
–Fuzhou, China

Landscape Architecture
Bachelor of Engnerineering

PROFESSIONAL HONORS

Third Class Award
the National Urban Planning Competition of Rural Planning for students (18/784)

Third Class Award
the National Soundscape Design Competition (25/100)

Excellent Graduate Design
the Architecture and Urban Planning College of Fuzhou University (2/32).

Nomination Award
WUPEN CITY 2020 International Competetion on Urban Sustainability Report.

SKILLS

Language
Chinese Mandarin (native)
English (TOEFL 101)
Japanese (conversational)
Latin (beginner)

Design
AutoCAD, SKetch Up, Rhino, Grasshopper, Lumion, Enscape, Photo Shop, Adobe Illustrator

Computer
ArcGIS, ENVI, Global Mapper, Adobe Premium, SPSS, CADNA/A, Anylogic, Vissim

PROFESSIONAL EXPERIENCE

06/2022– Present
Research Assistant
Guiyang & Fuzhou, China

Field study and collect basic data for the soundscape of urban parks and forests.
Classification analysis of the original data by relative analytical tools.
Draw data charts and draft papers.

CONFERENCE PRESENTATION

10/2022
the Review Meeting of Soundscape Design of the 2nd Soundscape Academic Forum
Panel Speaker, Project Manager
Wuhan China, China

Developed the workflow of practical use of soundscape in diverse stages in the process of spatial design.
Discuss the role of soundscape in the sustainable development of regional culture and strategies.
Led the project as team leader and won a Third Class Award at the National Soundscape Design Competition. (25/100)

RESEARCH EXPERIENCE

03/2022 – 06/2022
Potential of Soundscape in Sustainable Development of Regional Dialect in Human Settlement
Team Leader, Sponsor by Prof. Dr. Jiang Liu & Dr. Yuhan Shao (Faculty of Tongji University)
Wuhan, China

Performed analysis and stimulation of the various states of the acoustic environment with RS, GIS, Cadna/A, and Grasshopper.
Designing an urban park illustrates the practical soundscape design strategy for the regional dialect.
Led the project as team leader and won excellent graduate design. (3/32)

03/2020 – 06/2020
Report of the Spatial Feature with High Frequency of Juvenile Delinquency
Research Assistant
Nanping, China

Performed analysis and stimulation of the various states of the acoustic environment with RS, GIS, Cadna/A, and Grasshopper.
Designing an urban park illustrates the practical soundscape design strategy for the regional dialect.
Led the project as team leader and won excellent graduate design. (3/32)

VOLUNTEER AND COMMUNITY SERVICE


08/2019
the National Cultivation Plan of Nayong relocation school teachers
Assistant Secretary
Bijie, China

10/2018
Arrange and organize the school technology festival
Volunteer
Fuzhou, China

2017–2019
Provide services for the cognitive impairment welfare home
Volunteer
Fuzhou, China

CONTENT

MY RESEARCH CUBE



01

SOUNDSCAPE URBANIZATION

2020.08–2020.10
Chengdu, China
3639.81 KM²

Graduate design(part 1)
Individual Work
Instructor: Prof. T. Luo, Prof. J. Liu, Dr. X. Zhang, Dr. X. Hong, L. Xue

Excellent Graduate Design by the Architecture and Urban Planning College of Fuzhou University 2022

As the only auditory sense that can not be actively closed, hearing plays an important role in human perception of the outside world. The efficiency of a city is improving with urbanization, while the quality of its acoustic environment is gradually decreasing.

In order to improve the urban sound environment, the project starts from the four-part framework of urban design. Including premise setting, pattern recognition, pattern operation and integrating with reality. Based on the nature of the city itself, this paper discusses the possible problems of urban acoustic environment caused by various urban systems. On this basis, the characteristics of urban acoustic environment are further screened according to the measured data. Finally, from different spatial levels to improve the city's acoustic environment solutions, optimize the city's acoustic sensory experience.

WORKFLOW: A STUDY OF URBAN SOUNDSCAPE FROM THE VIEW OF URBAN DESIGN



INSTRUCTOR

Welcome. You must enhance the city's acoustics because there is noise pollution harming health of your city. This is how you work.

Premise setting

Value: Perception based soundscape




Volume — Acoustic Elements
Pitch — Acoustic Environment
Timbre — Soundscape



Murray Schafer


Soundscape:

Acoustic environment as perceived or experienced or understood by a person or people, in context.




Pattern recognition

Value orientation: Factors of the urban system



Pattern operation

Reorganization and innovation




Physical feature
Conceptional feature
Acoustic element

Physical feature
Conceptional feature
Acoustic element

Core Problem

Soundscape Methodology



Integrating with the reality

Practice method

Core Problem

Micro
Node

Meso
Path

Macro
District



Solution




PATTERN RECOGNITION

Data Collection














Urban Function | Urban Structure | Urban Form


Filtering data

Arcgis

INSTRUCTOR

The core is seriously polluted.







Perceptual subject









PATTERN OPERATION
Feature and elements of the measued points

Measure point 1: Downtown




Perceptual ranking
Speaker
Car passing
Talking

Measured point 2: Downtown Residential Area



Perceptual ranking
Car passing
Car whistle
Talking

Measure point 3: Urban Park



Perceptual ranking
Birdsong
Wind
Talking

Measured point 4: Suburban Residential Area




Perceptual ranking
Car passing
Talking
Wind

A grid of 5km is used to slice Chengdu and extract a 500m square from the intersection.



Urban information recognition



if
Component of two area were similar

true

Their noise potential and perceptual ranking would be recognized as similar.

Soundscape feature of Chengdu



Top sound elements
Car passing, talking

INTERGRATING WITH REALITY
District level: Central urban area of Chengdu

Strategy 1: Urban multinucleation





Mononuclear cities tend to create indecipherable noise and further degrade people's sense of hearing. Multinuclearation would improve urban health in many aspects, including the acoustic environment.

Strategy 2: Increase urban greening




Chengdu's per capita green area is 13.21 square meters, lower than the national rate of 14.8 square meters. As green plants play a positive role in reducing physical noise and improving people's environmental sense, Chengdu should further increase the green area.


Green space

Diversity of the soundscape of central urban area of Chengdu



Path level: The 2nd ring road









Node level: The Jiazhou Garden Community









Remold profile and traffic organization






Remold intersections



Node strategy



	Outter streets along the highway	Inner green space of communities	Inner path of communities
Constantly Strategy	Plant high trees with dense canopy Install noise barriers	Mat by noise-absorb materials Plant bird-attracting plants Change the planting shape	Mat by noise-absorb materials Plant aromatical plants
Instantly Strategy	Provide alternative roads in rush hours	Play white noisein day-time	Encourage non-motorized traffic

02

URBAN PARK SOUNDSCAPE

2022.03–2022.06
Chengdu, China
33.2 Acre
Graduate Thesis Design (Part 2), Individual Work

Instructor: Prof. T. Luo, Prof. J. Liu, Dr. X. Zhang, Dr. X. Hong, L. Xue

Third-class Award in the National Soundscape Design Competition 2022
Excellent Graduate by the Architecture and Urban Planning College of FZU 2022

The site is located in the Shudaotongqu Park in the northern section of the Ring Ecological Zone in Chengdu. It is the core cultural park of the sub-center of the northern New City, with an area of 33.5 hectares.


With heavy pollution from traffic noise, the plan is based on the current situation of regional infrastructure services and the needs of the population to find functional positioning. The spatial structure is formed based on the analysis of noise interference superposition and the current situation of the site. It tries to promote the harmonious development of each system while optimizing the soundscape of the park, and then enrichis the level of theme display and recreation experience through the soundscape interactive device.

In order to improve the sound sensory experience, improve the ecological service quality of the park, enrich the cultural connotation of the site, and make the site become the green infrastructure supporting the sustainable development of the region.




SITE PROBLEM: TRAFFIC NOISE POLLUTION

Current Situation




POTENTIAL SUFFERS OF THE NOISE



SOUNDSCAPE PRETREATMENTS

Phase 1: Physical Denoise Pretreatment → Phase 2: Computer Simulation by CADNA/A and ArcGIS → Phase 3: Evaluation of the Functions




The area of the site more than 65 dB was decreased to around 20% of the original size after four significant pretreatment steps.

The noise interference map is based on the conjoint analysis of regional geo features.



Phase 4: Site Function Orientation




GUIDE PRINCIPLE




Function

Locate the functional nodes by the requirements for acoustic environment of each activity.



Structure

Divide and form the area and range of functional zones by the existing texture and softscape.



Spatial Form


Form the park network by linear paths according to the spread control of passtive and negative sounds.

SPATIAL FORMATION LOGIC




1. Existing Texture

Due to urban construction reasons, the current status of the site is an open space.




2.Softscape

The location has very little vegetation, and its ecological quality is subpar.




3. Spatial Division

The following spaces are defined by the current road and vegetation,including primary and secondary levels.




4. Interference Index

Interference Index Maps depicting the level of noise interference are produced via multifactor superposition.



5. Core Function

According to the Interference Index required by various functional nodes, node locations are chosen.



6. Key Streamline

Create fundamental streamlines that link important functional nodes.



7. Functional Zone

The functional area is split based on the location of functional nodes and the site space.



8. Structure


The site´s basic structure is determined by the functional and streamline zoning.



9. Spatial Formation

The site formation is created based on the site structure and the selective transmission of sound.


MASTER PLAN



Due to the variety of requirements for acoustic perception of each funcional node, the functional zone is carried out according to the interference index map. Followed up with combination of the existing texture to divide the functional zone to establish a structural framework for the park. The formation of the park system is based on the spread control of passtive and negative acoustic elements.

1 Welcoming plaza
2 Cultural fair
3 Rain Garden
4 Exhibition plaza
5 Rain Garden
6 Chatting square
7 Open-air theatre
8 Rest platform
9 Cleaner´s Lounge
10 Garbage station
11 Rest platform
12 North parking lot
13 Dancing pool
14 Dancing path
15 North entrance
16 Service station
17 Overpass
18 South Entrance
19 Staff
20 South parking lot
21 Urban farmland
22 Sunny lawn
23 Urban greenhouse
24 Urban farm
25 Sports center
26 East entrance
27 Flower border
28 Sound plaza
29 Kids´ center
30 Senior plaza
31 Meditation garden
32 Pocket park

TRAFFIC SYSTEM




Urban road
Grade 1 park road
Grade 2 park road
Grade 3 park road
Traffic node
Parking lot

SUSTAINABLE ECOLOGICAL




Hard paving
Lawn
Fruit forest patch
Open forest patch
Dense forest patch
Bush patch
Ornamental plant patch
Ornamental grass patch
Shelterbelt patch

Birdview



DETAILED DESIGN: THE WELCOMING PLAZA NODE

Node Plan




Texture & Pattern

Landscape wall texture




As the main entrance square of the park, the site mainly uses masonry and wood as the main materials of paving, to greeting the visitors with a warm, friendly embrace.

Mat texture




Details of construction


Detail of the tree pool stool




Detail of the step stool



Soundscape interactive installation




A–A Section




VISUAL & ACOUSTIC PERCEPTION OF THE SPACE

Visual experience




Visual experience




Acoustic experience

General soundscape



Natural soundscape



03

MILESTONE OF THE MILLSTONE

2020.08–2020.11
(Individually refined in 2022.10)
Lanzhou, China
316 KM²

Academic project,
Design Competetion

Collaborator: Huayin Mao and Junyi Lin
Instructorr: Dr. Tingting Hong

Entry for the China, Japan and South Korea College Students Landscape Design Competition

Leitan River, also known as the Ditch of Watermills, was once the most prosperous river in Lanzhou. There are hundreds of water mills along the Leitan River, and generations of Lanzhou people have grown up in the sound of water mills. In recent decades, Leitan River has gradually disappeared as water mills have been replaced by electric ones.

The prototype solution came from the water mill. By deconstructing the water mill, its form, dynamics and material are extracted as the basic elements of the design. From south to north, the river is divided into four types of revetment, each of which is restored in four cycles. They include current situation, ecological restoration, economic restoration and cultural restoration.

It is expected that after restoration, Leitan River will become a clean and beautiful river. Let it return to the life of Lanzhou people.




INTRODUCTION : LANZHOU AND THE LEITAN

The yellow river is recognized as one of the most important rivers in the Pacific drainage system. It orginates from the Qinghai Province of China and runs into the Yellow Sea in the Shandong Provinced, known as the mother river of East Asian culture as well.

Lanzhou is the only metropolitan which the Yellow River passed from directly. There are a varirty of branch rivers in the Lanzhou Sectionof the Yellow River. The Leitan River is known as the longest one which orginates from the Yuzhong, and flows from the south to the north and meets the Yellow River in Chengguan, Lanzhou.



SITE ANALYSIS : THE LEITAN BASIN



COMPREHENSIVE CHALLENGES OF THE LEITAN BASIN

Problem 1
River drought in dry season and harm the river ecosystem.

Problem 2
Disable of the construction of large-scale projects deal with ecologic problems.

Problem 3
The economic benefits of the river are insufficient.


Problem 4
Lack of public space for public activities




GENERAL BACKGROUND OF THE LEITAN RIVER




WATERMILL: CULTURAL SYMBOL TO REGIONAL DYNAMIC



METHODOLOGY: WATERMILL DRIVING REVIVO OF THE LEITAN



DEVELOP PHASING OF THE LEITAN BASIN



Current Situation — 1 Present

Milestone 1 Ecologic Revivo — 3 5 years later


Milestone 2 Economic Revivo — 5 5–8 years later

Milestone 3 Cultural Revivo — 6 5–10 years later


The water mill will be crucial to Leitan River´s resurgence, just as it formerly contributed to its prosperity. The ecological restoration of the river should be finished within five years, starting from the current state, and its economic value should start to be recognized on the basis of a robust ecosystem. Since that time, cultural symbols have slowly made their way back into how people experience the river.

The solution technique is prototyped in each of the three steps by taking the pertinent components out of the water mill.reviving its significance in Lanzhou´s urban life.

MASTER PLAN



LAYERS OF ECOLOGY



RECREATION AND ECONOMY SYSTEM PLANNING



Functional Zone

The Leitan River basin includes four functional zone in total from north to west.

Urban Landscape Zone mainly supplys the public space for habitants as urban parks.

The Suburb Ecologic Zone is supposed to be a transitory zone between urban and rural area, qualify and purify the water from the river.

The Agriculture Zone is made up by rural residential area and rural



Recreation System

The Recreation System is supposed to promote both the economic value and cultural value of the Leitan Basin.

The Recommended Routine is a combination of existing traffic network and planning slow traffic system, the whole routine could be visitied in one-day bike tour.

Nodes along the routine are made up by rban parks, suburban resorts , sienic spots and scienic area. Each node contains cultural or natural attractions.




Cultural System

The Cultural System of the Leitan River basin could be recognized as the theme Millstone 3: Cultural Revivo, mainly about the coming back of its cultural heritage symbol: Watermill.

Since the river was once called the Ditch of Watermill, watermills and waterwheels are setted along the river to create the scenery of the prosperity of watermill as the most presentative symbol of the river.


Besides, historic buildings and intangible cultural heritages also play important part of the system.

SECTION DESIGN




VEGETATION

Ornamental Plants




Wetland Dominant Plants




Wetland Anti-polution Plants



Wetland Ornamental Plants



Plane Economic Plants




Alpine Economic Plants




Pioneer Plants



Alpine Anti-soil-loss Plants



Alpine Plants



04

CLICK FOR PLAY

2020.05–2022.08
Mumbai, India
Area: 14600 m2

Academic project
Design Comptetion

Collaborateor: Huayin Mao, Junyi Lin, Yuhao Huang, and Yuheng Chen
Instructor: Dr. Tingting Hong

Entry for the Asian Design Award 2020

Dhobit Ghat of Mumbai, India, is the world´s largest open–air laundry factory and one of the most widely known tourist destinations. It attracts tens of thousands of visitors each year from tourism and we–media, but the growth of these industries has not benefited the Dhobi who live there.

Although the Dhobis are not as poor as the outside world thinks, they still cannot escape the fate of becoming Dhobi for a variety of reasons. Dhobi Ghat´s space was adapted for the development of the next generation and for a better life for the community.

By reviewing the spatial expansion of Dhobi Ghat, the scheme calcu–lates the space required by the existing functions. On the basis of meeting the basic functional space use, a modular way is adopted to add more rich functions. Different combinations of modules are used to create interesting and useful Spaces.



INTRODUCTION: DHOBI GHAT, AN ART FAIRY OR AN PAUSED CAGE ?



SITE ANALYSIS: THE PAUSED DHOBIGHAT


Family curse of the Dhobis: failed to see another future




As most of the Dhobis born in Dhobi Ghat, live in Dhobi Ghat and die in Dhobi Ghat, seeking another life may become almost impossible for them.All that awaits a yound kid is to grow up and become a Dhobi.




Factors





SPATIAL ANALYSIS: THE EXPANSING LANDUSE OF RESIDENTIAL SPACE

Due to the shortage of land, dhobi ghat has no space for other functions except laundry and living. In order to make education possible for the next generation, it is necessary to reorganize the site space. By understanding the site's functional history, we can create an appropriate educational space for the next generation while maintaining the sustainability of other



STRATEGY: MAKE THE ROOM FOR A CLASS ROOM

Planning strategy

1. Reform the residential space

Due to the increasing population of the site, the living area is also constantly expanding.

4,200 couples | 9m² | 37800m² in total

Building density: 40% (30% for residential)

Residential average floor

8.5 floors

Residential Building area

4380 m²

2. Organize the laundry space

Retail laundry makes the business inefficient. Therefore, while retaining part of the ground laundry pool, the laundry tower is built to make the laundry industry more standardized and efficient.

3. Reserve room for other spaces

Laundry + Residential → Various of function & Education

Residential space
Laundry space
Reserved space

Design strategy

1. Functional expansion

Existing

Laundry | Residential

Planning

Residential | Education | Openspace | Traffic | Laundry | Inclusive

2. Modularization

9×9m — Industrial Space, Public Event Space, Education

6×6m — Grocery

3×3m — Living Space, Node Facility

3. Function reformation


Chaotic

Well-organized

4. Vertical growth

Through the combination of modules with different modulus and upward free growth, alleviate space pressure.







5. Return of green space

STEP 1: Join the arch structure, lift the modules;

STEP 2: The height of the arch voucher is staggered to ensure the lighting of the bottom layer.



MASTER PLAN: PRESS THE PLAY BUTTOM FOR THE DHOBI GHAT



MODULIZATION: A BRIGHTER TOMORROW WITH INFINITY POSSIBILITIES


PHASE 1: FUNCTION EXTENSION

Module Category
- Laundry
- Education
- Traffic
- Residential
- Inclusive
- Openspace



PHASE 2: LONGITUDINAL REINFORCEMENT

Framwork



Style prototype

Arch

Pointed arch

From




Mausoleum of Humayun



Hindu temple on top of Mandalay hill

Extract pointed arches as the style of the door along the street of the functional modules. Extract round arches as the style of the window and hole of the functional modules.





PHASE 3: PLANAR COMBINATION



Current Collective Communal Spaces



Communal Leisure

Various functional spaces are scattered in the site, as the disorder exccer-bates the congestion.



Residential Group 1



Residential Group 2



Residential Group 3



Residential Group 4



Residential Group 2




Life Service Group



Primary Education Group



Vocational Education Group



Group Formation



Group Organization

Combine various spaces by function and connect them.



Different ways of combining modules



Multifunctional module combination

PHASE 4: VERTICAL COMBINATION



Step 1
Combine the modules according to the functional requirement and form a basic floor unit.




Step 2
Lift the basic floor unit by arches to expand the green spaces.



Step 3
Repeatedly superimpose the basic floor unit and connected them by vertical traffic modules.



Step 4
On the top floor, a rich and varied roof space is created through the placement and removal of partial modules.


0:00 / 10:52:33

05


CONSERVATIONAL PLANNING OF HISTORIC VILLAGE

2020.09–2020.10
Anshun, China
158,437 Acre

Team Work
Cooperator: Huayin Mao, Yuhui Chen
Instructor: Prof. Li Chen, Dr. Yajun Wang, Dr. X. Zhang,

Third Class Award, the National Urban Planning Competition of Rural Planning for students (18/784)

After approximately 600 years of wind and rain, Bao Jiatun was born as a result of camp, camp, and xing. Baojiatun has disappeared today along with thousands of other Chinese villages due to the advancement of society. Baojiatun is in charge of safeguarding the military immigrants' farming culture in addition to addressing the fundamental issues of daily life. Plan to use Tuntian strategy from the Baotun blood, extending its expansion in accordance with regional circumstances, and considering the past in light of the present. It believes that by focusing on its regionalism, people will take a minute to consider what China's historical culture and rural areas will look like in the future.



06

REPORT OF URBAN ENVIRONMENT AND JUVENILE DELINQUENCY

2020.03 – 2020.06
Nanping, China

Team Work
Cooperator: Huayin Mao, Junyi Lin, Tiejun He
Instructor: Dr. Yanji Zhang

Nomination Award, WUPEN CITY 2020 International Competetion on Urban Sustainability Report.

In order to avoid creating a breeding ground for juvenile delinquency and lower the juvenile crime rate, a directional and targeted transformation of urban space is implemented by examining the relationship between urban built environment and juvenile criminality. Make the city a place where young people can advance and get guidance for a healthy upbringing.

The solutions proposed after the investigation include. Strengthen sight penetration, lighting arrangement, vegetation arrangement, reasonable arrangement of public facilities and prevention and control measures of non-space crimes in street space

STUDY OF STREET CHARACTERISTICS IN THE REGION

Macro – scale analysis of the street axis segment



Area integration degree | Area connectivity | Space depth of the area


Micro–scale street analysist



Street connectivity of Sihe Street | Street connectivity of Zhaoyang Street | Visibility at the entrance of Zhaoyang Street | Visibility at the middle of Zhaoyang Street | Visibility at the exit of Zhaoyang Street

PLANNING AND DESIGN STRATEGIES OF JUVENILE DELINQUENCY PREVENTION

Enhance sight penetration of street space



Establishment of the framework | Street space reorganization | Raise the ground floor

07

OTHER WORKS

STAGE DIRECTING AND SCRIPT ADAPTATION


Worked as a script writer and director, I adapted a scence from the Les Miserable of Victor Hugo to a stage play. I picted the humanity awake of Jean Valjean and the priest´s silver candlestick







ART WORK







PHOTOGRAPHY













HANDCRAFT



SAMPLE DESIGN



PLANTING

