

Guide: Adding New Competitive Programming Platforms

Quick Steps to Add a New Platform

1. Add to `manifest.json`

Add the website to `host_permissions`:

```
json

"host_permissions": [
  "https://dmoj.ca/*",
  "https://codeforces.com/*",
  "https://leetcode.com/*",
  "https://atcoder.jp/*",
  "https://usaco.org/*",    ← Your new platform
  "http://localhost/*"
]
```

2. Find the Problem Title Selector

How to find the right CSS selector:

1. Navigate to a problem page on the new platform
2. Right-click on the problem title
3. Select "Inspect" or "Inspect Element"
4. In the DevTools, right-click on the highlighted element
5. Select: **Copy** → **Copy selector**

Example for USACO:

- Problem title element: `<h2>Problem Name</h2>`
- Full path: `html > body > div > div.shadow1 > div.content > div > div.panel > h2`
- Simplified selector: `div.shadow1 div.content div.panel h2`
- Even simpler: `div.panel h2`

Tips:

- Use the shortest selector that uniquely identifies the element
- Add fallbacks for different page layouts
- Test on multiple problems from that platform

3. Update `popup.js` - Add Extraction Logic

Find the `extractProblemName()` function and add your platform:

```
javascript

// USACO
if (hostname.includes('usaco.org')) {
  const title = document.querySelector('div.panel h2')?.textContent?.trim() ||
    document.querySelector('h2')?.textContent?.trim(); // fallback
  if (title) return title;
}
```

Pattern:

```
javascript

// [PLATFORM NAME]
if (hostname.includes('[platform-domain]')) {
  const title = document.querySelector('[your-css-selector]')?.textContent?.trim();
  if (title) return title;
}
```

4. Update Platform Name Auto-Detection

In the `displayPageInfo()` function, add platform name suggestion:

```
javascript

else if (pageInfo.platform.includes('usaco')) {
  document.getElementById('platform').value = 'USACO';
}
```

5. Test Your Changes

1. **Reload extension** in `chrome://extensions/`

2. **Navigate** to a problem on the new platform
3. **Click extension icon** - popup should open
4. **Check if:**
 - Problem name is auto-filled
 - Platform is set correctly
 - URL is captured

6. Handle Special Cases

Some platforms need special processing:

Remove Prefixes (like Codeforces)

javascript

```
if (hostname.includes('codeforces.com')) {  
  let title = document.querySelector('.title').textContent?.trim();  
  if (title) {  
    // Remove "A. ", "B1. ", etc.  
    return title.replace(/^[A-Z][0-9]*\.\s*/, '');  
  }  
}
```

Extract from Page Title (like AtCoder)

javascript

```
if (hostname.includes('atcoder.jp')) {  
  const fullTitle = document.title || "";  
  if (fullTitle.length > 4) {  
    return fullTitle.substring(4).trim(); // Skip first 4 chars  
  }  
  return fullTitle;  
}
```

Multiple Selectors (try different locations)

javascript

```
if (hostname.includes('example.com')) {  
  const title =  
    document.querySelector('.primary-title')?.textContent?.trim() ||  
    document.querySelector('.problem-header h1')?.textContent?.trim() ||  
    document.querySelector('h1')?.textContent?.trim();  
  if (title) return title;  
}
```

Complete Example: Adding Kattis

Step 1: Manifest

```
json  
  
"host_permissions": [  
  "https://open.kattis.com/*",  
  // ... other platforms  
]
```

Step 2: Find Selector

Visit: <https://open.kattis.com/problems/hello>

- Inspect problem title
- Copy selector: `.headline-wrapper h1`

Step 3: Add to `extractProblemName()`

```
javascript  
  
// Kattis  
if (hostname.includes('kattis.com')) {  
  const title = document.querySelector('.headline-wrapper h1')?.textContent?.trim() ||  
    document.querySelector('h1')?.textContent?.trim();  
  if (title) return title;  
}
```

Step 4: Add Platform Name

```
javascript
```

```
else if (pageInfo.platform.includes('kattis')) {  
  document.getElementById('platform').value = 'Kattis';  
}
```

Step 5: Test

- Go to any Kattis problem
- Open extension
- Verify problem name appears

Debugging Tips

Problem name not appearing?

1. Check the selector:

javascript

```
// Add temporary logging  
console.log('Selector result:', document.querySelector('your-selector'));
```

2. Check hostname detection:

javascript

```
console.log('Current hostname:', new URL(window.location.href).hostname);
```

3. Try simpler selectors:

- Start with `h1`, `h2`, etc.
- Gradually make it more specific

Extension can't access the page?

- Make sure the domain is in `host_permissions`
- Check for typos in the URL pattern
- Reload the extension after changes

Title contains extra text?

Use `.trim()` and string manipulation:

```
javascript

let title = document.querySelector('h1')?.textContent?.trim();
if (title) {
  // Remove extra prefixes/suffixes
  title = title.replace(/^Problem:\s*/, ''); // Remove "Problem: "
  title = title.replace(/\s*\s*Kattis.*$/, ''); // Remove "- Kattis..."
  return title;
}
```

Current Supported Platforms

Platform	Domain	Special Handling
Codeforces	codeforces.com	Removes "A. " prefix
DMOJ	dmoj.ca	Standard h2 extraction
LeetCode	leetcode.com	Multiple possible selectors
AtCoder	atcoder.jp	Extracts from page title
USACO	usaco.org	Panel h2 selector

Platform Wish List

Want to add these? Follow the guide above!

-  USACO (added)
-  Kattis
-  CSES
-  HackerRank
-  CodeChef
-  TopCoder
-  Project Euler

-  SPOJ

Pro Tips

1. **Always add fallback selectors** - websites change their HTML
 2. **Use simple selectors when possible** - less likely to break
 3. **Test on multiple problems** - ensure consistency
 4. **Handle edge cases** - some problems might have unusual titles
 5. **Add comments** - explain any special processing
-

Need help adding a specific platform?

1. Share the problem URL
2. Right-click the title and "Inspect"
3. Share the HTML structure
4. I'll help you create the selector!