10 Steps to Install EV Charging

At the Workplace

A step-by-step guide for facility managers and decision makers

PRACTICAL GUIDE

Document No.	**RD031**
Date	**December 2025**
Drafted by	**RIOD India**
Website	**riod.energy**

Why Workplace EV Charging?

Workplace EV charging is becoming essential as EV adoption accelerates. Employees spend 8-10 hours at work daily, making the workplace the second most common charging location after home. Offering EV charging demonstrates sustainability commitment, improves employee satisfaction, and positions your organisation as forward-thinking.

The 10 Steps

Step 1: Assess Employee Demand

Survey your workforce to understand current and projected EV ownership. A simple survey can tell you how many employees currently drive EVs, how many plan to buy one in the next 1-2 years, and their daily commute distance. This helps size your charging infrastructure correctly.

Step 2: Evaluate Your Electrical Infrastructure

Engage a certified electrician to assess your building's electrical capacity. Key parameters to check: available spare capacity on the distribution board, distance from the DB to planned charger locations, whether single-phase or three-phase supply is available, and whether any electrical upgrades are needed.

Step 3: Choose the Right Charger

For most workplace deployments, POWERPOD Go (7.4 kW or 22 kW) is the recommended choice. It offers OCPP 1.6J support for central management, RFID authentication for access control, and Wi-Fi connectivity for monitoring. For large campuses with multiple buildings, POWERPOD 7.4 kW Go offers the best balance of charging speed, cost, and grid impact. For high-traffic visitor or client parking, consider POWERPOD City for dual-connector capability.

Step 4: Plan the Layout

Identify optimal charger locations based on: proximity to electrical supply, parking bay accessibility, cable routing paths, and visibility for users. Wall-mounted chargers (Lite, Go) need a sturdy wall or pillar. City models need a flat surface for pedestal mounting.

Step 5: Handle Approvals and Compliance

Check with your facility management, building owner, or landlord for necessary approvals. Ensure compliance with local electrical codes (IS 732, IS 3043 for earthing). Some jurisdictions may require additional permits for commercial EV charging installations.

Step 6: Select a Certified Installer

RIOD provides installation support through its partner network. Alternatively, engage a certified electrician with experience in EV charger installation. The installer should be familiar with MCB sizing, earthing requirements, and cable specifications for EV chargers.

Step 7: Install and Commission

The installation process includes: mounting the charger, running cables from the distribution board, installing MCBs and safety devices, connecting the charger, and commissioning. RIOD chargers include a built-in configuration interface accessible via Wi-Fi at 192.168.1.1.

Step 8: Set Up Access Control and Billing

Use RFID cards to control who can use the chargers. For workplaces where charging is free for employees, simple RFID access is sufficient. For cost recovery, integrate with RIOD's Community Charging Suite or EVSE Operations Suite to enable per-session billing, usage tracking, and automated invoicing.

Step 9: Communicate and Launch

Announce the new EV charging facility to employees. Provide clear instructions on how to use the chargers, where to tap RFID cards, and who to contact for support. Consider a brief orientation session.

Step 10: Monitor and Expand

Use the EVSE Operations Suite dashboard to monitor usage patterns, energy consumption, and charger health. As EV adoption grows, plan for expansion by reserving electrical capacity and parking bays for future chargers.

Recommended Products

Deployment Size	Recommended Product	Charger Count
Small Office (5-20 vehicles)	POWERPOD Go 7.4 kW	2-5 chargers
Medium Office (20-50 vehicles)	POWERPOD Go 7.4 kW or 22 kW	5-15 chargers
Large Campus	POWERPOD Go 7.4 kW	10-50 chargers
Visitor/Client Parking	POWERPOD City 7.4 kW or 22 kW	2-5 chargers

Contact Information	
Website	riod.energy
Email	hello@riod.in
Support	support@riodlogic.com
Phone	+91 974 600 6455

riod.energy | hello@riod.in | +91 974 600 6455