POWERPOD CITY

3.3 kW + 3.3 kW

Dual AC Charger

Two chargers. One station. Double the value.

COMMERCIAL CHARGING

Document No.	**RD016**
Date	**December 2025**
Drafted by	**RIOD India**
Website	**riod.energy**

POWERPOD City 3.3 kW is a dual-connector charging station for shared and commercial environments. Charge two vehicles simultaneously with RFID/Plug-and-Play auth and OCPP 1.6J compliance.

Key Features

Dual 3.3 kW Charging
Charge two vehicles simultaneously

Wi-Fi Connectivity
Standard Wi-Fi with optional 4G LTE

OCPP 1.6J Compliant
Industry-standard protocol support

LED Status per Connector
Independent LED strip for each connector

RFID / Plug-and-Play
Controlled or open authentication modes

Full Protection Suite
OV, UV, OC, surge, ground fault, residual current (IGPC5)

Applications

- Commercial Spaces
- Building Associations
- Restaurants
- Parking Lots

Compatible Vehicles in India

Supports all EVs compatible with 3-PIN plug (16A) charging:

Brand	Models
TATA	Tiago EV, Tigor EV, Nexon EV, Nexon EV Max, Punch EV, Curvv EV
MAHINDRA	XUV400, XEV 9e, BE 6
MG MOTOR	Comet EV, Windsor EV, ZS EV
HYUNDAI	Creta Electric, Kona Electric
CITROEN	eC3
BYD	e6, Atto 3
KIA	EV6 (via portable EVSE)
MARUTI SUZUKI	e-Vitara (via portable EVSE)

Technical Specifications

Product Information	
Charging Type	AC Level 1 ‖ AC Level 1
Input/Output Rating	Single Phase: 3.3 kW / 16A ‖ 3.3 kW / 16A
Input/Output Voltage	Single Phase: 230 V, 50 Hz
Socket Outlet	16A 3-PIN ‖ 16A 3-PIN
Protection	OV, UV, OC, Short Circuit, Surge, OT, Ground Fault, Residual Current (IGPC5)
Energy Meter	In-built, Class 1 Accuracy

Connectivity & Interface	
Connectivity	Wi-Fi (Standard)
4G LTE	Optional
OCPP	OCPP 1.6J
User Authentication	RFID / Plug-and-Play
Status Indications	LED Strip per connector

General Characteristics	
IP Rating	IP65
Operating Temperature	–30 °C to 55 °C
Storage Temperature	–40 °C to 70 °C
Humidity	< 95%, non-condensing
Mounting	Floor Mount / Pedestal
Dimensions (H × W × D)	1000 × 250 × 220 mm

Warranty	
Warranty Period	24 Months

For More Information

- EV Charger Selection Guide: https://riod.energy/ev-charger-selection-guide
- All Product Documents: https://riod.energy/resources
- Contact Us: hello@riod.in | +91 974 600 6455

riod.energy | hello@riod.in | +91 974 600 6455