



Tanjeeb Meheran

@rippedkek

Linear Regression

from sklearn.model_selection import LinearRegressor

```
reg = LinearRegressor()
reg.fit(X_train, y_train)
pred = reg.predict(X_test)
plt.scatter(X_test, y_test)
plt.plot(X_test, pred, color="red")
plt.show()
```



Masnun Nuha

@nuha14


Axios Get

```
const getUser = async (id) \Rightarrow {
    const response = await
axios.get(getURL, {_id: id});
    if(response.data){
      setUser(response.data.user);
 } catch (err) {
    console.log(err)
```









Student, Islamic University of Technology, Dhaka, Bangladesh.











Tanjeeb Meheran

@rippedkek

Linear Regression

from sklearn.model_selection import LinearRegressor

reg = LinearRegressor() reg.fit(X_train, y_train) pred = reg.predict(X_test)

Masnun Nuha

@nuha14

Axios Get

<pre>const getUser = async (id) ⇒ { try {</pre>
const response = await
<pre>axios.get(getURL, {_id: id});</pre>
if(response.data){
<pre>setUser(response.data.user);</pre>



Edit Profile

Name

John Doe

Username

rippedkek

Email

johndoe@gmail.com

City Country

Bangladesh Dhaka


Organization Job

Islamic Uni Student

Profile Color




Technologies



SAVE CHANGES





Student, Islamic University of Technology, Dhaka, Bangladesh.













RippedKek



t.m_rohan

Tanjeeb Meheran





Tanjeeb Rohan

follow

@rippedkek

Student, Islamic University of Technology Dhaka, Bangladesh

Total Snippets: 52
Pinned Snippets: 14

Top Languages Used:

12

3

EX

2

Recent Posts Linear Regression