
Question:

Show that A is decidable iff $A \leq_m 0^*1^*$.

Answer:

----SETP1----

Decidability

Assume $B = 0^*1^*$. Thus it is required to prove that A is decidable iff $A \leq_m B$.

Solution can be divided into two parts.

1: If A is decidable then $A \leq_m B$.

2: If $A \leq_m B$ then A is decidable.

----SETP2----

Part 1: If A is decidable then $A \leq_m B$.

Proof: Firstly define a function f as follows:

$$\begin{aligned} f(s) &= 01 \text{ if } s \in A \\ f(s) &= 10 \text{ otherwise.} \end{aligned}$$

Since A is decidable, decider can be used for A to compute f . Also, $s \in A$ iff $f(s) \in B$.

Hence, f is mapping reduction from A to B .

----SETP3----

Part 2: If $A \leq_m B$, then A is decidable.

Proof: Since $A \leq_m B$, there exist a function f , such that $w \in A$ iff $f(w) \in B$.

Now consider Turing Machine M :

$M =$ On input w

1. Compute $f(w)$
2. If $f(w)$ is in form of 0^*1^* , then accept, Otherwise, reject.

Now

$$\begin{aligned} w \in A & \\ \Leftrightarrow f(w) \text{ is of the form } 0^*1^* & \\ \Leftrightarrow M \text{ accept } w. & \end{aligned}$$

Thus, M decides A .