Interview Alignment & Per-Question Code Sessions

Test cases for QA · based on build document RB38 (InterviewAlignment-CodeSessions-RB38-BuildDocument.pdf)

Branch	12thOct (contains dev2026 @ b9732417)
Document date	23 Oct 2026
Total test cases	132 (78 priority P1)
Priority	**P1** must pass to release **P2** should pass **P3** nice to have
Recording results	Write Pass / Fail / Blocked in the Result column; add a defect id or note for anything that is not Pass.

What is being tested

1. **Interview Alignment** – a new interviewer pre-call page, switched on one channel at a time (Edit IRF → "Interviewer alignment required"). It adds a "Ready to join" checklist that gates the Zoom link (with a recorded "Join without confirming"), a candidate card with coded identity only, a trial banner with one-time onboarding, and the interviewer's own record on the channel.
2. **Per-question code sessions** – the interviewer creates a code link for one of their own questions. The candidate writes, runs and submits code without signing in, and the code and run output appear in the client report.
3. **Regression** – channels with the switch off must behave exactly as today.

Test environment and data to prepare

- Run `Risebird.DB/Migrations/InterviewAlignment_CodeSessions_DeployAll.sql` on the QA database **before** deploying the web build.
- **Channel A**: switch ON. **Channel B**: switch OFF (NULL). Prepare variants of A with / without: code snippet required, candidate ID verification, consent form, instruction video, instruction document, pre-interview report.
- Interviews with a Zoom link: **A1**, **A2** on Channel A and **B1** on Channel B, all assigned to interviewer **I1**. Interviewer **I2** is not assigned to A1.
- Interviewer **I3** with no completed interview on Channel A (for trial tests; set `IRF.AITrialEnabled = 1`).
- Users: Admin, Delivery head, QC, Client, and a role that cannot see the Edit IRF settings section.
- Code runner configured (CodeExecution section) for run tests; a second config with it disabled for TC-CP-10.
- Browsers: latest Chrome and Edge, plus one incognito window for the candidate.
- To reset checklist progress: DevTools → Application → Local Storage → delete `ia-gate-<interviewId>`.

Useful URLs

Edit IRF	`/IRF/EditIRF?id=<IRF id>`
Interview Details	`/Interview/InterviewDetails?id=<IRF id>&interviewId=<interview id>`
Alignment page (via the briefing link)	`/Interview/Alignment?interviewId=<interview id>&id=<IRF id>`

Candidate code session	`/CodeSession/Index?token=<token>` (copied from the alignment page)
Useful SQL	`SELECT * FROM InterviewCodeSessions WHERE InterviewId = <id>` `SELECT * FROM InterviewJoinGateOverrides WHERE InterviewId = <id>`

Summary by area

Area	IDs	Cases	P1	Passed	Failed	Blocked
Database deployment	TC-DB-01 … 05	5	3			
Rollout switch on Edit IRF	TC-FLAG-01 … 11	11	8			
Switch off: existing Interview Details is unchanged (regression)	TC-OFF-01 … 08	8	5			
Alignment page access and routing	TC-ACC-01 … 08	8	6			
Join gate ("Ready to join" card)	TC-GATE-01 … 09	9	5			
Requirements open in place (overlay)	TC-OV-01 … 20	20	14			
Join without confirming (recorded override)	TC-OVR-01 … 04	4	2			
Cue and accessibility	TC-A11Y-01 … 03	3	1			
Candidate card and coded identity	TC-ID-01 … 04	4	2			
Trial interview banner and one-time onboarding	TC-TRIAL-01 … 06	6	5			
Your record on this channel (insights)	TC-INS-01 … 03	3	1			
Sample questions (alignment page)	TC-SQ-01 … 03	3	1			
Code sessions: interviewer side	TC-CS-01 … 12	12	7			
Code sessions: candidate page	TC-CP-01 … 16	16	8			
Candidate code in the client report	TC-REP-01 … 07	7	3			
Security and endpoint checks	TC-SEC-01 … 07	7	4			
Regression of related features	TC-REG-01 … 06	6	3			
Total		**132**	**78**			

1. Database deployment

> Run on a copy of the dev/QA database first. Script: Risebird.DB/Migrations/InterviewAlignment_CodeSessions_DeployAll.sql.

ID	Scenario	Preconditions	Steps	Expected result	Pri	Result / Notes
TC-DB-01	**Deployment script runs cleanly** Schema	QA database restored from a recent backup.	1. Open the script in SSMS against the QA database. 2. Execute the whole file.	Completes with no errors. The last message reads "Interview alignment + code sessions: deployment complete."	**P1**	☐ Pass ☐ Fail ☐ Blocked
TC-DB-02	**Running the script twice is a no-op** Verification: DDL twice is a no-op	TC-DB-01 passed.	1. Execute the same script again.	Completes with no errors. No duplicate columns, tables or indexes are created.	**P1**	☐ Pass ☐ Fail ☐ Blocked
TC-DB-03	**New columns exist and are NULL on existing rows** Schema	TC-DB-01 passed.	1. Run: SELECT COUNT(*) FROM IRF WHERE IsInterviewerAlignmentRequired IS NOT NULL OR AITrialEnabled IS NOT NULL 2. Check InterviewerProfile has TrialOnboardingAcknowledged, TrialOnboardingAcknowledgedOn, TrialOnboardingPolicyVersion. 3. Check TechSkillComments has IsCodingQuestion and CodingTimeLimitInMinutes.	The count is 0: every existing channel stays off. All seven columns exist and allow NULL.	**P1**	☐ Pass ☐ Fail ☐ Blocked
TC-DB-04	**New tables and constraints exist** Schema	TC-DB-01 passed.	1. Check that tables InterviewCodeSessions and InterviewJoinGateOverrides exist. 2. Check the constraints UQ_ICS_Token and UQ_ICS_InterviewQuestion on InterviewCodeSessions.	Both tables exist. The token is unique, and each interview + question pair is unique.	**P2**	☐ Pass ☐ Fail ☐ Blocked
TC-DB-05	**SkillChannelSampleQuestions is unchanged** Verification: SkillChannelSampleQuestions not altered	Column list of SkillChannelSampleQuestions captured before deployment.	1. Compare its column list after deployment.	Identical: no column is added, removed or changed.	**P2**	☐ Pass ☐ Fail ☐ Blocked

2. Rollout switch on Edit IRF

The checkbox "Interviewer alignment required" sits next to "Video Required" in the settings section of Edit IRF. It is visible to Admin, SupportAdmin, SeniorHR and SeniorInterviewerManagement. It SAVES IMMEDIATELY when ticked or unticked (a "Saved" message appears under it); it is not saved by the Edit IRF "Save" button, and it must never change interviewers or interview assignments.

ID	Scenario	Preconditions	Steps	Expected result	Pri	Result / Notes
TC-FLAG-01	**Checkbox is shown and unticked by default** Screen 1	Logged in as Admin. Channel A has never been switched on.	1. Open /IRF/EditIRF?id=<Channel A id>. 2. Find "Interviewer alignment required".	The checkbox is visible next to "Video Required" and unticked. Hovering the info icon explains that it is saved straight away and does not change interviewers.	P1	☐ Pass ☐ Fail ☐ Blocked
TC-FLAG-02	**Switching a channel on saves immediately** Rollout	As TC-FLAG-01.	1. Tick "Interviewer alignment required". Do NOT click the page Save button. 2. Reload Edit IRF for Channel A.	"Saved - alignment page is on for this channel." appears under the checkbox. After the reload the box is still ticked. SELECT IsInterviewerAlignmentRequired FROM IRF WHERE id = <A> returns 1.	P1	☐ Pass ☐ Fail ☐ Blocked
TC-FLAG-03	**Switching a channel off saves immediately** Rollout	Channel A switched on.	1. Untick the box (no page Save). 2. Reload.	"Saved - alignment page is off for this channel." appears. The box stays unticked after the reload, and the DB value is 0.	P1	☐ Pass ☐ Fail ☐ Blocked
TC-FLAG-04	**Toggling never deactivates or unassigns interviewers (bug fix)** Bug fix: switch is independent	Channel A has an ACTIVE interviewer I1 with an upcoming interview A1 assigned to them. Note I1's status on the Edit IRF interviewer list, and run: SELECT IsActive FROM TransInterviewer WHERE IRFId = <A> AND UserId = <I1 user id>; SELECT interviewer FROM InterviewMeetings WHERE id = <A1>.	1. Tick "Interviewer alignment required" and wait for "Saved". 2. Untick it and wait for "Saved"; tick it again. 3. Reload Edit IRF and re-run both queries.	I1 is still Active in the interviewer list, TransInterviewer.IsActive is still 1, and A1 is still assigned to I1. No interview on the channel loses its interviewer. Only an IRFHistory row is added.	P1	☐ Pass ☐ Fail ☐ Blocked
TC-FLAG-05	**Toggling also leaves interviewers outside the MAG untouched** Bug fix: switch is independent	Channel A has an active interviewer who is NOT in the channel's MAG, with an upcoming interview.	1. Tick and untick the switch (no page Save). 2. Check that interviewer's status and interview assignment.	Both are unchanged. (Saving the whole Edit IRF form with the Save button applies the existing MAG rule; that is existing behaviour, not part of this switch.)	P1	☐ Pass ☐ Fail ☐ Blocked
TC-FLAG-06	**Page Save does not change the switch** Rollout	Channel A switched on.	1. Change an unrelated field (e.g. a description) and click the page Save button. 2. Reopen Edit IRF.	The unrelated change is saved and the switch stays on (DB value still 1).	P1	☐ Pass ☐ Fail ☐ Blocked

ID	Scenario	Preconditions	Steps	Expected result	Pri	Result / Notes
TC-FLAG-07	**Unticked changes are not lost or doubled by Save** Rollout	Channel A switched off.	1. Tick the switch, wait for "Saved", then click the page Save button.	The switch is still on after the page reloads.	P2	☐ Pass ☐ Fail ☐ Blocked
TC-FLAG-08	**Save failure puts the checkbox back** Rollout	DevTools > Network > Offline.	1. Tick the switch.	The red message "The setting could not be saved. Please try again." appears, the box returns to unticked, and the DB value is unchanged.	P2	☐ Pass ☐ Fail ☐ Blocked
TC-FLAG-09	**Other roles cannot change it** Security	A user whose role does not see the settings section (e.g. HR or InterviewerManagement).	1. That user opens Edit IRF for Channel A and saves; optionally POST /IRF/UpdateInterviewerAlignmentRequired directly with irfId=<A>&isRequired=false.	The switch is unchanged. A direct POST returns success:false "You are not allowed to change this setting."	P1	☐ Pass ☐ Fail ☐ Blocked
TC-FLAG-10	**Clone does not change the source channel** Rollout	Channel A switched on.	1. Clone Channel A from the IRF list (opens Edit IRF in clone mode).	Instead of a checkbox, the page shows "Can be switched on after this channel is saved." After the clone is saved, the new channel starts with the switch off, and Channel A is still on.	P2	☐ Pass ☐ Fail ☐ Blocked
TC-FLAG-11	**One channel on does not affect another** Verification: one channel changes nothing for others	Channel A on, Channel B off.	1. As the assigned interviewer, open an interview on Channel B.	Channel B shows the existing Interview Details page (see section OFF).	P1	☐ Pass ☐ Fail ☐ Blocked

3. Switch off: existing Interview Details is unchanged (regression)

> Use an interview on Channel B (switch NULL or 0). Compare against production, or against screenshots taken before this release.

ID	Scenario	Preconditions	Steps	Expected result	Pri	Result / Notes
TC-OFF-01	**Page looks and behaves exactly as today** Verification: byte-for-byte when off	Interviewer I1 assigned to interview B1. Logged in.	1. Open /Interview/InterviewDetails?id=<B>&interviewId=<B1>.	The "Mandatory Interview Instructions" popup opens automatically. There is no "Ready to join" card, no Candidate card, no "Your questions & code sessions" card, and no "Your record on this channel" card, and no "Open interview alignment briefing" link. The Join Zoom button is in its usual place and is not greyed out.	P1	☐ Pass ☐ Fail ☐ Blocked
TC-OFF-02	**Mandatory instructions popup works as before** Regression	As TC-OFF-01.	1. Try "Accept & Continue" without ticking anything. 2. Tick every item, then click "Accept & Continue".	The button stays disabled until all items are ticked. Once they are, it closes the popup.	P1	☐ Pass ☐ Fail ☐ Blocked
TC-OFF-03	**Sample questions table unchanged** Regression	As TC-OFF-01.	1. Expand "Interview flow and Sample Questions".	The table still has two columns: Skill Name and Sample Question.	P2	☐ Pass ☐ Fail ☐ Blocked
TC-OFF-04	**Candidate code snippet link and .txt upload still work** Verification: CodeSnippet still accepts a link	As TC-OFF-01.	1. Open Candidate checks > Candidate Code > edit icon. 2. Paste a third-party link (e.g. Programiz) and save; then upload a .txt file.	Both save. The snippet is shown in the Candidate Code section as before.	P1	☐ Pass ☐ Fail ☐ Blocked
TC-OFF-05	**Join meeting** Regression	As TC-OFF-01.	1. Click "Join Zoom Meeting now".	Zoom opens in a new tab and the join time is captured as before.	P1	☐ Pass ☐ Fail ☐ Blocked
TC-OFF-06	**Email prompt when not signed in** Regression	Logged out / new incognito window.	1. Open the Interview Details URL. 2. Enter a wrong email; then the assigned interviewer email.	A wrong email shows "This email is not assigned as the interviewer for this interview." The correct email opens the page.	P1	☐ Pass ☐ Fail ☐ Blocked
TC-OFF-07	**Switch = 0 behaves like NULL** Rollout	Set Channel B switch explicitly to 0.	1. Repeat TC-OFF-01.	Same as TC-OFF-01.	P2	☐ Pass ☐ Fail ☐ Blocked
TC-OFF-08	**No new calls are made** Verification: no new queries	As TC-OFF-01, browser DevTools > Network open.	1. Reload the page.	No requests go to /InterviewAlignment/*, /Interviewer/AlignmentInsights or /CodeSession/*.	P2	☐ Pass ☐ Fail ☐ Blocked

4. Alignment page access and routing

Channel A switched on. I1 is assigned to interview A1; I2 is an interviewer who is not assigned to A1. Interview Details always shows the normal page; when the channel is switched on it also shows an "Open interview alignment briefing" link near the top, which opens the alignment page (/Interview/Alignment).

ID	Scenario	Preconditions	Steps	Expected result	Pri	Result / Notes
TC-ACC-01	**Briefing link is shown when the channel is on** Rollout	I1 logged in.	1. Open /Interview/InterviewDetails?id=<A>&interviewId=<A1> (the usual Meeting Link).	The normal Interview Details page is shown. Under "Review the below client instructions..." there is an amber link "Open interview alignment briefing", with the line "Rubric, questions, your record on this channel and code sessions for this interview" beneath it.	P1	☐ Pass ☐ Fail ☐ Blocked
TC-ACC-02	**Briefing link opens the alignment page** Rollout	As TC-ACC-01.	1. Click "Open interview alignment briefing".	The browser goes to /Interview/Alignment?interviewId=<A1>&id=<A>. The page shows the Join button with the amber "CHECK THE N POINTS BELOW FIRST" cue, the "Ready to join" card, the Candidate card, "Your questions & code sessions" and "Your record on this channel".	P1	☐ Pass ☐ Fail ☐ Blocked
TC-ACC-03	**No briefing link when the channel is off** Verification: unchanged when off	I1 assigned to B1 (Channel B off).	1. Open Interview Details for B1.	There is no "Open interview alignment briefing" link; the page is exactly as today.	P1	☐ Pass ☐ Fail ☐ Blocked
TC-ACC-04	**Alignment route on a channel that is off redirects** Verification: redirect, not 404	I1 assigned to B1 (Channel B off).	1. Open /Interview/Alignment?interviewId=<B1>&id=<B>.	Redirected to Interview Details (old page). No error page and no 404.	P1	☐ Pass ☐ Fail ☐ Blocked
TC-ACC-05	**Alignment route when not signed in** Rollout	Logged out.	1. Open /Interview/Alignment?interviewId=<A1>&id=<A>.	Redirected to Interview Details, which shows the email prompt.	P2	☐ Pass ☐ Fail ☐ Blocked
TC-ACC-06	**Non-assigned interviewer is refused** Security	I2 logged in.	1. Open the alignment route and the Interview Details URL for A1.	No alignment content and no briefing link are shown. Interview Details shows "This email is not assigned as the interviewer for this interview."	P1	☐ Pass ☐ Fail ☐ Blocked

ID	Scenario	Preconditions	Steps	Expected result	Pri	Result / Notes
TC-ACC-07	**Switched off mid-flight** Rollout	I1 has the alignment page for A1 open.	1. Admin switches Channel A off. 2. I1 reloads the alignment page. 3. In a second tab still showing the old alignment page, try "Add & create code session". 4. Open Interview Details for A1.	The reload redirects to Interview Details. The stale tab's action fails with a message and nothing crashes. Interview Details no longer shows the briefing link.	**P1**	☐ Pass ☐ Fail ☐ Blocked
TC-ACC-08	**Request values cannot switch the page on** Verification: flag read server-side only	Channel B off.	1. Open Interview Details for B1 with "&IsInterviewerAlignmentRequired=true" added to the URL.	No briefing link is shown.	**P2**	☐ Pass ☐ Fail ☐ Blocked

5. Join gate ("Ready to join" card)

Clear the browser's saved progress between tests: DevTools > Application > Local Storage > delete key "ia-gate-<interviewId>" (or use a fresh incognito window). Rows depend on channel settings: Before you join = Rubric, Sample questions, Issues in previous interviews, Interviewer Quality SLA, plus Flow video (if the channel has an instruction video) and Flow document (if it has an instruction document). During the interview = Own questions, Proxy alert, plus ID verification (if required), Job consent (if a consent form exists) and Candidate code (if code snippet is required).

ID	Scenario	Preconditions	Steps	Expected result	Pri	Result / Notes
TC-GATE-01	**Minimum channel shows 6 rows** Two tiers	Channel A with no video, no document, no ID verification, no consent form, code snippet not required.	1. Open the alignment page for A1 (via "Open interview alignment briefing").	The card heading shows "0 of 6 confirmed", and the cue under Join reads "CHECK THE 6 POINTS BELOW FIRST". "Before you join" has 4 rows; "During the interview" has 2 (own questions, proxy alert).	P1	☐ Pass ☐ Fail ☐ Blocked
TC-GATE-02	**Fully configured channel shows 11 rows** Two tiers	Channel A with video, document, ID verification, consent form and code snippet required.	1. Open the alignment page.	"0 of 11 confirmed": 6 rows before, 5 rows during.	P1	☐ Pass ☐ Fail ☐ Blocked
TC-GATE-03	**Code snippet required adds exactly one row** Verification: gate rows with CodeSnippetRequired	Toggle "Candidate code snippet" on Delivery Head Instruction for Channel A.	1. Reload the alignment page with it on, then off.	With it on, there is one extra row: "Candidate code - I will run a code session - N created". With it off, that row is gone and the total drops by one.	P1	☐ Pass ☐ Fail ☐ Blocked
TC-GATE-04	**Join is blocked at first** Gate	Fresh state.	1. Click "Join Zoom Meeting now". 2. Tab to the button with the keyboard and press Enter.	The button is greyed out and does nothing with either mouse or keyboard; the amber cue shakes briefly. The button is in the same place and at the same size as on the old page.	P1	☐ Pass ☐ Fail ☐ Blocked
TC-GATE-05	**Outstanding rows are ringed in amber** Cue	Fresh state.	1. Observe the rows; complete one.	Unconfirmed rows have an amber outline. A confirmed row shows a green tick, and the heading count goes up.	P2	☐ Pass ☐ Fail ☐ Blocked
TC-GATE-06	**Completing every row unlocks Zoom** Gate	Fresh state.	1. Confirm every row (see section OV for how). 2. Click Join.	The count turns green ("N of N confirmed"). The amber cue, carets and rings disappear. The footnote reads "All N confirmed - the Zoom link above is live." "Join without confirming" is hidden. Join opens Zoom and the join time is captured.	P1	☐ Pass ☐ Fail ☐ Blocked
TC-GATE-07	**Progress survives a reload** Gate	Some rows confirmed.	1. Reload the page.	The same rows are still confirmed.	P2	☐ Pass ☐ Fail ☐ Blocked

ID	Scenario	Preconditions	Steps	Expected result	Pri	Result / Notes
TC-GATE-08	**Tick circle opens an outstanding row** Gate	Fresh state.	1. Click the round tick on a row that is not confirmed.	The panel for that row opens (same as its View / Check / Open / Play button). The row is not ticked just by clicking the circle.	P2	☐ Pass ☐ Fail ☐ Blocked
TC-GATE-09	**Old instructions popup is not shown** Bypass closed	Fresh state.	1. Open the alignment page.	The "Mandatory Interview Instructions" popup does not appear; its items are rows of the card.	P2	☐ Pass ☐ Fail ☐ Blocked

6. Requirements open in place (overlay)

> Every row opens a panel over the page. Before you join rows tick on close if: Rubric / Sample questions / Previous issues - the panel was open at least 3 seconds; Quality SLA / Flow document - the document link inside the panel was clicked, OR the panel was open at least 3 seconds; Flow video - the video was played, or (only when the video cannot be loaded) the panel was open at least 3 seconds. During the interview rows tick only when the confirm button is pressed. Any confirmed row can be unchecked at any time (see TC-OV-16 to TC-OV-19).

ID	Scenario	Preconditions	Steps	Expected result	Pri	Result / Notes
TC-OV-01	**Rubric opens over the page** Overlay	Fresh state; scroll the page a little first.	1. Click "View" on "Rubric reviewed".	A panel opens showing the Tech Score Rubric (skills, elimination skills, level, format). The page behind does not move. The panel header shows "Ready to join - x of N confirmed".	**P1**	☐ Pass ☐ Fail ☐ Blocked
TC-OV-02	**Closing immediately does not count** Verification: tick on close, not on open	As TC-OV-01.	1. Close the panel within 3 seconds.	The row is NOT ticked. While open, the panel note said "Take a moment to read it - closing straight away does not count."	**P1**	☐ Pass ☐ Fail ☐ Blocked
TC-OV-03	**Closing after reading counts** Overlay	As TC-OV-01.	1. Open the rubric, wait at least 3 seconds (the note turns green), click Done.	The row is ticked and the count goes up by 1.	**P1**	☐ Pass ☐ Fail ☐ Blocked
TC-OV-04	**Esc, outside click and focus return** Verification: focus returns to its row	Any row.	1. Open a panel and press Esc. 2. Open it again and click the dark area outside the panel. 3. After closing, press Enter.	Both Esc and an outside click close the panel. Focus returns to the row button that opened it, so Enter reopens it.	**P1**	☐ Pass ☐ Fail ☐ Blocked
TC-OV-05	**Rubric appears once and returns to place** Verification: rubric exactly once; no scroll	After TC-OV-03.	1. Look at the rubric section on the page; compare the scroll position before and after opening.	The rubric is back in its normal place on the page, shown once (not duplicated). The scroll position is unchanged.	**P1**	☐ Pass ☐ Fail ☐ Blocked
TC-OV-06	**Sample questions** Overlay	Fresh state.	1. Click "View" on "Sample questions reviewed"; test closing before and after 3 seconds.	Same rule as the rubric. The panel shows the sample questions table.	**P1**	☐ Pass ☐ Fail ☐ Blocked
TC-OV-07	**Issues in previous interviews** Overlay	Fresh state.	1. Click "Check". 2. Inside the panel click "Open your full insights". 3. Close the insights popup, wait, close the panel.	The panel shows "Your record on this channel". The full insights popup opens on top of the panel. After at least 3 seconds the row ticks on close.	**P1**	☐ Pass ☐ Fail ☐ Blocked

ID	Scenario	Preconditions	Steps	Expected result	Pri	Result / Notes
TC-OV-08	**Quality SLA ticks after reading or opening the document** Overlay	Fresh state.	1. Click "Open" on "Interviewer Quality SLA read" and close within 3 seconds. 2. Open it again, wait 3+ seconds (the note turns green), close. 3. Uncheck it (click its green tick), open it again, click "Open the Interviewer Compliance document", return and close straight away.	Step 1 does not tick. Step 2 ticks. Step 3 ticks too, because the document was opened.	**P1**	☐ Pass ☐ Fail ☐ Blocked
TC-OV-09	**Flow video ticks after it is played** Overlay	Channel has a playable instruction video.	1. Click "Play", wait 5 seconds without playing, close. 2. Open it again, press play, close.	Step 1 does not tick (the note says "Press play to watch the video, then close this."). Step 2 ticks, and the video pauses when the panel closes.	**P1**	☐ Pass ☐ Fail ☐ Blocked
TC-OV-10	**Flow document ticks after reading or opening it** Overlay	Channel has an instruction document.	1. As TC-OV-08 with "Open the instruction document".	Same as TC-OV-08.	**P1**	☐ Pass ☐ Fail ☐ Blocked
TC-OV-11	**During-the-interview row needs confirmation** Two tiers	Fresh state.	1. Click "View" on "I have my own questions ready"; click "Close". 2. Open it again and click "I have my own questions ready".	Close does not tick. The confirm button ticks the row and closes the panel.	**P1**	☐ Pass ☐ Fail ☐ Blocked
TC-OV-12	**Confirm labels and links** Two tiers	Fully configured channel.	1. Open each "During the interview" row.	ID verification: "I will verify the candidate's ID". Job consent: "I will share the job consent", plus a consent form link. Proxy alert: "I will mark a suspicious candidate", plus a proxy alert details link. Candidate code: "I will run a code session".	**P2**	☐ Pass ☐ Fail ☐ Blocked
TC-OV-13	**Candidate code row does not need a session** Verification: Zoom not blocked by a missing code session	Code snippet required; no code session created yet.	1. Click "Create now" on the Candidate code row. 2. Click "I will run a code session" without creating one.	The panel shows "Your questions & code sessions" with the cursor in the question box. Confirming ticks the row even though 0 sessions exist.	**P1**	☐ Pass ☐ Fail ☐ Blocked
TC-OV-14	**Reopening a confirmed row** Overlay	Any confirmed row.	1. Open it again.	The note says "Already confirmed. Use "Uncheck" if you want to undo it." and an Uncheck button is shown. There is no confirm button.	**P3**	☐ Pass ☐ Fail ☐ Blocked
TC-OV-15	**Candidate pre-check panel** Overlay	Candidate has a pre-interview screening report.	1. On the Candidate card click "Open" under Pre-check.	A panel opens with the report link (and its login details). Closing it ticks nothing.	**P2**	☐ Pass ☐ Fail ☐ Blocked

ID	Scenario	Preconditions	Steps	Expected result	Pri	Result / Notes
TC-OV-16	**Video that cannot be loaded does not block the row** Overlay	Channel whose instruction video file is missing or in an unsupported format.	1. Click "Play", wait 3+ seconds, close.	The note says "The video could not be loaded here..." and closing after 3 seconds ticks the row.	P2	☐ Pass ☐ Fail ☐ Blocked
TC-OV-17	**Uncheck by clicking the green tick** Uncheck	All rows confirmed; Join is live.	1. Click the green tick on any row.	The row goes back to outstanding (amber), the count drops by one, and the Join button locks again with the amber cue back.	P1	☐ Pass ☐ Fail ☐ Blocked
TC-OV-18	**Uncheck from inside the panel** Uncheck	Any confirmed row.	1. Open the row, click "Uncheck".	The panel closes and the row is outstanding again. To tick it again you go through it again (read / open / play / confirm).	P1	☐ Pass ☐ Fail ☐ Blocked
TC-OV-19	**Uncheck works for every row type** Uncheck	Fully configured channel, all rows confirmed.	1. Uncheck each row in turn (before and during rows), then reload.	Every row can be unchecked, and the unchecked rows stay unchecked after the reload.	P2	☐ Pass ☐ Fail ☐ Blocked
TC-OV-20	**Uncheck after "Join without confirming"** Uncheck	Override used, so Join is live.	1. Uncheck a confirmed row.	The row is unchecked; Join stays live because the interviewer already chose (and the system recorded) joining without confirming.	P3	☐ Pass ☐ Fail ☐ Blocked

7. Join without confirming (recorded override)

ID	Scenario	Preconditions	Steps	Expected result	Pri	Result / Notes
TC-OVR-01	**Override asks for confirmation and lists what is missing** Override	Some rows not confirmed.	1. Click "Join without confirming". 2. Click Cancel.	The dialog names the outstanding items (e.g. "Rubric reviewed, Candidate proxy alert"). Cancel changes nothing.	P1	☐ Pass ☐ Fail ☐ Blocked
TC-OVR-02	**Override unlocks Join and is recorded** Override	As above.	1. Click "Join without confirming" and OK. 2. Run: SELECT * FROM InterviewJoinGateOverrides WHERE InterviewId = <A1>	Join becomes clickable, and the footnote says the choice has been recorded. The DB row holds the interviewer email, the time, and the outstanding keys (e.g. "rubric,checklist_4").	P1	☐ Pass ☐ Fail ☐ Blocked
TC-OVR-03	**Override survives a reload** Override	After TC-OVR-02.	1. Reload.	Join is still unlocked.	P2	☐ Pass ☐ Fail ☐ Blocked
TC-OVR-04	**Interviewer is never stuck** Override	Some rows not confirmed. DevTools > Network > Offline.	1. Click "Join without confirming" and OK.	Join still unlocks, even though the record could not be saved.	P2	☐ Pass ☐ Fail ☐ Blocked

8. Cue and accessibility

ID	Scenario	Preconditions	Steps	Expected result	Pri	Result / Notes
TC-A11Y-01	**Cue is always readable** Cue rules	Fresh state.	1. Watch the amber cue under the Join button for 10 seconds; take a screenshot.	The dot and caret blink, but the text "CHECK THE N POINTS BELOW FIRST" never disappears. The screenshot is readable.	P2	☐ Pass ☐ Fail ☐ Blocked
TC-A11Y-02	**Reduced motion** Cue rules	Windows: Settings > Accessibility > Visual effects > Animation effects OFF (macOS: Reduce motion ON). Restart the browser.	1. Open the alignment page.	The cue and the amber rings are shown, but nothing blinks, moves or shakes.	P2	☐ Pass ☐ Fail ☐ Blocked
TC-A11Y-03	**Cue disappears when cleared** Cue rules	All rows confirmed.	1. Observe.	No cue, caret, ring or amber count remains. The Join button looks exactly as on the old page.	P1	☐ Pass ☐ Fail ☐ Blocked

9. Candidate card and coded identity

ID	Scenario	Preconditions	Steps	Expected result	Pri	Result / Notes
TC-ID-01	**Coded name and details** Coded names	Alignment page for A1.	1. Look at the Candidate card.	It shows a coded name such as AdLo1234 (two letters of the first name, two of the last, four digits) with a "Coded identity" tag, plus role, duration, Video Required / Not required, Code snippet Required / Not required, and the number of coding questions.	P1	☐ Pass ☐ Fail ☐ Blocked
TC-ID-02	**Coded name is stable and consistent** Coded names	As above.	1. Reload; compare with the coded name shown for the same candidate on other interviewer screens.	Same coded name everywhere.	P2	☐ Pass ☐ Fail ☐ Blocked
TC-ID-03	**No real candidate identity on the page** Verification: no real name or email	As above.	1. Ctrl+F for the candidate's real first name, last name, email and phone; also check View Page Source.	None are found. (Known item: the pre-interview report "User Name" login is still shown if the recruiter entered one.)	P1	☐ Pass ☐ Fail ☐ Blocked
TC-ID-04	**Missing coded name** Coded names	A candidate with no pseudonym data (if available).	1. Open the page.	The card shows "Coded name not assigned yet". The rest of the page works.	P3	☐ Pass ☐ Fail ☐ Blocked

10. Trial interview banner and one-time onboarding

A trial is the interviewer's first interview on a channel where IRF.AITrialEnabled = 1. To reset: UPDATE InterviewerProfile SET TrialOnboardingAcknowledged = NULL, TrialOnboardingAcknowledgedOn = NULL, TrialOnboardingPolicyVersion = NULL WHERE UserId = <interviewer user id>.

ID	Scenario	Preconditions	Steps	Expected result	Pri	Result / Notes
TC-TRIAL-01	**No trial banner when trials are off** Verification: banner absent when NULL	Channel A on; AITrialEnabled NULL.	1. Open the alignment page as an interviewer new to the channel.	There is no trial banner and no onboarding popup.	P1	☐ Pass ☐ Fail ☐ Blocked
TC-TRIAL-02	**First trial: banner and popup** Screen 5	UPDATE IRF SET AITrialEnabled = 1 WHERE id = <A>. Interviewer I3 has no completed interview on Channel A and has never acknowledged.	1. I3 opens the alignment page.	The banner reads "This is a trial interview on this channel. ..." and the "Trial Interview - Before You Join" popup opens. "Accept & Continue" stays disabled until "I have read the trial policy" is ticked.	P1	☐ Pass ☐ Fail ☐ Blocked
TC-TRIAL-03	**Acknowledging is recorded** Trial	As above.	1. Tick the box and click "Accept & Continue". 2. Check InterviewerProfile for I3.	The popup closes. TrialOnboardingAcknowledged = 1, AcknowledgedOn is set, and PolicyVersion = "2026-10".	P1	☐ Pass ☐ Fail ☐ Blocked
TC-TRIAL-04	**Popup shows only once** Verification: modal shows once	After TC-TRIAL-03.	1. Reload; open another trial interview for I3. 2. Click "Read the trial policy" in the banner and acknowledge again. 3. Check AcknowledgedOn.	The banner stays but the popup does not open by itself. The link reopens it. AcknowledgedOn keeps the first timestamp.	P1	☐ Pass ☐ Fail ☐ Blocked
TC-TRIAL-05	**Experienced interviewer is not on trial** Trial	I1 already has a completed interview on Channel A.	1. I1 opens a new interview on Channel A.	No banner.	P1	☐ Pass ☐ Fail ☐ Blocked
TC-TRIAL-06	**Banner agrees with the trial review job** Verification: trial computed in one place	I3's trial interview has been completed and processed by the trial job.	1. Open the Trial Flag Review screen.	The interview flagged as I3's trial is the same one that showed the banner.	P2	☐ Pass ☐ Fail ☐ Blocked

11. Your record on this channel (insights)

ID	Scenario	Preconditions	Steps	Expected result	Pri	Result / Notes
TC-INS-01	**Own record for this channel** Sections 6-7	I1 has completed interviews on Channel A.	1. Look at "Your record on this channel".	It shows Completed, low candidate/client ratings, red flags, redo requests, joined late and reliability for Channel A only. The numbers match the full insights popup for Channel A.	P1	☐ Pass ☐ Fail ☐ Blocked
TC-INS-02	**First interview on the channel** Screen 6 copy	Interviewer with no interviews on Channel A.	1. Open the alignment page.	It shows "This is your first interview on this channel, so there is nothing here yet..." and "Nothing on this channel yet - not the same as "no issues found"."	P2	☐ Pass ☐ Fail ☐ Blocked
TC-INS-03	**Flagged history** Sections 6-7	I1 has a redo or a low client rating on Channel A.	1. Look at "Issues found in previous interviews".	The table lists each flag with the review comment and date. No candidate emails appear.	P2	☐ Pass ☐ Fail ☐ Blocked

12. Sample questions (alignment page)

ID	Scenario	Preconditions	Steps	Expected result	Pri	Result / Notes
TC-SQ-01	**More of each question is shown** Screen 7	Channel A has sample questions, including a coding question with a time limit, a video and a question gist.	1. Expand "Interview flow and Sample Questions".	The columns are Skill Name, Sample Question and Expected Answer. Coding questions show a "CODE - N MIN" badge; questions with a video show a VIDEO link; the gist is shown in bold above the question.	P1	☐ Pass ☐ Fail ☐ Blocked
TC-SQ-02	**Code in questions is shown as text** Security	A sample question containing or code with angle brackets.	1. View it.	The text displays literally; no HTML is rendered and no script runs.	P2	☐ Pass ☐ Fail ☐ Blocked
TC-SQ-03	**Client samples stay read-only** Who owns what	As above.	1. Look for any way to create a code session from the sample questions.	There is none. The caption "Treat below questions as sample..." is present.	P2	☐ Pass ☐ Fail ☐ Blocked

13. Code sessions: interviewer side

Card "Your questions & code sessions" on the alignment page. Default time limit is 15 minutes (allowed 1-180). Questions can be up to 5000 characters.

ID	Scenario	Preconditions	Steps	Expected result	Pri	Result / Notes
TC-CS-01	**Lists only my questions for this channel** Code sessions	I1 and I2 both have questions on Channel A (IRF > Sample Questions).	1. I1 opens the alignment page.	Only I1's questions are listed - the same list as I1 sees on the IRF Sample Questions page.	P1	☐ Pass ☐ Fail ☐ Blocked
TC-CS-02	**Create a session for an existing question** Four effects	I1 has at least one question.	1. Click "Create code session" next to a question.	A link appears with Copy and a status of "Not opened yet". The message reads "Code session created - the link is copied, paste it into the Zoom chat." The question gets a CODE badge, and the coding-question counts on the Candidate card and Candidate code row go up.	P1	☐ Pass ☐ Fail ☐ Blocked
TC-CS-03	**Same question gives the same link** Schema	After TC-CS-02.	1. Reload; check the link for that question.	The same link; no second session is created for the same interview and question.	P2	☐ Pass ☐ Fail ☐ Blocked
TC-CS-04	**Type a question live** Four effects	Alignment page open.	1. Type a question in "Add a question now", keep 15 min, optionally pick a skill. 2. Click "Add & create code session". 3. Check: SELECT id, Comment, IsCodingQuestion, CodingTimeLimitInMinutes FROM TechSkillComments WHERE IRFId = <A> AND UserId = <I1 user id>.	The question is listed with a link. The DB row exists with IsCodingQuestion = 1 and a limit of 15. The text box clears.	P1	☐ Pass ☐ Fail ☐ Blocked
TC-CS-05	**Live question is reused later** Verification: saved before mint, reused	After TC-CS-04.	1. Open IRF > Sample Questions for Channel A as I1. 2. Open another interview of I1 on Channel A.	The typed question is in both lists.	P1	☐ Pass ☐ Fail ☐ Blocked
TC-CS-06	**Validation** Validation	Alignment page open.	1. Click "Add & create code session" with an empty question. 2. Enter time limits of 0, 181 and blank.	An empty question shows "Type the coding question first." Bad limits show "Time limit must be between 1 and 180 minutes."	P2	☐ Pass ☐ Fail ☐ Blocked
TC-CS-07	**No question gist needed** Verification: no gist	As above.	1. Create a coding question with question text only.	Succeeds; no gist is asked for.	P2	☐ Pass ☐ Fail ☐ Blocked
TC-CS-08	**Status follows the candidate** Code sessions	A link given to the candidate (section CP).	1. After each candidate step, reload the alignment page.	The status moves through Not opened yet -> Opened -> "N runs" -> Submitted.	P2	☐ Pass ☐ Fail ☐ Blocked

ID	Scenario	Preconditions	Steps	Expected result	Pri	Result / Notes
TC-CS-09	**Editing my question list keeps coding flags** Regression	I1 has a coding question with a session.	1. On IRF > Sample Questions, edit another question and save. 2. Reload the alignment page; open the existing candidate link.	The coding question still has its CODE badge and link, and the candidate link still works.	**P1**	☐ Pass ☐ Fail ☐ Blocked
TC-CS-10	**Existing Candidate Code card still works** Verification: .txt upload and paste still work	Alignment page.	1. Use Candidate checks > Candidate Code > edit icon: paste a link and upload a .txt.	Works exactly as on the old page.	**P1**	☐ Pass ☐ Fail ☐ Blocked
TC-CS-11	**Cannot mint for someone else's question** Verification: own TechSkillComments only	DevTools.	1. Re-send the CreateCodeSession request with QuestionId set to an I2 question id, then a client sample question id.	Refused with "You can only create a code session for one of your own questions on this channel."	**P1**	☐ Pass ☐ Fail ☐ Blocked
TC-CS-12	**Non-Latin text** Code sessions	As TC-CS-04.	1. Create a question containing Hindi or other non-Latin text.	It displays correctly on the candidate page and in the report.	**P3**	☐ Pass ☐ Fail ☐ Blocked

14. Code sessions: candidate page

> Open the copied link (/CodeSession/Index?token=...) in a different browser where nobody is signed in. The link expires 3 hours after the planned end of the interview (interview start + duration, or + 90 minutes if the duration is unknown).

ID	Scenario	Preconditions	Steps	Expected result	Pri	Result / Notes
TC-CP-01	**Candidate opens the link** Screen 9	A session link from TC-CS-02.	1. Open the link.	Without signing in, the page shows the question, a language dropdown, an editor with a starter template, a countdown ("mm:ss left"), Run and "Submit answer".	**P1**	☐ Pass ☐ Fail ☐ Blocked
TC-CP-02	**Changing language** Candidate page	As above.	1. Change the language without editing. 2. Edit the code, then change the language again.	Untouched code switches to the new starter template silently. Edited code asks before replacing.	**P2**	☐ Pass ☐ Fail ☐ Blocked
TC-CP-03	**Run code** Persist each run	Runner configured.	1. Write a simple program (e.g. Python print("hello")) and click Run.	The output shows "hello" and the status reads "Last run: ...". DB: InterviewCodeSessions.RunCount is 1 and LastRunOutput is saved.	**P1**	☐ Pass ☐ Fail ☐ Blocked
TC-CP-04	**Compile error is kept** Persist each run	Runner configured.	1. Run code with a syntax error.	The compile error is shown and saved as the last run output.	**P1**	☐ Pass ☐ Fail ☐ Blocked
TC-CP-05	**Program input** Candidate page	Runner configured.	1. Write code that reads input, put a value in "Input for your program", Run.	The program uses the input.	**P2**	☐ Pass ☐ Fail ☐ Blocked
TC-CP-06	**Very long output is cut, not lost** Verification: 20,001 chars truncated	Runner configured.	1. Run code that prints more than 20,000 characters.	The output ends with "... output truncated ...". The page and the report layout are fine.	**P2**	☐ Pass ☐ Fail ☐ Blocked
TC-CP-07	**Submit and resubmit** Persist on submit	As above.	1. Click "Submit answer"; edit; submit again.	It shows "Submitted <time>. You can submit again to replace it." The DB has the latest code in SubmittedSource.	**P1**	☐ Pass ☐ Fail ☐ Blocked
TC-CP-08	**Reload keeps work** Candidate page	Code typed but not submitted.	1. Reload the page.	The code and the last output come back.	**P2**	☐ Pass ☐ Fail ☐ Blocked
TC-CP-09	**Timer** Candidate page	Session with a short time limit (e.g. 1 minute).	1. Wait for the timer to run out; then submit.	It shows "Time is up - submit your answer", and submitting still works.	**P2**	☐ Pass ☐ Fail ☐ Blocked

ID	Scenario	Preconditions	Steps	Expected result	Pri	Result / Notes
TC-CP-10	**Runner switched off** Verification: Run hides, candidate can still submit	Set CodeExecution:Enabled = false (or BaseUrl empty) in the environment config and restart.	1. Open the candidate link; submit code. 2. Open the interviewer alignment page.	There is no Run button, and the output area says running code is not available. Submit still works. The interviewer card notes that running code is not configured.	**P1**	☐ Pass ☐ Fail ☐ Blocked
TC-CP-11	**Invalid link** Security	-	1. Change some characters of the token in the URL.	The page shows "This code session link is not valid. Please check the link your interviewer shared."	**P1**	☐ Pass ☐ Fail ☐ Blocked
TC-CP-12	**Expired link** Token expires with interview	An interview whose start + duration + 3 hours is in the past.	1. Open its link; try Run/Submit through DevTools.	The page shows "This code session has ended..." and Run/Submit are refused.	**P1**	☐ Pass ☐ Fail ☐ Blocked
TC-CP-13	**Channel switched off** Rollout	Valid link; then Channel A switched off.	1. Reload the candidate page.	It shows that the session has ended.	**P2**	☐ Pass ☐ Fail ☐ Blocked
TC-CP-14	**One token, one interview, one question** Verification: token A does not open under B	Sessions on interview A1 and another interview A2.	1. Run/submit with A1's link; check both sessions in the DB.	Only A1's session row changes. A1's link never shows or changes A2's question.	**P1**	☐ Pass ☐ Fail ☐ Blocked
TC-CP-15	**Rate limit** Security	Runner configured.	1. Click Run more than 30 times within a minute.	Further runs say "Too many runs in a short time. Wait a moment and run again."	**P3**	☐ Pass ☐ Fail ☐ Blocked
TC-CP-16	**Mobile width** Candidate page	Phone or 375px-wide browser.	1. Open the link.	Question and editor stack vertically and are usable.	**P3**	☐ Pass ☐ Fail ☐ Blocked

15. Candidate code in the client report

Check the secure report link, the client report, and the client partial report for an interview with code sessions.

ID	Scenario	Preconditions	Steps	Expected result	Pri	Result / Notes
TC-REP-01	**Submitted code appears under its question** Screen 10	The candidate submitted code (TC-CP-07) and the report is available.	1. Open the report.	A "Candidate Code" section shows "Q1 - <question>". The details line reads "interviewer's question - <language> - N min allowed - N min used". The code appears on the left and the last run output on the right under "Compile and run", followed by "Submitted dd MMM yyyy, HH:mm".	P1	☐ Pass ☐ Fail ☐ Blocked
TC-REP-02	**Ran but never submitted** Report	The candidate ran code but did not submit.	1. Open the report.	It shows "Not submitted - this is the code from the last run." above the code.	P2	☐ Pass ☐ Fail ☐ Blocked
TC-REP-03	**Opened only, or never opened** Report	Sessions in those states.	1. Open the report.	It shows "The candidate opened the session but did not run or submit any code." or "The candidate did not open this code session."	P2	☐ Pass ☐ Fail ☐ Blocked
TC-REP-04	**No sessions: report unchanged** Regression	An interview without code sessions.	1. Open the report.	There is no Candidate Code section, and the report looks as it did before this release.	P1	☐ Pass ☐ Fail ☐ Blocked
TC-REP-05	**Long output layout** Verification: 20,001 chars	After TC-CP-06.	1. Open the report.	The long output sits in a scrollable box and the page layout is intact.	P2	☐ Pass ☐ Fail ☐ Blocked
TC-REP-06	**Same access control as the report** Verification: same access control	A secure report link.	1. Open it without valid access (expired or wrong token / not signed in).	No candidate code is visible, just like the rest of the report.	P1	☐ Pass ☐ Fail ☐ Blocked
TC-REP-07	**Question text is a snapshot** Schema: QuestionText snapshot	After a session is created.	1. Edit that question on IRF > Sample Questions; open the report.	The report shows the question exactly as it was when the session was created.	P2	☐ Pass ☐ Fail ☐ Blocked

16. Security and endpoint checks

> Use DevTools (Console / Network > copy as fetch) or Postman with the interviewer's session cookie.

ID	Scenario	Preconditions	Steps	Expected result	Pri	Result / Notes
TC-SEC-01	**Interviewer can only see own insights** Security item 1	I1 logged in as an interviewer.	1. Open /Interviewer/InterviewerInsights?interviewer=<I2 email>. 2. Repeat for /Interviewer/InterviewerInsightsMarkersDetails and /Interviewer/ReliabilityScoreDetails.	Each returns I1's own data (or nothing), never I2's.	P1	☐ Pass ☐ Fail ☐ Blocked
TC-SEC-02	**Ops and client roles still see insights** Regression	Admin, QC, Delivery head and Client users.	1. Open interviewer insights from the dashboards (e.g. Redo Interviews, High Risk Interviewers) and from a client report.	Works as before.	P1	☐ Pass ☐ Fail ☐ Blocked
TC-SEC-03	**Candidate emails masked for interviewers** Coded names	I1 logged in.	1. In the insights popup open "Candidate Rating Details".	Candidate emails are replaced by coded names.	P2	☐ Pass ☐ Fail ☐ Blocked
TC-SEC-04	**Endpoints refuse a channel that is off** Verification: every new endpoint refuses	I1 assigned to B1 (Channel B off).	1. Call GET /Interviewer/AlignmentInsights?interviewId=<B1> and GET /InterviewAlignment/CodeQuestions?interviewId=<B1>. 2. POST /InterviewAlignment/CreateCodeSession, /JoinGateOverride and /AcknowledgeTrialOnboarding for B1 (with the anti-forgery token).	Every call returns success:false. Nothing is written to the DB.	P1	☐ Pass ☐ Fail ☐ Blocked
TC-SEC-05	**Endpoints refuse a non-assigned interviewer** Verification: mint refused for non-owner	I2 logged in; Channel A on.	1. Call the same endpoints for A1.	All refused. No session is created.	P1	☐ Pass ☐ Fail ☐ Blocked
TC-SEC-06	**Anti-forgery is required** Security	I1 logged in.	1. POST /InterviewAlignment/CreateCodeSession without the RequestVerificationToken header.	The request is rejected (HTTP 400).	P2	☐ Pass ☐ Fail ☐ Blocked
TC-SEC-07	**QC answer edits are attributed to the person** Security item 3	QC user; an AI interview with an editable candidate answer.	1. Edit a candidate answer as QC. 2. Check the audit/edited-by value.	It shows the QC user's email, not "Quality Controller" or "Admin".	P2	☐ Pass ☐ Fail ☐ Blocked

17. Regression of related features

ID	Scenario	Preconditions	Steps	Expected result	Pri	Result / Notes
TC-REG-01	**AI interview code runner** Verification: RunCode unchanged	An AI interview with a coding question.	1. Run code in the AI interview IDE.	Works as before.	P1	☐ Pass ☐ Fail ☐ Blocked
TC-REG-02	**AI interview question selection** Verification: AI flow unchanged	An AI interview channel with coding questions.	1. Start AI interviews.	Coding questions are picked as before.	P2	☐ Pass ☐ Fail ☐ Blocked
TC-REG-03	**IRF Sample Questions page** Regression	Interviewer and Admin.	1. Add, edit and delete questions; save.	Works as before.	P1	☐ Pass ☐ Fail ☐ Blocked
TC-REG-04	**Edit IRF save (smoke)** Regression	Admin.	1. Edit and save a channel across tabs.	Saves as before.	P1	☐ Pass ☐ Fail ☐ Blocked
TC-REG-05	**Delivery Head candidate checks** Regression	Delivery head.	1. Toggle "Candidate ID verification" and "Candidate code snippet".	They save as before.	P2	☐ Pass ☐ Fail ☐ Blocked
TC-REG-06	**Trial Flag Review screen** Regression	Ops user.	1. Open Trial Flag Review.	It loads and shows trials as before.	P2	☐ Pass ☐ Fail ☐ Blocked

18. Known behaviour - do not raise as defects

- Only the **last** run of a code session is stored (plus a run count), so the report shows the last run, not every failed attempt. This is the specification's schema; keeping every run is a product decision.
- Gate confirmations and "join without confirming" are remembered **per browser** (local storage). Only the override itself is recorded on the server.
- An override is recorded only when at least one item is still outstanding.
- The pre-interview report "User Name" login is still shown on the page, because the interviewer needs it to open the report. Raise it only if that value is the candidate's real email; this is awaiting a product decision.
- The gate has 6 to 11 rows depending on channel settings. The specification's "five rows vs four" check is met as "one extra row when Code snippet is required".
- Sample-question improvements, duplicate-id fixes and the new gate exist only on the alignment page. Interview Details for channels that are switched off is intentionally unchanged.
- One existing unit test (InterviewerIndexDocumentMapperTests, a timezone check) fails on IST machines. It is unrelated to this feature.

19. Sign-off

Role	Name	Date	Signature / comments
QA tester			
QA lead			
Developer			
Product owner			