UI Developer Hand-off — AI Phone Screen (Provider-Agnostic)

Build the **Campaign Outcomes** and **Candidate Call Detail** screens. The UI binds to one normalized JSON contract so any voice platform (VAPI today, Plivo or others tomorrow) plugs in via a backend adapter — **no UI changes per provider**. This pack: the ready-to-paste AI prompt, the design references, and the full written spec.

Also give the developer the interactive pixel-spec file `risebird-ai-phone-screen-demo.html` (repo `docs/demo/`) — its buttons still say "Sync from VAPI"; use the provider-neutral labels from this document instead.

1 · Ready-to-paste prompt (Claude Code or any AI coding tool)

```
You are building/restyling the AI Phone Screen UI in the Risebird portal
(ASP.NET Core MVC, Razor views). Two screens: Campaign Outcomes and Candidate
Call Detail. Functional plain versions exist (Views/Vapi/Outcomes.cshtml with a
detail modal); endpoints and data are live. Your task is PRESENTATION + dynamic
JSON rendering only - do not change controllers, endpoints or data.

CRITICAL ARCHITECTURE RULE - PROVIDER AGNOSTIC:
Calls may come from VAPI today, Plivo or other voice platforms tomorrow. The UI
must bind ONLY to this normalized call-result contract (the existing C#
ViewModel already matches it); never reference provider-specific fields:
{ provider, callId, candidateId, candidateName, candidateEmail, phone,
  status: "queued"|"ringing"|"in-progress"|"ended", endedReason (free text),
  startedAt, endedAt, durationSeconds, cost, recordingUrl,
  transcript: string OR [{speaker, text}], summary,
  successEvaluation: "PASS"/"FAIL"/true/false/score,
  structuredData: OBJECT WITH ARBITRARY KEYS (schema varies per campaign and
  provider), raw: original provider payload }
Rendering rules: status has exactly those 4 canonical values (style only
those); successEvaluation normalized for display (true/pass->PASS badge,
false/fail->FAIL badge, number->score, else neutral text, empty->"-");
structuredData rendered 100% DYNAMICALLY - iterate keys, prettify
(notice_period -> Notice Period), null->"-", booleans->Yes/No, nested
object/array -> "view JSON ->" link to the Structured Output tab, ZERO
hardcoded field names; transcript supports both string (text block) and array
(chat bubbles: ai-ish speakers teal, others orange); every field independently
optional with "-" fallback - layout never breaks on partial data; provider
shown only as a small neutral chip (11px pill, e.g. VAPI / PLIVO).
User-facing labels are provider-neutral: "AI Phone Screen - Campaign Outcomes",
buttons "Sync calls", "Import calls", "Back to Candidates".

DESIGN TOKENS (CSS variables):
```

```
teal #1caf9a, teal-dark #128873, teal-soft #e0f5f1; red #E04B4A / soft #fbe9e9
(FAIL); green #7fae3f / soft #eef4e0 (PASS); orange #f0930f / soft #fdf0da
(ringing/in-progress + candidate waveform); page bg #f2f4f4; cards #fff,
border #e2e6e8, radius 10px, shadow "0 1px 2px rgba(18,24,30,.05), 0 10px 30px
rgba(18,24,30,.07)"; text #232a30, secondary #6f7b85; font "Segoe UI",
-apple-system, Helvetica, Arial, body 14px; dark panels #14171c radius 8.
Badges: pill radius 999, 11px/700, padding 3px 10px, 6px leading dot blinking
(1s opacity keyframe) for ringing/in-progress. Buttons radius 7px 13px/600;
primary teal with glow shadow 0 4px 14px rgba(28,175,154,.35). Respect
prefers-reduced-motion.


CAMPAIGN OUTCOMES PAGE:
(a) Hero band: linear-gradient(120deg,#10322c,#14473d 55%,#176053), white
text, radius 12, padding 24/28, teal radial glow top-right; eyebrow "AI PHONE
SCREEN - CAMPAIGN" 11px/700 letter-spacing .1em #7fd6c7; H1 campaign name
21px/700; sub 12.5px #b9d8d1 (IRF id - agent - launch date); actions right:
Sync calls (primary), Import calls + Back to Candidates (ghost-on-dark
rgba(255,255,255,.1) bg, .25 white border).
(b) Metrics in hero: Calls Placed / Qualified-Pass #8fe3a8 / In Progress
#ffca7a / Failed-No Answer #ff9d92 - value 30px/700, label 11px uppercase
#9fc9c0, count-up ~500ms on load and change.
(c) Funnel in hero: 12px full-radius bar, 3 animated segments (#2fbfa9
qualified, #7fd6c7 connected-not-qualified, #cfeee9 unanswered) + legend
11.5px with 9px swatches.
(d) Table card: search (max 300px, bg #f2f4f4) + "N candidates"; header 10.5px
uppercase on #fafbfb; columns: Candidate (34px round avatar initials on teal
gradient + name 13.5/700 + phone 11.5 secondary), Status (canonical badge +
endedReason 11px + provider chip), Started, Duration (tabular-nums), Result
(normalized badge), Summary (12px secondary, 1 line ellipsis, max 260px),
Recording (mini waveform 14 teal 3px bars 5-18px when recordingUrl present,
else -), View -> teal-dark. Hover #f4faf8; flash row teal-soft 900ms on status
change; horizontal scroll on overflow.
(e) Toasts bottom-right: dark #171a21 radius 9, colored 8px dot (ok/fail/info),
slide-in, auto-dismiss ~3.4s.

CANDIDATE CALL DETAIL:
(a) Header: "<- All Calls" ghost, name 19px/700, status + result badges,
provider chip.
(b) Meta card grid auto-fit minmax(170px): Phone, Email, Agent, Provider,
Started, Duration, Ended Reason (label 10.5px uppercase secondary / value 13.5).
(c) Recording card: dark #14171c panel, dual waveform ~110px (candidate orange
#f0930f upper half, agent teal #1caf9a lower half, 2.4px bars 4px pitch,
heights pseudo-random seeded by candidate name), 2px white cursor, timeline
5 marks 0->duration; below: 40px teal play/pause with glow, "m:ss / m:ss"
tabular-nums, legend right. Wire cursor+time to <audio recordingUrl> via
timeupdate. No recordingUrl -> card shows "-" and no player.
(d) Tabs (strip #fafbfb, active teal-dark + 2px teal underline):
"Analysis" = summary paragraph max 78ch + normalized result badge + DYNAMIC
key-value grid from structuredData (bordered cells radius 7, key 10px
uppercase over value 13.5/600). "Structured Output" = dark code block 12.5px
mono, pretty structuredData + collapsible raw (keys #8ee6d6, strings #f5c07b,
numbers/bools #9ecbff). "Transcript" = both shapes (text block or 30px round
icon "AI" teal / "C" orange + radius-8 bubble, AI teal-soft, candidate
#f2f4f5, 13.5px, max 760px).
```


```
STATES: queued neutral / ringing orange blinking / in-progress orange / ended
teal + result. Not ended -> no recording, result "-", tabs say "available
after the call ends". Empty campaign -> "No AI phone screen calls yet. Push
candidates from the candidate list."

VERIFY: build the solution incl. Razor views; test with (1) the current VAPI
data, (2) a mock result whose structuredData has completely different keys
(Plivo-style) - must render with zero code changes, (3) results missing
recordingUrl/summary/structuredData - layout never breaks. Compare against the
reference screenshots at 1440px and 375px: same hierarchy, spacing within 4px,
same colors, tables scroll horizontally on mobile without body scroll.
```

2 · Design reference — Campaign Outcomes



3 · Design reference — Candidate Call Detail



4 · Full written specification

1 · Normalized call-result contract (the ONLY thing the UI binds to)

```
{
  "provider": "vapi",
  "callId": "019f...86093",
  "candidateId": 123,
  "candidateName": "Nandini Sharma",
  "candidateEmail": "nandini@example.com",
  "phone": "+917906314389",
  "status": "ended",
  "endedReason": "customer-ended-call",
  "startedAt": "2026-07-08T18:53:00Z",
```

```
  "endedAt": "2026-07-08T18:55:52Z",
  "durationSeconds": 172,
  "cost": 0.42,
  "recordingUrl": "https://.../call.mp3",
  "transcript": "plain text OR [{\"speaker\":\"ai|candidate\",\"text\":\"...\"}]",
  "summary": "recruiter-readable digest",
  "successEvaluation": "PASS",
  "structuredData": { "location_region": "Noida", "notice_period": "30 days", "any_key": "any value" },
  "raw": { "original provider payload, any shape" }
}
```

Contract rules the UI must implement

Field	UI rule
`provider`	Show as a small neutral chip (11px pill, e.g. `VAPI`, `PLIVO`) in the detail meta and optionally next to status in the table. Never affects layout or logic.
`status`	Exactly four canonical values: `queued` · `ringing` · `in-progress` · `ended`. Backend adapters map provider statuses to these; the UI styles only these four.
`endedReason`	Free text — display as-is under the status badge; do not enumerate.
`successEvaluation`	Normalize for display: `true` / `pass` (any case) → PASS badge; `false` / `fail` → FAIL badge; numeric → show the score; anything else → neutral text; empty → `—`.
`structuredData`	**Arbitrary schema — render 100% dynamically.** Iterate keys: prettify key (`notice_period` → `Notice Period`), value in a cell. `null` → `—`. Booleans → Yes/No. Nested object/array values → cell shows `view JSON →` linking to the Structured Output tab. Zero hardcoded field names — different campaigns/providers return different schemas.
`transcript`	Support both shapes: plain string → one text block; array of `{speaker, text}` → chat bubbles (`ai`-ish speakers teal, others orange).
`recordingUrl`	Any browser-playable URL (mp3/wav). Missing → recording area shows `—` and no player.
Any missing/empty field	Graceful `—`; the layout must never break on partial data.

---

2 · Design tokens

Token	Value	Used for
`--teal`	`#1caf9a`	primary actions, active states, agent waveform

Token	Value	Used for
`--teal-dark`	`#128873`	links, hover, tab active
`--teal-soft`	`#e0f5f1`	"ended" badge bg, agent chat bubble
`--dark`	`#171a21` → `#1f232c` gradient	sidebar, toasts
`--red`	`#E04B4A` / soft `#fbe9e9`	FAIL badge
`--green`	`#7fae3f` / soft `#eef4e0`	PASS badge
`--orange`	`#f0930f` / soft `#fdf0da`	ringing/in-progress badge, candidate waveform
`--bg`	`#f2f4f4`	page background
`--card`	`#ffffff`, border `#e2e6e8`, radius **10px**	all cards
`--ink` / `--ink-2`	`#232a30` / `#6f7b85`	text / secondary text
Shadow	`0 1px 2px rgba(18,24,30,.05), 0 10px 30px rgba(18,24,30,.07)`	cards
Font	`"Segoe UI", -apple-system, Helvetica, Arial` · body 14px	everything
Hero gradient	`linear-gradient(120deg,#10322c 0%,#14473d 55%,#176053 100%)` + teal radial glow top-right	campaign hero
Dark panel	`#14171c`, radius 8px	waveform, JSON viewer

Badges: pill radius 999, 11px/700, 3px 10px padding, 6px status dot (blinking 1s opacity keyframe for ringing/in-progress). Buttons: radius 7px, 13px/600, primary = teal bg + glow shadow `0 4px 14px rgba(28,175,154,.35)`. Respect `prefers-reduced-motion`.

User-facing labels (provider-neutral): page title "AI Phone Screen — Campaign Outcomes"; buttons **"Sync calls"**, **"Import calls"**, **"Back to Candidates"**; candidate-list button **"AI Phone Screen"**. The provider name appears only in the provider chip.

---

3 · Screen A — Campaign Outcomes

1. **Hero band** (gradient, white text, radius 12, padding 24/28):
   - eyebrow `AI PHONE SCREEN · CAMPAIGN` (11px 700, letter-spacing .1em, `#7fd6c7`)

- H1 = campaign/IRF name (21px 700) + sub-line (12.5px `#b9d8d1`): IRF id · agent name · launch date
- right-aligned actions: **Sync calls** (primary), **Import calls** (ghost-on-dark), **Back to Candidates**
- **metrics row**: Calls Placed · Qualified/Pass (`#8fe3a8`) · In Progress (`#ffca7a`) · Failed/No Answer (`#ff9d92`) — value 30px/700, label 11px uppercase `#9fc9c0`, count-up ~500ms
- **funnel bar**: 12px pill, 3 animated segments — qualified `#2fbfa9`, connected-not-qualified `#7fd6c7`, unanswered `#cfeee9` — legend beneath (11.5px)

2. **Table card**: search (max 300px, bg `--bg`) + "N candidates" count; header 10.5px uppercase on `#fafbfb` :

Column	Spec
Candidate	34px round avatar (photo/initials, teal gradient) + name 13.5/700 + phone 11.5 `--ink-2`
Status	canonical badge + `endedReason` 11px line + optional provider chip
Started / Duration	tabular-nums
Result	PASS / FAIL / score / — (normalized `successEvaluation`)
Summary	12px `--ink-2` , one line, ellipsis, max 260px
Recording	mini waveform (14 teal 3px bars, 5–18px) when `recordingUrl` present, else —
Action	`View →` `--teal-dark`
Row hover `#f4faf8` ; flash `--teal-soft` 900ms on live status change. Horizontal scroll on overflow.	

3. **Toasts** bottom-right: dark, radius 9, colored 8px dot (ok/fail/info), slide-in, auto-dismiss ~3.4s.

4 · Screen B — Candidate Call Detail

1. **Header:** `← All Calls` ghost · candidate name 19px/700 · status + result badges · provider chip.
2. **Meta card:** auto-fit grid minmax(170px): Phone, Email, Agent, Provider, Started, Duration, Ended Reason.
3. **Recording card:** dark `#14171c` panel with dual waveform ~110px — candidate bars **orange** upper half, agent bars **teal** lower half (2.4px bars, 4px pitch, heights pseudo-random seeded by candidate name for stability), 2px white cursor, timeline (5 marks 0→duration). Below: 40px teal play/pause, `m:ss / m:ss` , legend right (Agent teal · Candidate orange). Cursor/time wired to an `<audio>` element on `recordingUrl` via `timeupdate` . No `recordingUrl` → whole card shows `—` .
4. **Tabs card** (active tab: teal-dark text + 2px teal underline):

- **Analysis**: `summary` paragraph (max 78ch) · normalized result badge · **dynamic key-value grid from `structuredData`** per the contract rules (no hardcoded fields)
- **Structured Output**: dark code block, 12.5px mono, pretty-printed `structuredData` (and a collapsible `raw` section) — keys `#8ee6d6`, strings `#f5c07b`, numbers/bools `#9ecbff`
- **Transcript**: both shapes supported (plain block or chat bubbles)

5 · States

- `queued` neutral grey → `ringing` orange blinking → `in-progress` orange → `ended` teal + result badge.
- Call not ended: no recording (—), result `–`, tabs note "available after the call ends".
- Empty campaign: "No AI phone screen calls yet. Push candidates from the candidate list."
- Failed sync/import: toast with red dot + message.
- Partial data from any provider: every field independently optional; `–` fallbacks everywhere.

6 · Acceptance

- Side-by-side with the demo file at 1440px and 375px: same hierarchy, spacing ±4px, same colors; tables scroll horizontally on mobile without body scroll.
- Feed the UI a call result with a **completely different `structuredData` schema** (e.g. a Plivo-style payload with different keys) — everything renders correctly with zero code changes.
- Remove `recordingUrl`, `summary`, `structuredData` one at a time — layout never breaks.