

Artificial Intelligence for Efficient Real-Time Traffic Management in Smart Cities

Kauser Ibrahim¹, Solomon Jebaraj², Neeraj Panwar³, S Poornapushpakala⁴, Sasanka Choudhury⁵,
B Gnana Rahul⁶, and Ling Shing Wong^{7,8}

¹Jamia Millia Islamia, New Delhi, Delhi 110025, India

²Department of Computer Science and Information Technology, Jain (Deemed to be University),
Bangalore, Karnataka, India

³School of Computing, Graphic Era Hill University, Dehradun, India

⁴Department of Electronics and Communication Engineering, Sathyabama Institute of Science
and Technology, Chennai, Tamil Nadu, India

⁵Department of Mechanical Engineering, Siksha 'O' Anusandhan (Deemed to be University),
Bhubaneswar, Odisha, India

⁶Department of Civil Engineering, K L Deemed to be University, Vaddeswaram, AP, India

⁷Faculty of Health and Life Sciences, INTI-IU University, Nilai, Malaysia

⁸Faculty of Nursing, Shinawatra University, Pathum Thani, Thailand

¹kauser4960@gmail.com, ²solomon.j@jainuniversity.ac.in, ³neeraj.pan28@gmail.com,

⁴poornapushpakala.enc@sathyabama.ac.in, ⁵sasankachoudhury@soa.ac.in,

⁶gnanarahul@kluniversity.in, ⁷lingshing.wong@newinti.edu.my

Abstract—Modern cities' fast expansion of urban populations has resulted in more vehicle traffic, aggravating congestion and delays as well as environmental damage. Often reactive and rule-based, traditional traffic management systems are not enough to manage the dynamic character of metropolitan transportation networks. This work suggests an artificial intelligence (AI)-driven framework for real-time traffic management targeted at increasing mobility, thus lowering congestion, and so improving general traffic efficiency in smart cities. Leveraging data from sensors, traffic cameras, GPS-enabled vehicles, and IoT infrastructure, the system includes advanced AI techniques—such as deep learning for traffic prediction, reinforcement learning for adaptive signal control, and graph-based models for dynamic routing decisions—which is important to decrease the number of road accidents, resulting in achieving better health lifestyles and health care improvement. Using a simulated urban setting with real-world traffic data, the framework is evaluated, showing notable advantages in trip time reduction, traffic flow optimization, and emission management over conventional methods. By allowing data-driven, responsive, and sustainable traffic management solutions for the smart cities of the future, this study emphasizes how artificial intelligence might alter urban transportation.

Index Terms—Artificial Intelligence; Smart Cities; Real-Time Traffic Management; Intelligent Transportation Systems (ITS); Urban Mobility; Deep Learning; Traffic Optimization; IoT

I. INTRODUCTION

Rapid urbanization has led to the fact that the number of cars in the city has suddenly grown, causing significant pressure on transport infrastructure in modern cities. The traffic congestion not only contributes to the travel time and fuel consumption but also causes a significant contribution to air pollution and greenhouse gases. As the rate of smart city development in the

world is rising, the management of urban traffic systems has become one of the primary concerns of urban planners and policymakers [1].

The old traffic management systems, which are based on fixed schedules, manual control, and fixed regulations, are increasingly becoming less applicable to the dynamic and changing characteristics of the present-day transportation networks. Borhan, M. N. [2]. It is not always the case that such systems have the necessary agility to respond to real-time variability due to accidents, weather conditions, or unexpected traffic surges. Kavitha, M. [3]. Traffic congestion in cities consequently creates recurrent congestion, wasteful paths, and increased environmental strain, and as a result, reflects the irresistible need for smart and responsive traffic regulation policies.

A. Urbanization and Traffic Congestion

Over the past decades, the imperative to speed up urbanization and population growth has placed strains on transportation systems in the metropolitan regions that resulting in the development of chronic traffic jams, the escalation of travel time, fuel consumption, and air pollution. According to the World Bank (2020), 68 percent of the entire global population would have moved to urban regions and need effective mechanisms to manage traffic. Cities such as Delhi, Jakarta, and Sao Paulo already have severe traffic jams that hurt economic performance and deteriorate living standards [4]. Conventional traffic control systems, which are centered on either static or rule-based timing, are becoming less capable of dealing with the complexities and dynamics of urban mobility [5].

B. Limitations of Traditional Traffic Management Systems

The conventional traffic systems rely on fixed-time signal controllers and a programmed schedule that fails to respond to the actual traffic conditions. Such systems are not reactive to dynamism such as accidents, weather transformations, or surges of traffic flow. Muralidharan, J. [6]. Moreover, it is often required to be operated manually, which leads to inefficiencies and delays. All these restrictions explain why smarter, automated, and adaptive solutions are necessary that can analyze real-time data, predict traffic patterns, and react swiftly [7].

The application of AI through machine learning and algorithms of deep learning can revolutionize traffic management systems. AI can analyze gigantic streams of real-time traffic data from various sources—like IoT sensors, GPS, and traffic cameras—to predict congestion, dynamically optimize signal timing, and even recommend alternative routes. Through the use of real-time decision-making and predictive analytics, AI-based systems are able to significantly improve traffic flow, reduce congestion, and facilitate urban mobility [8].

The present work suggests a whole AI-based architecture for real-time traffic control to suit smart city settings. The main contributions of the work are:

1. Creation of a deep learning model to correctly predict short-term traffic movement with real-time multi-source data.
2. Development of an adaptive traffic signal control system using a reinforcement learning algorithm for multiple intersections.
3. Design of an edge computing and cloud-based analytics-enabled scalable and modular architecture appropriate for deployment in smart cities.
4. Assessment of system performance using real-world traffic data in a simulated smart city environment.

The rest of the paper is structured as follows: Section II discusses related work and existing AI-based methods for traffic management [9]. Section III discusses the proposed framework and methodology [10]. Section IV discusses results and comparative analysis, and Section V concludes the study with directions for future research.

II. BACKGROUND AND RELATED WORK

Artificial intelligence (AI) is altering city mobility as used in transportation infrastructure [11]. Artificial intelligence has been mostly assigned to make traffic management systems efficient, dependable, and responsive while cities strive to become greener and smarter. From traffic flow prediction, dynamic signal control, congestion detection, and route guiding [12] applications spanning from Machine Learning (ML), Deep Learning (DL), and Reinforcement Learning (RL), the fundamental AI principles have been applied widely.

A. AI Methods in Traffic Control

Daily application of machine learning methods, including support vector machines (SVM), decision trees, and random forests, covers pattern identification, vehicle categorization, and traffic volume predictions [13].

Based on input variables including time, temperature, and location, and even deduce patterns buried in past traffic data, these models would be able to predict future trends [14].

Deep learning—especially Recurrent Neural Networks (RNNs) and their variation Long Short-Term Memory (LSTM)—has done well—in capturing long-term associations in traffic data. Best for short-term traffic flow forecasting, LSTM networks can sufficiently mimic temporal trends. Analyzing the interactions among geographical road segments in spatial-temporal traffic forecasting using CNNs and Graph Convolutional Networks (GCNs), Yu and others [15].

Potential for especially adaptable traffic signal regulation has been shown by reinforcement learning (RL), Deep Q-Networks (DQNs), and Multi-Agent RL (MARL). By means of combinations of contact with the environment and feedback in terms of measurements such as queue length, waiting time, or aggregate throughput, these methods learn optimal signal policies. Unlike rule-based systems lacking flexibility, RL-based systems automatically adjust traffic light phases to lower congestion in real time, hence improving performance [16].

B. Current AI-Based Traffic Systems

Current smart traffic systems deploy AI algorithms in several ways:

- Adaptive Traffic Signal Control Systems (e.g., SURTRAC) use real-time sensor data and reinforcement learning to adjust signal timing at intersections.
- Route Guidance Systems combine real-time GPS and crowdsourced information to suggest less busy routes.
- Incident Detection Systems use deep learning to detect accidents, abnormal congestion, or obstructions based on video surveillance and sensor feeds.

These systems demonstrate clear benefits over traditional approaches by increasing road capacity, reducing delay, and lowering fuel consumption and emissions.

C. Comparison with Traditional Systems

Traditional traffic management practices, like fixed-time or actuated signal control, tend to function with fixed states that do not capture real-time variations in traffic. These systems are reactive, localized, and unable to learn from the past, resulting in inefficiencies in city-level traffic networks. Chlahawi, M. O. A. [17]. In contrast, AI-supported systems are data-driven, proactive, and adaptive and can therefore anticipate and react to varying traffic patterns, cope with unforeseen events, and optimize the overall transportation system [10].

More applications and background for AI can be found in [18–20], where AI techniques show a wide range of applicability.

D. Research Gaps and Limitations

In spite of major strides, there are some limitations in existing research and implementations:

- Most AI models are city-specific and are not scalable to cities with varying infrastructures and traffic patterns.

- There are challenges in integrating AI models with existing traffic control systems.
- Most solutions that exist today are component-wise (e.g., either prediction or signal control) and do not provide a common framework for end-to-end real-time traffic management.
- There is little real-time deployment and testing in large-scale, live urban settings because of infrastructure, privacy, and computational limitations.

The present paper meets these challenges by providing a scalable and modular AI-based framework that unifies prediction, adaptive control, and decision support into an efficient system for real-time traffic management in smart cities.

III. PROPOSED FRAMEWORK/ METHODOLOGY

The suggested solution uses cutting-edge artificial intelligence methods to produce a scalable and responsive framework for smart city real-time traffic management. Data from many sources—including IoT-based traffic sensors, GPS devices, and surveillance cameras—which are positioned at key intersections and road segments—is combined in the design. Vehicle count, speed, road congestion, and environmental variables like air quality are among the always available information sources these data streams offer (Agarwal et al., 2015)

The system's core consists of a multi-model artificial intelligence engine. Image data from traffic cameras is first processed using Convolutional Neural Networks (CNNs), therefore enabling automatic vehicle detection, classification, and license plate recognition. This visual study assists congestion control and enforcement. Long Short-Term Memory (LSTM) networks can predict both short- and long-term traffic flow by means of time-series data acquired from GPS and sensor nodes. LSTMs are especially suited to show temporal interdependence in traffic patterns. Third, control decisions draw on Deep Q-Networks (DQNs) anchored on reinforcement learning. These algorithms dynamically create optimal traffic signal plans depending on real-time feedback, hence improving traffic fluidity at crossroads.

First compiling and pre-processing data, the AI-powered decision-making pipeline runs forecasts and control algorithms, then delivers instructions to the traffic infrastructure—such as adaptive signals or rerouting instructions. This closed-loop system provides long-term adaptation and efficiency by means of constant learning from results and model updates.

Many of the sensing devices in Fig. 1 relay live traffic data into a central processing unit containing artificial intelligence components. From here, traffic signals and rerouting suggestions are dynamically controlled; a feedback loop allows the AI system to develop from constant operations. Such a complete integration assists proactive congestion control functioning, enhances the forecasting precision, and permits real-time response to circumstances such as a traffic jam or an accident happening.

This approach is self-adaptive, besides being modular and scalable, due to its reinforcement learning features that can be applied in different cities. The suggested methodology




Fig. 1. AI-based real-time traffic monitoring and control system for smart cities [21].

addresses the limitations of traditional traffic systems that, in some cases, are based upon fixed-time signals or rule-based control and combines vision, prediction, and control with deep learning models.

IV. RESULTS AND DISCUSSION

We conducted a comparative evaluation of the suggested AI-based real-time traffic management system and the traditional traffic control systems to analyze their performance. Four of the most important measures of performance were compared, such as average vehicle delay, queue length, throughput, and congestion level. We have chosen them as the indicators of the operational performance and commuter experience.

As shown in Fig. 2, the AI-based system outperformed all the other systems in every indicator:

- Mean Vehicle Delay was reduced by 85 to 45s (conventional to AI-based) and indicates the expedited clearance across roadways.
- Queue Lengths reduced from 30 to 18 vehicles, exhibiting enhanced traffic flow management.
- Throughput improved from 800 to 1,050 vehicles/hour, reflecting enhanced traffic capacity and flow.
- Congestion Level decreased significantly from 70% to 35%, confirming the system's capability to reduce peak-time congestion.

Such improvements are due to real-time traffic sensing, predictive modeling through LSTM, and control of the dynamics signal through Deep Q-Networks (DQN). These results are represented in Table 1 and also described graphically using the bar chart (Fig. 2).

A. Discussion and Insights

The context-sensitivity and ability to adapt to the situation, not possessed by traditional systems, that the AI system




Fig. 2. Traditional vs. AI-based traffic management systems on key performance metrics.

TABLE I
PERFORMANCE METRICS COMPARISON: TRADITIONAL VS. AI-BASED SYSTEMS

Metric	Traditional System	AI-Based System
Avg. Vehicle delay (s)	85	45
Queue Length (vehicles)	30	18
Throughput (vehicles/hr)	800	1,050
Congestion Level (%)	70	35

exhibits, have been seen as a dramatic reduction of congestion and delay under the AI system. The AI-based solution, unlike the set signal pattern, will update control algorithms on a real-time basis to accommodate any unexpected traffic event, such as accidents, roadblocks, or sudden traffic increase in vehicle numbers. Also, the scalability of the system will allow one to extend the system to other cities with minimum retraining; real-time responsiveness will guarantee significant commuter satisfaction and reduced environmental impact due to idling. These results align with previous ones, such as Zhang and Yu [22], Gao et al. [16], who also established significant increases in traffic control results through reinforcement learning and deep neural networks.

V. CONCLUSION AND FUTURE WORK

In this work, a traffic control system based on artificial intelligence and capable of monitoring in real time was offered in a smart city. The inclusion of CNNs, LSTM networks, and DQNs into the design with real-time data reduces the delays of traffic management. On reducing vehicle delays, traffic jams, and the length of queues and increasing throughput and responsiveness, the solution was much better than conventional systems, to say the least. The construction of smart cities is intertwined with the usage of artificial intelligence in order to

control traffic. Helping to promote environmental objectives is reducing fuel consumption and emissions through a smooth flow of traffic. In addition, increased mobility enhances the quality of life of residents and the economy [23,24].

Nevertheless, the structure is limited in some aspects. Data privacy is rather important, given the real-time GPS and surveillance information, in particular. The resource-limited conditions may discourage the use of deep learning models due to their high computational cost. Additionally, the necessity of high-quality sensor networks and connection with the already existing legacy infrastructure creates pragmatic challenges.

Future researchers of federated learning will consider counter-challenges to ensure that the privacy of the data is not compromised with the model accuracy. Lean edge-AI models that are further to the traffic lights and roadside sensors can be used to reduce latency and reliance on cloud operations. Moreover, augmented system response and communication will be 5G integration. Additionally, by matching artificial intelligence implementations with local regulations on governance, it is easier to ensure ethical and sustainable implementation. The combination of these regulations gives a blueprint towards developing strong, smart, and green city transportation systems, and hence the fact of smart cities that people can live in.

Incorporation of artificial intelligence in the city traffic management is not only beneficial in enhancing operational efficiency but also offers the means through which flexible, learning-based systems can be expanded with the changing traffic patterns. In comparison to fixed rule-based systems, AIs can learn based on past data and real-time data to make smart decisions, detect anomalies such as accidents or road closures, and propose preventative measures. This continuous adjustment ensures sustainability in the relevance and effectiveness in fast-growing cities in particular. The AI-powered traffic systems will be inevitable because cities continue to digitize and install smart infrastructure to allow linked mobility, reduce human intervention, and enhance safety among all road users.

REFERENCES

- [1] M. Aliyari, "Architectural designing the nursing homes in tehran city (As A Sample)," *Archives for Technical Sciences*, vol. 1, no. 30, pp. 1–14, 2024. <https://doi.org/10.59456/afts.2024.1630.001M>
- [2] M. N. Borhan, "Exploring smart technologies towards applications across industries," *Innovative Reviews in Engineering and Science*, vol. 2, no. 2, pp. 9–16, 2025. <https://doi.org/10.31838/INES/02.02.02>
- [3] M. Kavitha, "Energy-efficient algorithms for machine learning on embedded systems," *Journal of Integrated VLSI, Embedded and Computing Technologies*, vol. 1, no. 1, pp. 16–20, 2024. <https://doi.org/10.31838/JIVCT/01.01.04>
- [4] D. Abdullah, "Enhancing cybersecurity in electronic communication systems: New approaches and technologies," *Progress in Electronics and Communication Engineering*, vol. 1, no. 1, pp. 38–43, 2024. <https://doi.org/10.31838/PECE/01.01.07>
- [5] K. Murugan, V. P. Arunachalam, and S. Karthik, "SAR image despeckling using improved bilateral filter," *International Journal of Advances in Engineering and Emerging Technology*, vol. 6, no. 4, pp. 218–222, 2015.
- [6] Muralidharan, J. (2023). "Innovative RF design for high-efficiency wireless power amplifiers," *National Journal of RF Engineering and Wireless Communication*, vol. 1, no. 1, pp. 1–9. <https://doi.org/10.31838/RFMW/01.01.01>

- [7] V. Bhandage, M. G. Asuti, P. V. Joshi, H. D. Nataraj Urs, D. K. Nayana, T. S. Deepthi Murthy, and R. Vijaya Arjunan, "Modeling and optimization of DSME-guaranteed time slot allocation in IEEE 802.15.4e networks based on traffic model," *Journal of Wireless Mobile Networks, Ubiquitous Computing, and Dependable Applications*, vol. 15, no. 4, pp. 293–312, 2024. <https://doi.org/10.58346/IOWUA.2024.14.019>
- [8] R. Aravind, Gokulraja, and Suganya. "Wheelchair assistance and guidance using IOT," *International Academic Journal of Innovative Research*, vol. 9, no. 2, pp. 22–24, 2022. <https://doi.org/10.9756/IAJIR/V9I2/IAJIR0913>
- [9] S. Mirbakhsh, "Artificial intelligence-based real-time traffic management review article," *Journal of Electrical and Electronics Engineering*, vol. 2, no. 4, pp. 368–373, 2023.
- [10] S. J. Mohammed, M. S. Mohammed, and N. M. Nasir, "IoT-traffic networks effective features based on NSGA-II technique," *Journal of Internet Services and Information Security*, vol. 14, no. 2, pp. 247–267, 2024. <https://doi.org/10.58346/JISIS.2024.I2.016>
- [11] S. K. Jagatheesaperumal, S. E. Bibri, J. Huang, J. Rajapandian, and B. Parthiban, "Artificial intelligence of things for smart cities: advanced solutions for enhancing transportation safety," *Computational Urban Science*, vol. 4, no. 1, pp. 10, 2024.
- [12] A. Kadkhodayi, M. Jabeli, H. Aghdam, and S. Mirbakhsh, "Artificial intelligence-based real-time traffic management," *Journal of Electrical Electronics Engineering*, vol. 2, no. 4, pp. 368–373, 2023.
- [13] A. Hilmani, A. Maizate, and L. Hassouni, "Automated real-time intelligent traffic control system for smart cities using wireless sensor networks," *Wireless Communications and mobile computing*, vol. 1, pp. 8841893, 2020.
- [14] Y. Lv, Y. Duan, W. Kang, Z. Li, and F. Y. Wang, "Traffic flow prediction with big data: A deep learning approach," *IEEE Transactions on Intelligent Transportation Systems*, vol. 16, no. 2, pp. 865–873, 2015. <https://doi.org/10.1109/TITS.2014.2345663>
- [15] B. Yu, H. Yin, and Z. Zhu, "Spatio-temporal graph convolutional networks: A deep learning framework for traffic forecasting," *Proceedings of the 27th International Joint Conference on Artificial Intelligence (IJCAI)*, pp. 3634–3640, 2018. <https://doi.org/10.24963/ijcai.2018/505>
- [16] J. Gao, Y. Shen, J. Liu, and M. Ito, "Adaptive traffic signal control: Deep reinforcement learning algorithm with experience replay and target network," *arXiv preprint arXiv:1705.02755*, 2017. <https://doi.org/10.48550/arXiv.1705.02755>
- [17] M. O. A. Chlahawi, "Application of blockchain technology to reduce costs," *International Academic Journal of Social Sciences*, vol. 11, no. 1, pp. 26–38, 2024. <https://doi.org/10.9756/IAJSS/V11I1/IAJSS1104>
- [18] A. A. S. Mohammad, S. I. S. Mohammad, B. Al Oraini, et al. "Strategies for applying interpretable and explainable AI in real world IoT applications," *Discov Internet Things* vol. 5, pp. 71, 2025. <https://doi.org/10.1007/s43926-025-00155-z>
- [19] I. Vourganas, H. Attar, and A. L. Michala, "Accountable, responsible, transparent artificial intelligence in ambient intelligence systems for healthcare," *Intelligent healthcare: infrastructure, algorithms and management*, Singapore, Springer Nature Singapore, pp. 87–111, 2022.
- [20] R. Assaf, et al. "Assessing the acceptance for implementing artificial intelligence technologies in the governmental sector: An empirical study," *Engineering, Technology and Applied Science Research*, vol. 14, no. 6, pp. 18160–18170, 2024.
- [21] D. Gade, "Technology trends and digital solutions for smart cities development," *International Journal of Advance and Innovative Research*, vol. 6, no. 1, pp. 29–37, 2019.
- [22] Y. Zhang, and Y. Yu, "A reinforcement learning-based traffic signal control model for complex intersections," *Transportation Research Part C: Emerging Technologies*, vol. 95, pp. 465–479, 2018. <https://doi.org/10.1016/j.trc.2018.07.004>
- [23] A. Mohanty, A. G. Mohapatra, and S. K. Mohanty, "Real-time traffic monitoring with AI in smart cities," in *Internet of Vehicles and Computer Vision Solutions for Smart City Transformations*, Cham, Springer Nature Switzerland, pp. 135–165, 2025.
- [24] P. Gunasekaran, V. Sudha, N. B. Mustare, R. B. Pittala, A. A. J. Pazhani, & G. C. Babu, "Modified artificial bee colony optimization with SVM for optimizing the selection and classification of heart disease," *The Bioscan*, vol. 19, no. Special Issue 1, pp. 661–666, 2024, doi: 10.63001/tbs.2024.v19.i02.S.I(1).pp661-666.