TAX INVOICE

Johnson Health Tech New Zealand
Johnson Health Tech Australia
132 Vision Street
Dandenong 3175
South Victoria
AUSTRALIA

Invoice Date
28 Dec 2025

Invoice Number
INV-7340

GST Number
41-229-926

CFL Services
33 Oratia Street,
Waikanae Beach,
Waikanae 5036
Phone: 027 453 4668
Email : c.leith@xtra.co.nz

Description	Quantity	Unit Price	Amount NZD
2/12/25 JNZ251100005.	5.50	170.00	935.00
2/12/25 JNZ251100005 Consumables.	1.00	35.00	35.00
3/12/25 JNZ251100006.	5.00	170.00	850.00
3/12/25 JNZ251100006 Consumables.	1.00	35.00	35.00
3/12/25 JNZ251100007.	5.50	170.00	935.00
3/12/25 JNZ251100007 Consumables.	1.00	35.00	35.00
12/12/25 JNZ251200188.	2.50	95.00	237.50
17/12/25 JNZ251200391.	1.50	95.00	142.50
17/12/25 JNZ251200392.	1.00	95.00	95.00
17/12/25 JNZ251200393.	1.00	95.00	95.00
17/12/25 JNZ251200394.	1.00	95.00	95.00
17/12/25 JNZ251200395.	1.50	95.00	142.50
JNZ251200622.	3.50	95.00	332.50
		Subtotal	3,965.00
		TOTAL GST 15%	594.77
		TOTAL NZD	**4,559.77**

Invoice received 05/02/26

Due Date: 20 Jan 2026
Our preferred payment method is Direct Credit. Our bank account details are:
06-0529-0484412-00

JOHNSON	Johnson Health Tech Australia Pty Ltd		
Branch/GL Code	NZ011001 /60100503		
Received By	MP	Date	05/02/26
Approved By		Date	
Authorised By		Date	

PAYMENT ADVICE

To: CFL Services
33 Oratia Street,
Waikanae Beach,
Waikanae 5036
Phone: 027 453 4668
Email : c.leith@xtra.co.nz

Customer	Johnson Health Tech New Zealand
Invoice Number	INV-7340
Amount Due	**4,559.77**
Due Date	20 Jan 2026
Amount Enclosed	

Enter the amount you are paying above

JOHNSON

Contractor Worksheet

CASE PRODUCT#: JNZ251100005

Contractor: CFL (Charles)
20 Chilton Grove, Hutt Central, Lower Hutt, 5010
Phone:
Email: c.leith@xtra.co.nz

Date Job Booked: 02.11.2025
Time Job Booked:

Johnson Health Tech New Zealand Limited
c/o Johnson Health Tech Australia
132 VISION STREET
DANDENONG SOUTH VICTORIA 3175

Phone: 03 5136 3120
Fax: 03 5136 3199
Email: service@jhta.com.au
Job MGR: Ryan Sagum

Customer Details

Owner of Unit: NEW ZEALAND DEFENCE FORCE
Branch: Commercial
Address: Trentham,
Post Code: Others WLG 5140
Main Phone: +64 4 587 2138
Other Phone:
Email: nzdf-accountspayable@paperlessap.co.nz

Dealer Details

PBM Sold To: NEW ZEALAND DEFENCE FORCE
Dealer Phone: +64 4 587 2138

Job Category: Warranty- Repair
Customer Purchase Date: 29.08.2025
Serial Number: FC210B2507C00280

Model: TBCC-02 Matrix Total Body Cycle TBCC-02

Customer Issue Email from Aaron - SPM Q4

Customer Authorisation work to be done
I authorise the work to be performed as per the above fault description. I understand that any authorised work that has been done outsie the scope of the warranty work needs to be paied today. An invoice will be sent out to you by Johnson Health Tech Australia Pty Ltd via mail.
Any other extra work needs to be authorised by me.

Sign: Print: Date/Time

Standard Service Time:

Instructions For Technician: Email from Aaron - SPM Q4
TRENTHAM SPM

Action Taken By Technician

SPM OF ALL GYM EQUIPMENT

Parts Used

CONSUMABLES

Technician

Time ON: 8:00 Time OFF: 1:00 Travel Time: 0.5 Mileage:

Sign: Print: CHARLES LEITH Date/Time 2/12/25

Customer Agreement for completed work:
Herewith I agree that the work has been completed to my satisfaction. All work stated above has been undertaken by the technician.

Sign: PP SAMANA Print: SAMANA Date/Time 2/12/25

*NOTE: The targeted time is based on historical time used to perform the above mentioned job. Any extra time spent on the job needs to be authorised by Johnson Health Tech Australia Pty Ltd before performing the task. If no authorisation is given, Johnson Health Tech Australia Pty Ltd reserves the right of only paying the labour time authorised prior to performing the job.

ELECTRICAL WARNING: JHTA insists that electrical work on internal components of 240 Volt mains operated devices and associated mains leads is only performed by trained and competent personnel.

JOHNSON

Contractor Worksheet

CASE PRODUCT#: JNZ251100006

Contractor: CFL (Charles)
20 Chilton Grove, Hutt Central, Lower Hutt, 5010
Phone:
Email: c.leith@xtra.co.nz

Date Job Booked: 02.11.2025
Time Job Booked:

Johnson Health Tech New Zealand Limited
c/o Johnson Health Tech Australia
132 VISION STREET
DANDENONG SOUTH VICTORIA 3175

Phone: 03 5136 3120
Fax: 03 5136 3199
Email: service@jhta.com.au
Job MGR: Ryan Sagum

Customer Details

Owner of Unit: NEW ZEALAND DEFENCE FORCE
Branch: Commercial
Address: Trentham,
Post Code: Others WLG 5140
Main Phone: +64 4 587 2138
Other Phone:
Email: nzdf-accountspayable@paperlessap.co.nz

Dealer Details

PBM Sold To: NEW ZEALAND DEFENCE FORCE
Dealer Phone: +64 4 587 2138

Job Category: Warranty- Repair
Customer Purchase Date: 29.08.2025
Serial Number: FC210B2507C00295

Model: TBCC-02 Matrix Total Body Cycle TBCC-02

Customer Issue Email from Aaron - SPM Q4

Customer Authorisation work to be done
I authorise the work to be performed as per the above fault description. I understand that any authorised work that has been done outsie the scope of the warranty work needs to be paied today. An invoice will be sent out to you by Johnson Health Tech Australia Pty Ltd via mail.
Any other extra work needs to be authorised by me.

Sign: Print: Date/Time

Standard Service Time:

Instructions For Technician: Email from Aaron - SPM Q4

CHANGE SPM

Action Taken By Technician

SPM OF ALL GYM EQUIPMENT

Parts Used

CONSUMABLES

Technician

Time ON: 9:30 Time OFF: 11:30 Travel Time: 3:00 Mileage:

Sign: Print: CHARLES LEITH Date/Time 3/12/25

Customer Agreement for completed work:
Herewith I agree that the work has been completed to my satisfaction. All work stated above has been undertaken by the technician.

Sign: PP TRENT NORMAN Print: TRENT NORMAN Date/Time 3/12/25

*NOTE: The targeted time is based on historical time used to perform the above mentioned job. Any extra time spent on the job needs to be authorised by Johnson Health Tech Australia Pty Ltd before performing the task. If no authorisation is given, Johnson Health Tech Australia Pty Ltd reserves the right of only paying the labour time authorised prior to performing the job.

ELECTRICAL WARNING: JHTA insists that electrical work on internal components of 240 Volt mains operated devices and associated mains leads is only performed by trained and competent personnel.

JOHNSON

Contractor Worksheet

CASE PRODUCT#: JNZ251100007

Contractor: CFL (Charles)
20 Chilton Grove, Hutt Central, Lower Hutt, 5010
Phone:
Email: c.leith@xtra.co.nz

Date Job Booked: 02.11.2025
Time Job Booked:

Johnson Health Tech New Zealand Limited
c/o Johnson Health Tech Australia
132 VISION STREET
DANDENONG SOUTH VICTORIA 3175

Phone: 03 5136 3120
Fax: 03 5136 3199
Email: service@jhta.com.au
Job MGR: Ryan Sagum

Customer Details

Owner of Unit: NEW ZEALAND DEFENCE FORCE
Branch: Commercial
Address: Trentham,
Post Code: Others WLG 5140
Main Phone: +64 4 587 2138
Other Phone:
Email: nzdf-accountspayable@paperlessap.co.nz

Dealer Details

PBM Sold To: NEW ZEALAND DEFENCE FORCE
Dealer Phone: +64 4 587 2138

Job Category: Warranty- Repair
Customer Purchase Date: 29.08.2025
Serial Number: FC210B2507C00284

Model: TBCC-02 Matrix Total Body Cycle TBCC-02

Customer Issue Email from Aaron - SPM Q4

Customer Authorisation work to be done
I authorise the work to be performed as per the above fault description. I understand that any authorised work that has been done outsie the scope of the warranty work needs to be paied today. An invoice will be sent out to you by Johnson Health Tech Australia Pty Ltd via mail.
Any other extra work needs to be authorised by me.

Sign: Print: Date/Time

Standard Service Time:

Instructions For Technician: Email from Aaron - SPM Q4

LINTON SPM

Action Taken By Technician

SPM OF ALL GYM EQUIPMENT

Parts Used

Technician

Time ON: 12:30 Time OFF: 3:30 Travel Time: 2.5 Mileage:

Sign: Print: CHARLES LEITH Date/Time 3/12/24

Customer Agreement for completed work:
Herewith I agree that the work has been completed to my satisfaction. All work stated above has been undertaken by the technician.

Sign: PP Print: PP CHARLES LEITH Date/Time 3/12/24

*NOTE: The targeted time is based on historical time used to perform the above mentioned job. Any extra time spent on the job needs to be authorised by Johnson Health Tech Australia Pty Ltd before performing the task. If no authorisation is given, Johnson Health Tech Australia Pty Ltd reserves the right of only paying the labour time authorised prior to performing the job.

ELECTRICAL WARNING: JHTA insists that electrical work on internal components of 240 Volt mains operated devices and associated mains leads is only performed by trained and competent personnel.

JOHNSON

Contractor Worksheet

CASE PRODUCT#: JNZ251200188

Contractor: CFL (Charles)
20 Chilton Grove, Hutt Central, Lower Hutt, 5010
Phone:
Email: c.leith@xtra.co.nz
Date Job Booked: 10.12.2025
Time Job Booked:

Johnson Health Tech New Zealand Limited
c/o Johnson Health Tech Australia
132 VISION STREET
DANDENONG SOUTH VICTORIA 3175
Phone: 03 5136 3120
Fax: 03 5136 3199
Email: service@jhta.com.au
Job MGR: Ryan Sagum

Customer Details

Owner of Unit: JETTS LOWER HUTT
Address: Fitness & Lifestyle Group BidCo NZ Ltd,
Post Code: North Harbour AKL 0751
Main Phone: 999999999999
Other Phone:
Branch: Commercial
Email: 9999999999@jetts.com.au

Dealer Details

PBM Sold To: JETTS NEW ZEALAND
Dealer Phone: 0272672919

Job Category: Warranty- Repair
Customer Purchase Date: 12.03.2025
Serial Number: TM784B2411C01193
Model: T-ES-02-F MX Endurance Treadmill w/o PB 220V

Customer Issue DM from Aaron - Power cord replacement

Customer Authorisation work to be done
I authorise the work to be performed as per the above fault description. I understand that any authorised work that has been done outsie the scope of the warranty work needs to be paied today. An invoice will be sent out to you by Johnson Health Tech Australia Pty Ltd via mail.
Any other extra work needs to be authorised by me.

Sign: Print: Date/Time

Standard Service Time:

Instructions For Technician: 1000473972

Action Taken By Technician

TENSION CABLES, ~~[illegible]~~ WEIGHT STACK BOLTS, ADJUST GUIDE ROD STOPS, SILICONE WEIGHT STACK GUIDE RODS, ADJUST WEIGHT STACK COVER HANDLES

Parts Used TENSION RUNNING BELTS ON T/MILLS

Technician

Time ON: 1:00 Time OFF: 3:00 Travel Time: 0.5 Mileage:

Sign: Print: CHARLES LEITH Date/Time 12/12/25

Customer Agreement for completed work:
Herewith I agree that the work has been completed to my satisfaction. All work stated above has been undertaken by the technician.

Sign: PP Print: PP CHARLES LEITH Date/Time 12/12/25

*NOTE: The targeted time is based on historical time used to perform the above mentioned job. Any extra time spent on the job needs to be authorised by Johnson Health Tech Australia Pty Ltd before performing the task. If no authorisation is given, Johnson Health Tech Australia Pty Ltd reserves the right of only paying the labour time authorised prior to performing the job.

ELECTRICAL WARNING: JHTA insists that electrical work on internal components of 240 Volt mains operated devices and associated mains leads is only performed by trained and competent personnel.

JOHNSON

Contractor Worksheet

CASE PRODUCT#: JNZ251200391

Contractor: CFL (Charles)
20 Chilton Grove, Hutt Central, Lower Hutt, 5010
Phone:
Email: c.leith@xtra.co.nz
Date Job Booked: 11.12.2025
Time Job Booked:

Johnson Health Tech New Zealand Limited
c/o Johnson Health Tech Australia
132 VISION STREET
DANDENONG SOUTH VICTORIA 3175
Phone: 03 5136 3120
Fax: 03 5136 3199
Email: service@jhta.com.au
Job MGR: Ryan Sagum

Customer Details

Owner of Unit: JETTS LOWER HUTT
Address: 28 Rutherford Street,
Post Code: Hutt Central WLG 5010
Main Phone: 999999999999
Other Phone:
Branch: Commercial
Email: 9999999999@jetts.com.au

Dealer Details

PBM Sold To: JETTS NEW ZEALAND
Dealer Phone: 0272672919

Job Category: Warranty- Repair
Customer Purchase Date: 17.11.2025
Serial Number: VSGM67HI2507G028
Model: VS-S40H Matrix Versa Biceps Curl

Customer Issue 29000 - Loose cable

Customer Authorisation work to be done
I authorise the work to be performed as per the above fault description. I understand that any authorised work that has been done outsie the scope of the warranty work needs to be paied today. An invoice will be sent out to you by Johnson Health Tech Australia Pty Ltd via mail.
Any other extra work needs to be authorised by me.

Sign: Print: Date/Time

Standard Service Time:

Instructions For Technician: Assess / Repair

Action Taken By Technician

TENSION CABLES & ADJUST.

Parts Used

Technician

Time ON: 12:00 Time OFF: 1:00 Travel Time: 0.5 Mileage:

Sign: Print: CHARLES LEITH Date/Time 17/12/25

Customer Agreement for completed work:
Herewith I agree that the work has been completed to my satisfaction. All work stated above has been undertaken by the technician.

Sign: PP Print: PP CHARLES Date/Time 17/12/25

*NOTE: The targeted time is based on historical time used to perform the above mentioned job. Any extra time spent on the job needs to be authorised by Johnson Health Tech Australia Pty Ltd before performing the task. If no authorisation is given, Johnson Health Tech Australia Pty Ltd reserves the right of only paying the labour time authorised prior to performing the job.

ELECTRICAL WARNING: JHTA insists that electrical work on internal components of 240 Volt mains operated devices and associated mains leads is only performed by trained and competent personnel.

Printed: 12.12.2025 09:35:14 AM

JOHNSON

Contractor Worksheet

CASE PRODUCT#: JNZ251200392

Contractor: CFL (Charles)
20 Chilton Grove, Hutt Central, Lower Hutt, 5010
Phone:
Email: c.leith@xtra.co.nz
Date Job Booked: 11.12.2025
Time Job Booked:

Johnson Health Tech New Zealand Limited
c/o Johnson Health Tech Australia
132 VISION STREET
DANDENONG SOUTH VICTORIA 3175
Phone: 03 5136 3120
Fax: 03 5136 3199
Email: service@jhta.com.au
Job MGR: Ryan Sagum

Customer Details

Owner of Unit: JETTS LOWER HUTT
Address: 28 Rutherford Street,
Post Code: Hutt Central WLG 5010
Main Phone: 999999999999
Other Phone:
Branch: Commercial
Email: 9999999999@jetts.com.au

Dealer Details

PBM Sold To: JETTS NEW ZEALAND
Dealer Phone: 0272672919

Job Category: Warranty- Repair
Customer Purchase Date: 17.11.2025
Serial Number: G3GM238I2509G110
Model: G3-S73-03 Matrix Aura Prone Leg Curl

Customer Issue 29000 - Loose cable

Customer Authorisation work to be done
I authorise the work to be performed as per the above fault description. I understand that any authorised work that has been done outsie the scope of the warranty work needs to be paied today. An invoice will be sent out to you by Johnson Health Tech Australia Pty Ltd via mail.
Any other extra work needs to be authorised by me.

Sign: Print: Date/Time

Standard Service Time:

Instructions For Technician: Assess / Repair

Action Taken By Technician

TENSION CABLES & ADJUST.

Parts Used

Technician

Time ON: 1:00 Time OFF: 2:00 Travel Time: — Mileage:

Sign: Print: CHARLES LEITH Date/Time 17/12/25

Customer Agreement for completed work:
Herewith I agree that the work has been completed to my satisfaction. All work stated above has been undertaken by the technician.

Sign: PP CL Print: PP CHARLES Date/Time 17/12/25

*NOTE: The targeted time is based on historical time used to perform the above mentioned job. Any extra time spent on the job needs to be authorised by Johnson Health Tech Australia Pty Ltd before performing the task. If no authorisation is given, Johnson Health Tech Australia Pty Ltd reserves the right of only paying the labour time authorised prior to performing the job.

ELECTRICAL WARNING: JHTA insists that electrical work on internal components of 240 Volt mains operated devices and associated mains leads is only performed by trained and competent personnel.

Printed: 12.12.2025 09:35:21 AM

JOHNSON

Contractor Worksheet

CASE PRODUCT#: JNZ251200393

Contractor: CFL (Charles)
20 Chilton Grove, Hutt Central, Lower Hutt, 5010
Phone:
Email: c.leith@xtra.co.nz
Date Job Booked: 11.12.2025
Time Job Booked:

Johnson Health Tech New Zealand Limited
c/o Johnson Health Tech Australia
132 VISION STREET
DANDENONG SOUTH VICTORIA 3175
Phone: 03 5136 3120
Fax: 03 5136 3199
Email: service@jhta.com.au
Job MGR: Ryan Sagum

Customer Details

Owner of Unit: JETTS LOWER HUTT
Address: 28 Rutherford Street,
Post Code: Hutt Central WLG 5010
Main Phone: 999999999999
Other Phone:
Branch: Commercial
Email: 9999999999@jetts.com.au

Dealer Details

PBM Sold To: JETTS NEW ZEALAND
Dealer Phone: 0272672919

Job Category: Warranty- Repair
Customer Purchase Date: 17.11.2025
Serial Number: VSGM64DPI2510G010
Model: VS-S70P Matrix Versa Leg Press / Calf Press

Customer Issue 29000 - Loose cable

Customer Authorisation work to be done
I authorise the work to be performed as per the above fault description. I understand that any authorised work that has been done outsie the scope of the warranty work needs to be paied today. An invoice will be sent out to you by Johnson Health Tech Australia Pty Ltd via mail.
Any other extra work needs to be authorised by me.

Sign: Print: Date/Time

Standard Service Time:

Instructions For Technician: Assess / Repair

Action Taken By Technician

TENSION CABLES & ADJUST

Parts Used

Technician

Time ON: 2:00 Time OFF: 3:00 Travel Time: — Mileage:

Sign: Print: CHARLES LEITH Date/Time 17/12/25

Customer Agreement for completed work:
Herewith I agree that the work has been completed to my satisfaction. All work stated above has been undertaken by the technician.

Sign: PP Print: CHARLES LEITH Date/Time 17/12/25

*NOTE: The targeted time is based on historical time used to perform the above mentioned job. Any extra time spent on the job needs to be authorised by Johnson Health Tech Australia Pty Ltd before performing the task. If no authorisation is given, Johnson Health Tech Australia Pty Ltd reserves the right of only paying the labour time authorised prior to performing the job.

ELECTRICAL WARNING: JHTA insists that electrical work on internal components of 240 Volt mains operated devices and associated mains leads is only performed by trained and competent personnel.

JOHNSON

Contractor Worksheet

CASE PRODUCT#: JNZ251200394

Contractor: CFL (Charles)
20 Chilton Grove, Hutt Central, Lower Hutt, 5010
Phone:
Email: c.leith@xtra.co.nz

Date Job Booked: 11.12.2025
Time Job Booked:

Johnson Health Tech New Zealand Limited
c/o Johnson Health Tech Australia
132 VISION STREET
DANDENONG SOUTH VICTORIA 3175

Phone: 03 5136 3120
Fax: 03 5136 3199
Email: service@jhta.com.au
Job MGR: Ryan Sagum

Customer Details

Owner of Unit: JETTS LOWER HUTT
Address: 28 Rutherford Street,
Post Code: Hutt Central WLG 5010
Main Phone: 999999999999
Other Phone:
Branch: Commercial
Email: 9999999999@jetts.com.au

Dealer Details

PBM Sold To: JETTS NEW ZEALAND
Dealer Phone: 0272672919

Job Category: Warranty- Repair
Customer Purchase Date: 25.11.2025
Serial Number: PL06K251100042

Model: MG-PL23-03 Matrix MG Shoulder Press

Customer Issue 29000 - runner not smooth, sticks on a low weight

Customer Authorisation work to be done
I authorise the work to be performed as per the above fault description. I understand that any authorised work that has been done outsie the scope of the warranty work needs to be paied today. An invoice will be sent out to you by Johnson Health Tech Australia Pty Ltd via mail.
Any other extra work needs to be authorised by me.

Sign: Print: Date/Time

Standard Service Time:

Instructions For Technician: Assess / Repair

Action Taken By Technician

LUBRICATE & ADJUST.

Parts Used

Technician

Time ON: 3:00 Time OFF: 4:00 Travel Time: — Mileage:

Sign: Print: CHARLES LEITH Date/Time 17/12/25

Customer Agreement for completed work:
Herewith I agree that the work has been completed to my satisfaction. All work stated above has been undertaken by the technician.

Sign: Print: CHARLES Date/Time 17/12/25

*NOTE: The targeted time is based on historical time used to perform the above mentioned job. Any extra time spent on the job needs to be authorised by Johnson Health Tech Australia Pty Ltd before performing the task. If no authorisation is given, Johnson Health Tech Australia Pty Ltd reserves the right of only paying the labour time authorised prior to performing the job.

ELECTRICAL WARNING: JHTA insists that electrical work on internal components of 240 Volt mains operated devices and associated mains leads is only performed by trained and competent personnel.

JOHNSON

Contractor Worksheet

CASE PRODUCT#: JNZ251200395

Contractor: CFL (Charles)
20 Chilton Grove, Hutt Central, Lower Hutt, 5010
Phone:
Email: c.leith@xtra.co.nz
Date Job Booked: 11.12.2025
Time Job Booked:

Johnson Health Tech New Zealand Limited
c/o Johnson Health Tech Australia
132 VISION STREET
DANDENONG SOUTH VICTORIA 3175
Phone: 03 5136 3120
Fax: 03 5136 3199
Email: service@jhta.com.au
Job MGR: Ryan Sagum

Customer Details

Owner of Unit: JETTS LOWER HUTT
Branch: Commercial
Address: 28 Rutherford Street,
Post Code: Hutt Central WLG 5010
Main Phone: 999999999999
Other Phone:
Email: 9999999999@jetts.com.au

Dealer Details

PBM Sold To: JETTS NEW ZEALAND
Dealer Phone: 0272672919

Job Category: Warranty- Repair
Customer Purchase Date: 17.11.2025
Serial Number: VSGM63HI2509G074

Model: VS-S23H Matrix Versa Converging Shoulder Press

Customer Issue 29000 - on runners needs adjusting higher not giving full range of motion

Customer Authorisation work to be done
I authorise the work to be performed as per the above fault description. I understand that any authorised work that has been done outsie the scope of the warranty work needs to be paied today. An invoice will be sent out to you by Johnson Health Tech Australia Pty Ltd via mail.
Any other extra work needs to be authorised by me.

Sign: Print: Date/Time

Standard Service Time:

Instructions For Technician: Assess / Repair

Action Taken By Technician

ADJUST WEIGHT STACK GUIDE ROD COLLARS. & LUBE'

Parts Used

Technician

Time ON: 4:06 Time OFF: 5:00 Travel Time: 0-5 Mileage:

Sign: Print: CHARLES LEITH Date/Time 17/12/25

Customer Agreement for completed work:
Herewith I agree that the work has been completed to my satisfaction. All work stated above has been undertaken by the technician.

Sign: PP Print: CHARLES Date/Time 17/12/25

*NOTE: The targeted time is based on historical time used to perform the above mentioned job. Any extra time spent on the job needs to be authorised by Johnson Health Tech Australia Pty Ltd before performing the task. If no authorisation is given, Johnson Health Tech Australia Pty Ltd reserves the right of only paying the labour time authorised prior to performing the job.

ELECTRICAL WARNING: JHTA insists that electrical work on internal components of 240 Volt mains operated devices and associated mains leads is only performed by trained and competent personnel.

JOHNSON

Contractor Worksheet

CASE PRODUCT#: JNZ251200622

Contractor: CFL (Charles)
20 Chilton Grove, Hutt Central, Lower Hutt, 5010
Phone:
Email: c.leith@xtra.co.nz
Date Job Booked: 17.12.2025
Time Job Booked:

Johnson Health Tech New Zealand Limited
c/o Johnson Health Tech Australia
132 VISION STREET
DANDENONG SOUTH VICTORIA 3175
Phone: 03 5136 3120
Fax: 03 5136 3199
Email: service@jhta.com.au
Job MGR: Ryan Sagum

Customer Details

Owner of Unit: JETTS LOWER HUTT
Address: 28 Rutherford Street,
Post Code: Hutt Central WLG 5010
Main Phone: 999999999999
Other Phone:
Branch: Commercial
Email: 9999999999@jetts.com.au

Dealer Details

PBM Sold To: JETTS NEW ZEALAND
Dealer Phone: 0272672919

Job Category: Warranty- Repair
Customer Purchase Date: 02.12.2025
Serial Number: PL04K250200269
Model: MG-PL70-05 Matrix MG 45 Degree Leg Press

Customer Issue 29090 - Multiple issue

Customer Authorisation work to be done
I authorise the work to be performed as per the above fault description. I understand that any authorised work that has been done outsie the scope of the warranty work needs to be paied today. An invoice will be sent out to you by Johnson Health Tech Australia Pty Ltd via mail.
Any other extra work needs to be authorised by me.

Sign: Print: Date/Time

Standard Service Time:

Instructions For Technician: Assess / Repair

Action Taken By Technician

ADJUST & ALTER SMITH MACHINE, ASSESS FAN ON X/TRAINER & RESISTANCE ON BIKE ORDER PARTS

Parts Used

Technician

Time ON: 12:00 Time OFF: 3:00 Travel Time: 0.5 Mileage:

Sign: Print: CHARLES KEITH Date/Time 19/12/25

Customer Agreement for completed work:
Herewith I agree that the work has been completed to my satisfaction. All work stated above has been undertaken by the technician.

Sign: PP Print: PP CHARLES Date/Time 19/12/25

*NOTE: The targeted time is based on historical time used to perform the above mentioned job. Any extra time spent on the job needs to be authorised by Johnson Health Tech Australia Pty Ltd before performing the task. If no authorisation is given, Johnson Health Tech Australia Pty Ltd reserves the right of only paying the labour time authorised prior to performing the job.

ELECTRICAL WARNING: JHTA insists that electrical work on internal components of 240 Volt mains operated devices and associated mains leads is only performed by trained and competent personnel.