

Name :  
Sex/Age : Unknown/0 Year(s)  
Date Received : Apr 03 2025  
Indication :

## Whole Exome Sequencing on the Illumina Novaseq 6000 NGS Platform

## Clinical Indication:

A 0.0 Year(s) old baby with gender - (not specified) born to parents with unknown consanguinity was referred for genetic evaluation. No clinical symptoms / phenotypes were mentioned.

Plausible cause was not identified.

\*

## Variant Interpretation &amp; Clinical correlation:

A Heterozygous variant NM\_001009944.3:c.7531G>A, [ NP\_001009944.3:p.Ala2511Thr] in PKD1[MIM\*601313] gene was identified by Whole Exome Proband-Only analysis. The Heterozygous variations in the PKD1 gene are known to cause Autosomal dominant POLYCYSTIC KIDNEY DISEASE 1 WITH OR WITHOUT POLYCYSTIC LIVER DISEASE [MIM#173900]. This variant is not present in publicly available databases like ['1000 Genomes', 'Genome Aggregation Database Exome (gnomAD\_exome)', 'Genome Aggregation Database Genome (gnomAD\_genome)', 'Inhouse exome database']. This variant is present in [['Exome Variant Server', '0.0']].

Variant Evidence			Gene Impact	
Chromosome: PKD1 Position: chr16:2106263			RefSeq Gense 110, NCBI	
			Gene: chr16:2106263	Transcript: chr16:2106263
Allele	DP	%		

Name :  
Sex/Age : Unknown/0 Year(s)  
Date Received : Apr 03 2025  
Indication :

Heterozygous				
			Effect: 'POLYCYSTIC KIDNEY DISEASE 1 WITH OR WITHOUT POLYCYSTIC LIVER DISEASE'	Protein:
Genotype: Heterozygous			Exon:	Coding:

Based on the evidence, this variant Heterozygous is classified as likely to be 'POLYCYSTIC KIDNEY DISEASE 1 WITH OR WITHOUT POLYCYSTIC LIVER DISEASE' variant

OMIM Phenotype  
'POLYCYSTIC KIDNEY DISEASE 1 WITH OR WITHOUT POLYCYSTIC LIVER DISEASE'

Recommendations
<ul style="list-style-type: none"><li>Genetic counselling is advised. For assistance in locating nearby genetic counseling services, please contact the laboratory [Ph.No. -----].</li></ul>

Name :  
Sex/Age : Unknown/0 Year(s)  
Date Received : Apr 03 2025  
Indication :

- Validation of the variant detected by Sanger sequencing is recommended.
- Targeted mutation analysis in the parents is recommended to document possible de novo status of the variant detected in the proband.
- Please note that the classification of variants may change over time if additional information becomes available.

Methodology:

To be filled by organization based on the test methodology.

Limitations/Disclaimer:

Absence of a plausible explanation for the reported phenotype by exome sequencing does not exclude a genetic basis of the patient's condition. Some types of genetic abnormalities, such as copy number changes, variants in non-coding regions, large insertions or deletions etc. may not be detectable in this exome analysis test. It is possible that the genomic region where a disease causing mutation exists in the proband was not captured in the current test and therefore was not detected. Additionally, it is possible that a particular genetic abnormality may not be recognized as the underlying cause of the genetic disorder due to incomplete scientific knowledge about the function of all genes in the human genome and the impact of variants in those genes. Only variants in genes associated with the medical condition, or thought to be clinically relevant potentially for the probands medical condition, are reported here.

Intronic and untranslated region variants are not assessed using this method.,The classification of variants may change over time.,Although all precautions have been taken during the test, the currently available data indicate that the chances of technical error are 2-3%.,For any further questions please contact the laboratory [Ph.No. -----].

Variant Classification as per ACMG guidelines:

Signature 1

Signature 2

Signature 3

Nucleome Address

Name :  
Sex/Age : Unknown/0 Year(s)  
Date Received : Apr 03 2025  
Indication :

Name	Description
Variant	A change in a gene. This could be disease causing (pathogenic) or not disease causing (benign).
Pathogenic	A disease causing variation in a gene which can explain the patients symptoms has been detected. This usually means that a suspected disorder for which testing had been requested has been confirmed.

## References:

1. McLaren, William, et al. The Ensembl Variant Effect Predictor. Genome Biology, vol. 17, no. 1, 6 June 2016, p. 122, doi:10.1186/s13059-016-0974-4.
2. 1000 Genomes Project Consortium, et al. A Global Reference for Human Genetic Variation. Nature, vol. 526, no. 7571, 2015, pp. 68-74 doi:10.1038/nature15393.
3. Karczewski, Konrad J., et al. The ExAC Browser: Displaying Reference Data Information from over 60,000 Exomes. Nucleic Acids Research, vol. 45, no. D1, 2017, pp. D840-D845, doi:10.1093/nar/gkw971.
4. Chen, Shamil, et al. A Genomic Mutational Constraint Map Using Variation in 76,156 Human Genomes. Nature, vol. 625, no. 7993, 4 Jan. 2024, pp. 92-100.
5. Sherry, Stephen T., et al. dbSNP: The NCBI Database of Genetic Variation. Nucleic Acids Research, vol. 29, no. 1, 1 Jan. 2001, pp. 308-11.
6. Amberger, Joanna S., et al. OMIM.org: Online Mendelian Inheritance in Man (OMIM®), an Online Catalog of Human Genes and Genetic Disorders. Nucleic Acids Research, vol. 43, no. D1, 28 Jan. 2015, pp. D789-98.
7. Landrum, Melissa J., et al. ClinVar: Public Archive of Interpretations of Clinically Relevant Variants. Nucleic Acids Research, vol. 44, no. D1, 4 Jan. 2016, pp. D862-8.
8. Ng, Pauline C., and Steven Henikoff. Predicting Deleterious Amino Acid Substitutions. Genome Research, vol. 11, no. 5, 1 May 2001, pp. 863-74.
9. Kumar, Prateek, Steven Henikoff, and Pauline C. Ng. Predicting the Effects of Coding Non-synonymous Variants on Protein Function Using the SIFT Algorithm. Nature Protocols, vol. 4, no. 7, July 2009, pp. 1073-81.

Name :  
Sex/Age : Unknown/0 Year(s)  
Date Received : Apr 03 2025  
Indication :

10. Adzhubei, Ivan A., et al. A Method and Server for Predicting Damaging Missense Mutations. *Nature Methods*, vol. 7, no. 4, Apr. 2010, pp. 248-9.
11. Kircher, Martin, et al. A General Framework for Estimating the Relative Pathogenicity of Human Genetic Variants. *Nature Genetics*, vol. 46, no. 3, Mar. 2014, pp. 310-5.
12. Schwarz, Johannes M., et al. MutationTaster2: Mutation Prediction for the Deep-Sequencing Age. *Nature Methods*, vol. 11, no. 4, Apr. 2014, pp. 361-2.
13. Quan, Lihua, and Kai Wang. InterVar: Clinical Interpretation of Genetic Variants by ACMG-AMP 2015 Guideline. *American Journal of Human Genetics*, vol. 100, 2017, pp. 267-80.
14. Richards, Sue, et al. Standards and Guidelines for the Interpretation of Sequence Variants: A Joint Consensus Recommendation of the American College of Medical Genetics and Genomics and the Association for Molecular Pathology. *Genetics in Medicine*, vol. 17, no. 5, May 2015, pp. 405-23.
15. Green, Robert C., et al. ACMG Recommendations for Reporting of Incidental Findings in Clinical Exome and Genome Sequencing. *Genetics in Medicine*, vol. 15, no. 7, July 2013, pp. 565-74.
16. Rehm, Heidi L., et al. ACMG Clinical Laboratory Standards for Next-Generation Sequencing. *Genetics in Medicine*, vol. 15, no. 9, Sept. 2013, pp. 733-47.
17. Kalia, Sarah S., et al. Recommendations for Reporting of Secondary Findings in Clinical Exome and Genome Sequencing, 2016 Update (ACMG SF v2.0): A Policy Statement of the American College of Medical Genetics and Genomics. *Genetics in Medicine*, vol. 19, no. 2, Feb. 2017, pp. 249-55.
18. Miller, D. T., et al. Recommendations for Reporting of Secondary Findings in Clinical Exome and Genome Sequencing, 2021 Update: A Policy Statement of the American College of Medical Genetics and Genomics (ACMG). *Genetics in Medicine*, vol. 23, no. 8, Aug. 2021, pp. 1391-8.
19. Raney, Brian J., et al. The UCSC Genome Browser Database: 2024 Update. *Nucleic Acids Research*, vol. 52, no. D1, 2024, pp. D1082â€”D1088, <https://doi.org/10.1093/nar/gkad987>.
20. Nassar, Laila R., et al. The UCSC Genome Browser Database: 2023 Update. *Nucleic Acids Research*, vol. 51, no. D1, 2023, pp. D1188â€”D1195, <https://doi.org/10.1093/nar/gkac1072>.
21. Thorvaldsd ttir, Helga, James T. Robinson, and Jill P. Mesirov. Integrative Genomics Viewer (IGV): High-Performance Genomics Data Visualization and Exploration. *Briefings in Bioinformatics*, vol. 14, no. 2, Mar. 2013, pp. 178-92, doi:10.1093/bib/bbs017.
22. Gargano, Maria A., et al. The Human Phenotype Ontology in 2024: Phenotypes around the World. *Nucleic Acids Research*, vol. 52, no. D1, 5 Jan. 2024, pp. D1333-D1346, doi:10.1093/nar/gkad1005.

Name :  
Sex/Age : Unknown/0 Year(s)  
Date Received : Apr 03 2025  
Indication :

23. Riggs, Elizabeth R., et al. Technical Standards for the Interpretation and Reporting of Constitutional Copy-Number Variants: A Joint Consensus Recommendation of the American College of Medical Genetics and Genomics (ACMG) and the Clinical Genome Resource (ClinGen). *Genetics in Medicine*, vol. 22, no. 2, 2020, pp. 245–257. <https://doi.org/10.1038/s41436-019-0686-8>.
24. Geoffroy, Vincent, et al. AnnotSV: An Integrated Tool for Structural Variations Annotation. *Bioinformatics*, vol. 34, no. 20, 2018, pp. 3572–3574. <https://doi.org/10.1093/bioinformatics/bty304>.
25. Babadi, Mehrtash, et al. GATK-gCNV Enables the Discovery of Rare Copy Number Variants from Exome Sequencing Data. *Nature Genetics*, vol. 55, no. 9, 2023, pp. 1589–1597.
26. Gargano, Maria A., et al. The Human Phenotype Ontology in 2024: Phenotypes Around the World. *Nucleic Acids Research*, vol. 52, no. D1, 2024, pp. D1333–D1346. <https://doi.org/10.1093/nar/gkad1005>.
27. Bruford, Elspeth A., et al. Guidelines for Human Gene Nomenclature. *Nature Genetics*, vol. 52, no. 8, 2020, pp. 754–758. <https://doi.org/10.1038/s41588-020-0669-3>.
28. Orphanet. <https://www.orpha.net/>.

#### Appendix 1: Sample Data and Statistics


#### Appendix 2: Coverage Summary

Mean Depth	Percentage target base pairs covered		

Name :  
Sex/Age : Unknown/0 Year(s)  
Date Received : Apr 03 2025  
Indication :

## Appendix 3: Coverage of Analyzed Genes (Percentage of coding region covered)

Gene	Region Covered	Gene	Region Covered	Gene	Region Covered

## Database Information:

Database Information PKD1 : NM\_001009944.3:c.7531G&gt;A [NP\_001009944.3:p.Ala2511Thr]

	1000 Genomes	Indigen	gnomAD_ome	gnom_ome	inhousedb	GME
Presence/Absence	Absent	Present	Absent	Absent	Absent	Absent
MAF Vaues	MAF:NA	MAF:0.0	MAF:NA	MAF:NA	MAF:NA	MAF:NA

## Additional Information:

Variant of unknown significance was identified.

Name :  
Sex/Age : Unknown/0 Year(s)  
Date Received : Apr 03 2025  
Indication :



Signature 1

Signature 2

Signature 3

Nucleome Address



Name :  
Sex/Age : Unknown/0 Year(s)  
Date Received : Apr 03 2025  
Indication :



Signature 1

Signature 2

Signature 3

Nucleome Address

Name :  
Sex/Age : Unknown/0 Year(s)  
Date Received : Apr 03 2025  
Indication :



Signature 1

Signature 2

Signature 3

Nucleome Address

Name :  
Sex/Age : Unknown/0 Year(s)  
Date Received : Apr 03 2025  
Indication :



Signature 1

Signature 2

Signature 3

Nucleome Address

Name :  
Sex/Age : Unknown/0 Year(s)  
Date Received : Apr 03 2025  
Indication :



Signature 1

Signature 2

Signature 3

Nucleome Address

Name :  
Sex/Age : Unknown/0 Year(s)  
Date Received : Apr 03 2025  
Indication :



Signature 1

Signature 2

Signature 3

Nucleome Address

Name :  
Sex/Age : Unknown/0 Year(s)  
Date Received : Apr 03 2025  
Indication :



Signature 1

Signature 2

Signature 3

Nucleome Address



Name :  
Sex/Age : Unknown/0 Year(s)  
Date Received : Apr 03 2025  
Indication :



Signature 1

Signature 2

Signature 3

Nucleome Address

Name :  
Sex/Age : Unknown/0 Year(s)  
Date Received : Apr 03 2025  
Indication :



Signature 1

Signature 2

Signature 3

Nucleome Address



Name :  
Sex/Age : Unknown/0 Year(s)  
Date Received : Apr 03 2025  
Indication :



Signature 1

Signature 2

Signature 3

Nucleome Address