BI Dashboard Automation – Test Execution Report

Generated on **06-Nov-2026 at 12:55:02**

Test Automation Execution Report

EXECUTIVE SUMMARY

PROJECT	Dashboard Validation — Demo Dashboard
ENVIRONMENT	Published Dashboard
RELEASE	Validation Run
SUITE	Dashboard KPI & Table Validation
RUN ID	–
EXECUTED DATE	06-Nov-2026
EXECUTED BY	qe.automation
EXECUTION MODE	Local Automated Run

TEST RUN DETAILS

BASE URL	https://app.powerbi.com/groups/me/reports/2057f32d-34f2-4ad0...
BROWSER	Chrome (Headed)
VIEWPORT	1600 × 900
DURATION	13 m 50 s
TEST DATA SOURCE	demo_detection.yaml
OVERALL STATUS	FAILED

Total	Passed	Failed	Skipped	Blocked	Pass Rate
5	2	3	0	0	40.0%

Execution Results 5 tests ● Passed step ● Failed step

FAILED TC-BIZ-001 **State-Level Sales Validation — Demo Dashboard** 01:43

✓ STEP 1 **Navigate to Summary page and confirm dashboard is loaded**

✓ STEP 2 **END** 12:41:34

```
[12:41:34] INFO  STEP1_END
```

✓ STEP 3 **Clear all default slicers to start from a clean state**

✓ STEP 4 **END** 12:41:37

```
[12:41:37] INFO  STEP1.5_END
```

✓ STEP 5 **Apply Slicer: State = California** 12:41:39

```
[12:41:39] INFO  Applying 'State' with values: ['California']
[12:41:39] INFO  Applying slicer 'State' value 'California'
[12:41:52] INFO  Slicer 'State' value 'California' applied successfully
```

✓ STEP 6 **END|Slicer 'State' applied successfully** 12:41:59

```
[12:41:59] INFO  STEP2.1_END|Slicer 'State' applied successfully
```

✓ STEP 7 **Apply Slicer: Ship Mode = Standard Class** 12:42:05

```
[12:42:05] INFO  Applying 'Ship Mode' with values: ['Standard Class']
[12:42:05] INFO  Applying slicer 'Ship Mode' value 'Standard Class'
[12:42:14] INFO  Slicer 'Ship Mode' value 'Standard Class' applied successfully
```

✓ STEP 8 **END|Slicer 'Ship Mode' applied successfully** 12:42:20

```
[12:42:20] INFO  STEP2.2_END|Slicer 'Ship Mode' applied successfully
```

✓ STEP 9 **Apply Slicer: Sub-Category = Phones** 12:42:26

```
[12:42:26] INFO  Applying 'Sub-Category' with values: ['Phones']
[12:42:26] INFO  Applying slicer 'Sub-Category' value 'Phones'
[12:42:35] INFO  Slicer 'Sub-Category' value 'Phones' applied successfully
```

STEP 10 END|Slicer 'Sub-Category' applied successfully 12:42:41

```
[12:42:41] INFO  STEP2.3_END|Slicer 'Sub-Category' applied successfully
```

STEP 11 Read KPI card: Total Sales 12:42:41

```
[12:42:41] INFO  Dashboard KPI value: '$4.15K'
```

STEP 12 END 12:42:41

```
[12:42:41] INFO  STEP4_END
```

STEP 13 Fetch expected value from source database 12:42:41

```
[12:42:41] INFO  Auto-generated SQL: SELECT SUM(Sales) FROM SALES WHERE State='California' AND
Ship_Mode='Standard Class' AND Sub_Category='Phones'
[12:42:42] INFO  Database result: 1818.5759887695312
```

STEP 14 END 12:42:42

```
[12:42:42] INFO  STEP5_END
```

STEP 15 Compare dashboard KPI value against database result 12:42:42

```
[12:42:42] INFO  [Total Sales (State-Level Sales Validation)] Dashboard=$4.15K (parsed=4,150.0000),
Source=1,818.5760, Diff=56.1789%, Tolerance=1.00% → FAIL
[12:42:42] INFO  [FAIL] [Total Sales (State-Level Sales Validation)] Dashboard=$4.15K
(parsed=4,150.0000), Source=1,818.5760, Diff=56.1789%, Tolerance=1.00% → FAIL
[12:42:42] FAIL  FAIL — [Total Sales (State-Level Sales Validation)] Dashboard=$4.15K
(parsed=4,150.0000), Source=1,818.5760, Diff=56.1789%, Tolerance=1.00% → FAIL
```

STEP 16 END 12:42:42

```
[12:42:42] INFO  STEP6_END
```


STEP 17 Teardown — reset applied slicers to restore default state 12:42:48

```
[12:42:48] INFO  Reset slicer: State
[12:42:49] INFO  Reset slicer: Ship Mode
[12:42:54] INFO  Reset slicer: Sub-Category
```

STEP 18 END 12:42:54

```
[12:42:54] INFO  STEP7_END
[12:42:55] FAIL  TC-BIZ-001 FAILED: [Total Sales
(State-Level Sales Validation)] Dashboard=$4.15K
(parsed=4,150.0000), Source=1,818.5760, Diff=56.1789%,
Tolerance=1.00% → FAIL
```

CAPTURED SCREENSHOT TC-BIZ-001_fail.png



FAILED TC-BIZ-004 Sales by Ship Mode Validation — Demo Dashboard 00:32

STEP 1 Navigate to Summary page and confirm dashboard is loaded

STEP 2 END 12:42:55

```
[12:42:55] INFO  STEP1_END
```

STEP 3 Clear all default slicers to start from a clean state

STEP 4 END 12:43:04

```
[12:43:04] INFO  STEP1.5_END
```

STEP 5 Apply Slicer: Ship Mode = Standard Class 12:43:05

```
[12:43:05] INFO  Applying 'Ship Mode' with values: ['Standard Class']
[12:43:05] INFO  Applying slicer 'Ship Mode' value 'Standard Class'
[12:43:14] INFO  Slicer 'Ship Mode' value 'Standard Class' applied successfully
```

STEP 6 END|Slicer 'Ship Mode' applied successfully 12:43:20

```
[12:43:20] INFO  STEP2.1_END|Slicer 'Ship Mode' applied successfully
```

STEP 7 Read KPI card: Total Sales 12:43:20

```
[12:43:20] INFO  Dashboard KPI value: '$3.79K'
```

STEP 8 END 12:43:20

```
[12:43:20] INFO  STEP4_END
```

STEP 9 Fetch expected value from source database 12:43:20

```
[12:43:20] INFO  Auto-generated SQL: SELECT SUM(Sales) FROM SALES WHERE Ship_Mode='Standard Class'
[12:43:22] INFO  Database result: 11963.51257967949
```

STEP 10 END 12:43:22

```
[12:43:22] INFO  STEP5_END
```

STEP 11 Compare dashboard KPI value against database result 12:43:22

```
[12:43:22] INFO  [Total Sales (Sales by Ship Mode Validation)] Dashboard=$3.79K (parsed=3,790.0000),
Source=11,963.5126, Diff=68.3203%, Tolerance=1.00% → FAIL
[12:43:22] INFO  [FAIL] [Total Sales (Sales by Ship Mode Validation)] Dashboard=$3.79K
(parsed=3,790.0000), Source=11,963.5126, Diff=68.3203%, Tolerance=1.00% → FAIL
[12:43:22] FAIL  FAIL — [Total Sales (Sales by Ship Mode Validation)] Dashboard=$3.79K
(parsed=3,790.0000), Source=11,963.5126, Diff=68.3203%, Tolerance=1.00% → FAIL
```

STEP 12 END 12:43:22

```
[12:43:22] INFO  STEP6_END
```


STEP 13 Teardown — reset applied slicers to restore default state 12:43:27

```
[12:43:27] INFO  Reset slicer: Ship Mode
```

STEP 14 END 12:43:27

```
[12:43:27] INFO  STEP7_END
[12:43:27] FAIL  TC-BIZ-004 FAILED: [Total Sales
(Sales by Ship Mode Validation)] Dashboard=$3.79K
(parsed=3,790.0000), Source=11,963.5126,
Diff=68.3203%, Tolerance=1.00% → FAIL
```

CAPTURED SCREENSHOT TC-BIZ-004_fail.png



PASSED TC-BIZ-005 Texas Phones Sales Validation — Demo Dashboard 01:00

STEP 1 Navigate to Summary page and confirm dashboard is loaded

STEP 2 END 12:43:27

```
[12:43:27] INFO  STEP1_END
```

STEP 3 Clear all default slicers to start from a clean state

STEP 4 END 12:43:36

```
[12:43:36] INFO  STEP1.5_END
```

STEP 5 Apply Slicer: State = Texas 12:43:42

```
[12:43:42] INFO  Applying 'State' with values: ['Texas']
[12:43:42] INFO  Applying slicer 'State' value 'Texas'
[12:43:52] INFO  Slicer 'State' value 'Texas' applied successfully
```

STEP 6 END|Slicer 'State' applied successfully 12:43:59

```
[12:43:59] INFO  STEP2.1_END|Slicer 'State' applied successfully
```

STEP 7 Apply Slicer: Sub-Category = Phones 12:44:00

```
[12:44:00] INFO  Applying 'Sub-Category' with values: ['Phones']
[12:44:00] INFO  Applying slicer 'Sub-Category' value 'Phones'
[12:44:09] INFO  Slicer 'Sub-Category' value 'Phones' applied successfully
```

STEP 8 END|Slicer 'Sub-Category' applied successfully 12:44:15

```
[12:44:15] INFO  STEP2.2_END|Slicer 'Sub-Category' applied successfully
```

STEP 9 Read KPI card: Total Sales 12:44:15

```
[12:44:15] INFO  Dashboard KPI value: '$1.47K'
```

STEP 10 END 12:44:15

```
[12:44:15] INFO  STEP4_END
```

STEP 11 Fetch expected value from source database 12:44:15

```
[12:44:15] INFO  Auto-generated SQL: SELECT SUM(Sales) FROM SALES WHERE State='Texas' AND
Sub_Category='Phones'
[12:44:17] INFO  Database result: 1468.7119445800781
```

STEP 12 END 12:44:17

```
[12:44:17] INFO  STEP5_END
```

STEP 13 Compare dashboard KPI value against database result 12:44:17

```
[12:44:17] INFO  [Total Sales (Texas Phones Sales Validation)] Dashboard=$1.47K (parsed=1,470.0000),
Source=1,468.7119, Diff=0.0876%, Tolerance=1.00% → PASS
[12:44:17] INFO  [PASS] [Total Sales (Texas Phones Sales Validation)] Dashboard=$1.47K
(parsed=1,470.0000), Source=1,468.7119, Diff=0.0876%, Tolerance=1.00% → PASS
```

STEP 14 END 12:44:17

```
[12:44:17] INFO  STEP6_END
```

STEP 15 Teardown — reset applied slicers to restore default state 12:44:23

```
[12:44:23] INFO  Reset slicer: State
[12:44:28] INFO  Reset slicer: Sub-Category
```

STEP 16 END 12:44:28

```
[12:44:28] INFO  STEP7_END
```

PASSED TC-BIZ-006 Home Office Phones Profit - Texas — Demo Dashboard 06:45

STEP 1 Navigate to Summary page and confirm dashboard is loaded

STEP 2 END 12:44:28

```
[12:44:28] INFO  STEP1_END
```

STEP 3 Clear all default slicers to start from a clean state

STEP 4 END 12:44:37

```
[12:44:37] INFO  STEP1.5_END
```

STEP 5 Apply Slicer: Customer Segment = Home Office 12:44:37

```
[12:44:37] INFO  Applying 'Customer Segment' with values: ['Home Office']
[12:44:37] INFO  Applying slicer 'Customer Segment' value 'Home Office'
[12:45:48] INFO  Slicer 'Customer Segment' value 'Home Office' applied successfully
```

STEP 6 END|Slicer 'Customer Segment' applied successfully 12:45:55

```
[12:45:55] INFO  STEP2.1_END|Slicer 'Customer Segment' applied successfully
```

STEP 7 Apply Slicer: State = Texas 12:46:01

```
[12:46:01] INFO  Applying 'State' with values: ['Texas']
[12:46:01] INFO  Applying slicer 'State' value 'Texas'
[12:50:20] INFO  Slicer 'State' value 'Texas' applied successfully
```

STEP 8 END|Slicer 'State' applied successfully 12:50:27

```
[12:50:27] INFO  STEP2.2_END|Slicer 'State' applied successfully
```

STEP 9 Apply Slicer: Ship Mode = Standard Class 12:50:28

```
[12:50:28] INFO  Applying 'Ship Mode' with values: ['Standard Class']
[12:50:28] INFO  Applying slicer 'Ship Mode' value 'Standard Class'
[12:50:37] INFO  Slicer 'Ship Mode' value 'Standard Class' applied successfully
```

STEP 10 END|Slicer 'Ship Mode' applied successfully 12:50:43

```
[12:50:43] INFO  STEP2.3_END|Slicer 'Ship Mode' applied successfully
```

STEP 11 Apply Slicer: Sub-Category = Phones 12:50:44

```
[12:50:44] INFO  Applying 'Sub-Category' with values: ['Phones']
[12:50:44] INFO  Applying slicer 'Sub-Category' value 'Phones'
[12:50:53] INFO  Slicer 'Sub-Category' value 'Phones' applied successfully
```

STEP 12 END|Slicer 'Sub-Category' applied successfully 12:50:59

```
[12:50:59] INFO  STEP2.4_END|Slicer 'Sub-Category' applied successfully
```

STEP 13 Read KPI card: Total Profit 12:50:59

```
[12:50:59] INFO  Dashboard KPI value: '$41.76'
```

STEP 14 END 12:50:59

```
[12:50:59] INFO  STEP4_END
```

STEP 15 Fetch expected value from source database 12:50:59

```
[12:50:59] INFO  Auto-generated SQL: SELECT SUM(Profit) FROM SALES WHERE Segment='Home Office' AND
State='Texas' AND Ship_Mode='Standard Class' AND Sub_Category='Phones'
[12:51:00] INFO  Database result: 41.75640106201172
```

STEP 16 END 12:51:00

```
[12:51:00] INFO  STEP5_END
```

STEP 17 Compare dashboard KPI value against database result 12:51:00

```
[12:51:00] INFO  [Total Profit (Home Office Phones Profit - Texas)] Dashboard=$41.76 (parsed=41.7600), Source=41.7564, Diff=0.0086%, Tolerance=1.00% → PASS
[12:51:00] INFO  [PASS] [Total Profit (Home Office Phones Profit - Texas)] Dashboard=$41.76 (parsed=41.7600), Source=41.7564, Diff=0.0086%, Tolerance=1.00% → PASS
```

STEP 18 END 12:51:00

```
[12:51:00] INFO  STEP6_END
```

STEP 19 Teardown — reset applied slicers to restore default state 12:51:00

```
[12:51:00] INFO  Reset slicer: Customer Segment
[12:51:06] INFO  Reset slicer: State
[12:51:08] INFO  Reset slicer: Ship Mode
[12:51:14] INFO  Reset slicer: Sub-Category
```

STEP 20 END 12:51:14

```
[12:51:14] INFO  STEP7_END
```

FAILED TC-BIZ-007 Chairs Orders - Second Class Shipping — Demo Dashboard 03:48

STEP 1 Navigate to Summary page and confirm dashboard is loaded

STEP 2 END 12:51:14

```
[12:51:14] INFO  STEP1_END
```

STEP 3 Clear all default slicers to start from a clean state

STEP 4 END 12:51:23

```
[12:51:23] INFO  STEP1.5_END
```

STEP 5 Apply Slicer: Ship Mde = Second Class 12:51:23

```
[12:51:23] INFO  Applying 'Ship Mde' with values: ['Second Class']
[12:51:23] INFO  Applying slicer 'Ship Mde' value 'Second Class'
[12:55:02] FAIL  TC-BIZ-007 FAILED — Functional check: slicer could not be applied. This is a UI interaction issue, not a data mismatch. Detail: Could not apply slicer 'Ship Mde' with value 'Second Class': Could not set slicer 'Ship Mde' to 'Second Class'. Slicer DOM info: [{'role': 'Slicer', 'firstLine': 'Order Date', 'isTarget': False, 'slicerItems': 0, 'listOptions': 0, 'hasDropdownBtn': False}, {'role': 'Slicer', 'firstLine': 'State', 'isTarget': False, 'slicerItems': 0, 'listOptions': 0, 'hasDropdownBtn': True}, {'role': 'Slicer', 'firstLine': 'City', 'isTarget': False, 'slicerItems': 0, 'listOptions': 0, 'hasDropdownBtn': True}, {'role': 'Slicer', 'firstLine': 'Ship Mode', 'isTarget': False, 'slicerItems': 0, 'listOptions': 0, 'hasDropdownBtn': True}, {'role': 'Slicer', 'firstLine': 'Customer Segment', 'isTarget': False, 'slicerItems': 0, 'listOptions': 0, 'hasDropdownBtn': True}, {'role': 'Slicer', 'firstLine': 'Category', 'isTarget': False, 'slicerItems': 0, 'listOptions': 0, 'hasDropdownBtn': True}, {'role': 'Slicer', 'firstLine': 'Sub-Category', 'isTarget': False, 'slicerItems': 0, 'listOptions': 0, 'hasDropdownBtn': True}]. Check that the slicer title and item value match the dashboard exactly.
```

STEP 6 Teardown — reset applied slicers to restore default state

STEP 7 END

12:55:02

```
[12:55:02] INFO  STEP7_END
[12:55:02] FAIL  TC-BIZ-007 FAILED — Functional check: slicer could not be applied. This is a UI interaction issue, not a data mismatch. Detail: Could not apply slicer 'Ship Mde' with value 'Second Class': Could not set slicer 'Ship Mde' to 'Second Class'. Slicer DOM info: [{'role': 'Slicer', 'firstLine': 'Order Date', 'isTarget': False, 'slicerItems': 0, 'listOptions': 0, 'hasDropdownBtn': False}, {'role': 'Slicer', 'firstLine': 'State', 'isTarget': False, 'slicerItems': 0, 'listOptions': 0, 'hasDropdownBtn': True}, {'role': 'Slicer', 'firstLine': 'City', 'isTarget': False, 'slicerItems': 0, 'listOptions': 0, 'hasDropdownBtn': True}, {'role': 'Slicer', 'firstLine': 'Ship Mode', 'isTarget': False, 'slicerItems': 0, 'listOptions': 0, 'hasDropdownBtn': True}, {'role': 'Slicer', 'firstLine': 'Customer Segment', 'isTarget': False, 'slicerItems': 0, 'listOptions': 0, 'hasDropdownBtn': True}, {'role': 'Slicer', 'firstLine': 'Category', 'isTarget': False, 'slicerItems': 0, 'listOptions': 0, 'hasDropdownBtn': True}, {'role': 'Slicer', 'firstLine': 'Sub-Category', 'isTarget': False, 'slicerItems': 0, 'listOptions': 0, 'hasDropdownBtn': True}]. Check that the slicer title and item value match the dashboard exactly.
```

CAPTURED SCREENSHOT TC-BIZ-007_fail.png

