BI Dashboard Automation – Test Execution Report

Generated on **06-Nov-2026 at 13:39:53**

Test Automation Execution Report

EXECUTIVE SUMMARY

PROJECT	Dashboard Validation — Demo Dashboard
ENVIRONMENT	Published Dashboard
RELEASE	Validation Run
SUITE	Dashboard KPI & Table Validation
RUN ID	–
EXECUTED DATE	06-Nov-2026
EXECUTED BY	qe.automation
EXECUTION MODE	Local Automated Run

TEST RUN DETAILS

BASE URL	https://app.powerbi.com/groups/me/reports/2057f32d-34f2-4ad0...
BROWSER	Chrome (Headed)
VIEWPORT	1600 × 900
DURATION	14 m 32 s
TEST DATA SOURCE	demo_detection.yaml
OVERALL STATUS	FAILED

Total	Passed	Failed	Skipped	Blocked	Pass Rate
5	2	3	0	0	40.0%

Execution Results 5 tests ● Passed step ● Failed step

FAILED TC-BIZ-001 **State-Level Sales Validation — Demo Dashboard** 01:44

✓ STEP 1 **Navigate to Summary page and confirm dashboard is loaded**

✓ STEP 2 **END** 13:25:43

```
[13:25:43] INFO  STEP1_END
```

✓ STEP 3 **Clear all default slicers to start from a clean state**

✓ STEP 4 **END** 13:25:47

```
[13:25:47] INFO  STEP1.5_END
```

✓ STEP 5 **Apply Slicer: State = California** 13:25:53

```
[13:25:53] INFO  Applying 'State' with values: ['California']
[13:25:53] INFO  Applying slicer 'State' value 'California'
[13:26:01] INFO  Slicer 'State' value 'California' applied successfully
```

✓ STEP 6 **END|Slicer 'State' applied successfully** 13:26:08

```
[13:26:08] INFO  STEP2.1_END|Slicer 'State' applied successfully
```

✓ STEP 7 **Apply Slicer: Ship Mode = Standard Class** 13:26:14

```
[13:26:14] INFO  Applying 'Ship Mode' with values: ['Standard Class']
[13:26:14] INFO  Applying slicer 'Ship Mode' value 'Standard Class'
[13:26:22] INFO  Slicer 'Ship Mode' value 'Standard Class' applied successfully
```

✓ STEP 8 **END|Slicer 'Ship Mode' applied successfully** 13:26:29

```
[13:26:29] INFO  STEP2.2_END|Slicer 'Ship Mode' applied successfully
```

✓ STEP 9 **Apply Slicer: Sub-Category = Phones** 13:26:35

```
[13:26:35] INFO  Applying 'Sub-Category' with values: ['Phones']
[13:26:35] INFO  Applying slicer 'Sub-Category' value 'Phones'
[13:26:44] INFO  Slicer 'Sub-Category' value 'Phones' applied successfully
```

STEP 10 END|Slicer 'Sub-Category' applied successfully 13:26:50

```
[13:26:50] INFO  STEP2.3_END|Slicer 'Sub-Category' applied successfully
```

STEP 11 Read KPI card: Total Sales 13:26:50

```
[13:26:50] INFO  Dashboard KPI value: '$4.15K'
```

STEP 12 END 13:26:50

```
[13:26:50] INFO  STEP4_END
```

STEP 13 Fetch expected value from source database 13:26:50

```
[13:26:50] INFO  Auto-generated SQL: SELECT SUM(Sales) FROM SALES WHERE State='California' AND
Ship_Mode='Standard Class' AND Sub_Category='Phones'
[13:26:52] INFO  Database result: 1818.5759887695312
```

STEP 14 END 13:26:52

```
[13:26:52] INFO  STEP5_END
```

STEP 15 Compare dashboard KPI value against database result 13:26:52

```
[13:26:52] INFO  [Total Sales (State-Level Sales Validation)] Dashboard=$4.15K (parsed=4,150.0000),
Source=1,818.5760, Diff=56.1789%, Tolerance=1.00% → FAIL
[13:26:52] INFO  [FAIL] [Total Sales (State-Level Sales Validation)] Dashboard=$4.15K
(parsed=4,150.0000), Source=1,818.5760, Diff=56.1789%, Tolerance=1.00% → FAIL
[13:26:52] FAIL  FAIL — [Total Sales (State-Level Sales Validation)] Dashboard=$4.15K
(parsed=4,150.0000), Source=1,818.5760, Diff=56.1789%, Tolerance=1.00% → FAIL
```

STEP 16 END 13:26:52

```
[13:26:52] INFO  STEP6_END
```


STEP 17 Teardown — reset applied slicers to restore default state 13:26:58

```
[13:26:58] INFO  Reset slicer: State
[13:26:59] INFO  Reset slicer: Ship Mode
[13:27:04] INFO  Reset slicer: Sub-Category
```

STEP 18 END 13:27:04

```
[13:27:04] INFO  STEP7_END
[13:27:04] FAIL  TC-BIZ-001 FAILED: [Total Sales
(State-Level Sales Validation)] Dashboard=$4.15K
(parsed=4,150.0000), Source=1,818.5760, Diff=56.1789%,
Tolerance=1.00% → FAIL
```

CAPTURED SCREENSHOT TC-BIZ-001_fail.png



FAILED TC-BIZ-004 Sales by Ship Mode Validation — Demo Dashboard 00:32

STEP 1 Navigate to Summary page and confirm dashboard is loaded

STEP 2 END 13:27:04

```
[13:27:04] INFO  STEP1_END
```

STEP 3 Clear all default slicers to start from a clean state

STEP 4 END 13:27:13

```
[13:27:13] INFO  STEP1.5_END
```

STEP 5 Apply Slicer: Ship Mode = Standard Class 13:27:15

```
[13:27:15] INFO  Applying 'Ship Mode' with values: ['Standard Class']
[13:27:15] INFO  Applying slicer 'Ship Mode' value 'Standard Class'
[13:27:23] INFO  Slicer 'Ship Mode' value 'Standard Class' applied successfully
```

STEP 6 END|Slicer 'Ship Mode' applied successfully 13:27:30

```
[13:27:30] INFO  STEP2.1_END|Slicer 'Ship Mode' applied successfully
```

STEP 7 Read KPI card: Total Sales 13:27:30

```
[13:27:30] INFO  Dashboard KPI value: '$3.79K'
```

STEP 8 END 13:27:30

```
[13:27:30] INFO  STEP4_END
```

STEP 9 Fetch expected value from source database 13:27:30

```
[13:27:30] INFO  Auto-generated SQL: SELECT SUM(Sales) FROM SALES WHERE Ship_Mode='Standard Class'
[13:27:31] INFO  Database result: 11963.51257967949
```

STEP 10 END 13:27:31

```
[13:27:31] INFO  STEP5_END
```

STEP 11 Compare dashboard KPI value against database result 13:27:31

```
[13:27:31] INFO  [Total Sales (Sales by Ship Mode Validation)] Dashboard=$3.79K (parsed=3,790.0000),
Source=11,963.5126, Diff=68.3203%, Tolerance=1.00% → FAIL
[13:27:31] INFO  [FAIL] [Total Sales (Sales by Ship Mode Validation)] Dashboard=$3.79K
(parsed=3,790.0000), Source=11,963.5126, Diff=68.3203%, Tolerance=1.00% → FAIL
[13:27:31] FAIL  FAIL — [Total Sales (Sales by Ship Mode Validation)] Dashboard=$3.79K
(parsed=3,790.0000), Source=11,963.5126, Diff=68.3203%, Tolerance=1.00% → FAIL
```

STEP 12 END 13:27:31

```
[13:27:31] INFO  STEP6_END
```


STEP 13 Teardown — reset applied slicers to restore default state 13:27:36

```
[13:27:36] INFO  Reset slicer: Ship Mode
```

STEP 14 END 13:27:36

```
[13:27:36] INFO  STEP7_END
[13:27:36] FAIL  TC-BIZ-004 FAILED: [Total Sales
(Sales by Ship Mode Validation)] Dashboard=$3.79K
(parsed=3,790.0000), Source=11,963.5126,
Diff=68.3203%, Tolerance=1.00% → FAIL
```

CAPTURED SCREENSHOT TC-BIZ-004_fail.png



PASSED TC-BIZ-005 Texas Phones Sales Validation — Demo Dashboard 01:00

STEP 1 Navigate to Summary page and confirm dashboard is loaded

STEP 2 END 13:27:36

```
[13:27:36] INFO  STEP1_END
```

STEP 3 Clear all default slicers to start from a clean state

STEP 4 END 13:27:46

```
[13:27:46] INFO  STEP1.5_END
```

STEP 5 Apply Slicer: State = Texas 13:27:52

```
[13:27:52] INFO  Applying 'State' with values: ['Texas']
[13:27:52] INFO  Applying slicer 'State' value 'Texas'
[13:28:02] INFO  Slicer 'State' value 'Texas' applied successfully
```

STEP 6 END|Slicer 'State' applied successfully 13:28:08

```
[13:28:08] INFO  STEP2.1_END|Slicer 'State' applied successfully
```

STEP 7 Apply Slicer: Sub-Category = Phones 13:28:09

```
[13:28:09] INFO  Applying 'Sub-Category' with values: ['Phones']
[13:28:09] INFO  Applying slicer 'Sub-Category' value 'Phones'
[13:28:18] INFO  Slicer 'Sub-Category' value 'Phones' applied successfully
```

STEP 8 END|Slicer 'Sub-Category' applied successfully 13:28:25

```
[13:28:25] INFO  STEP2.2_END|Slicer 'Sub-Category' applied successfully
```

STEP 9 Read KPI card: Total Sales 13:28:25

```
[13:28:25] INFO  Dashboard KPI value: '$1.47K'
```

STEP 10 END 13:28:25

```
[13:28:25] INFO  STEP4_END
```

STEP 11 Fetch expected value from source database 13:28:25

```
[13:28:25] INFO  Auto-generated SQL: SELECT SUM(Sales) FROM SALES WHERE State='Texas' AND
Sub_Category='Phones'
[13:28:26] INFO  Database result: 1468.7119445800781
```

STEP 12 END 13:28:26

```
[13:28:26] INFO  STEP5_END
```

STEP 13 Compare dashboard KPI value against database result 13:28:26

```
[13:28:26] INFO  [Total Sales (Texas Phones Sales Validation)] Dashboard=$1.47K (parsed=1,470.0000),
Source=1,468.7119, Diff=0.0876%, Tolerance=1.00% → PASS
[13:28:26] INFO  [PASS] [Total Sales (Texas Phones Sales Validation)] Dashboard=$1.47K
(parsed=1,470.0000), Source=1,468.7119, Diff=0.0876%, Tolerance=1.00% → PASS
```

STEP 14 END 13:28:26

```
[13:28:26] INFO  STEP6_END
```

STEP 15 Teardown — reset applied slicers to restore default state 13:28:32

```
[13:28:32] INFO  Reset slicer: State
[13:28:37] INFO  Reset slicer: Sub-Category
```

STEP 16 END 13:28:37

```
[13:28:37] INFO  STEP7_END
```

PASSED TC-BIZ-006 Home Office Phones Profit - Texas — Demo Dashboard 07:15

STEP 1 Navigate to Summary page and confirm dashboard is loaded

STEP 2 END 13:28:37

```
[13:28:37] INFO  STEP1_END
```

STEP 3 Clear all default slicers to start from a clean state

STEP 4 END 13:28:47

```
[13:28:47] INFO  STEP1.5_END
```

STEP 5 Apply Slicer: Customer Segment = Home Office 13:28:47

```
[13:28:47] INFO  Applying 'Customer Segment' with values: ['Home Office']
[13:28:47] INFO  Applying slicer 'Customer Segment' value 'Home Office'
[13:29:58] INFO  Slicer 'Customer Segment' value 'Home Office' applied successfully
```

STEP 6 END|Slicer 'Customer Segment' applied successfully 13:30:05

```
[13:30:05] INFO  STEP2.1_END|Slicer 'Customer Segment' applied successfully
```

STEP 7 Apply Slicer: State = Texas 13:30:06

```
[13:30:06] INFO  Applying 'State' with values: ['Texas']
[13:30:06] INFO  Applying slicer 'State' value 'Texas'
[13:30:16] INFO  Slicer 'State' value 'Texas' applied successfully
```

STEP 8 END|Slicer 'State' applied successfully 13:30:22

```
[13:30:22] INFO  STEP2.2_END|Slicer 'State' applied successfully
```

STEP 9 Apply Slicer: Ship Mode = Standard Class 13:30:23

```
[13:30:23] INFO  Applying 'Ship Mode' with values: ['Standard Class']
[13:30:23] INFO  Applying slicer 'Ship Mode' value 'Standard Class'
[13:30:32] INFO  Slicer 'Ship Mode' value 'Standard Class' applied successfully
```

STEP 10 END|Slicer 'Ship Mode' applied successfully 13:30:38

```
[13:30:38] INFO  STEP2.3_END|Slicer 'Ship Mode' applied successfully
```

STEP 11 Apply Slicer: Sub-Category = Phones 13:30:40

```
[13:30:40] INFO  Applying 'Sub-Category' with values: ['Phones']
[13:30:40] INFO  Applying slicer 'Sub-Category' value 'Phones'
[13:35:36] INFO  Slicer 'Sub-Category' value 'Phones' applied successfully
```

STEP 12 END|Slicer 'Sub-Category' applied successfully 13:35:42

```
[13:35:42] INFO  STEP2.4_END|Slicer 'Sub-Category' applied successfully
```

STEP 13 Read KPI card: Total Profit 13:35:42

```
[13:35:42] INFO  Dashboard KPI value: '$41.76'
```

STEP 14 END 13:35:42

```
[13:35:42] INFO  STEP4_END
```

STEP 15 Fetch expected value from source database 13:35:42

```
[13:35:42] INFO  Auto-generated SQL: SELECT SUM(Profit) FROM SALES WHERE Segment='Home Office' AND
State='Texas' AND Ship_Mode='Standard Class' AND Sub_Category='Phones'
[13:35:44] INFO  Database result: 41.75640106201172
```

STEP 16 END 13:35:44

```
[13:35:44] INFO  STEP5_END
```

STEP 17 Compare dashboard KPI value against database result 13:35:44

```
[13:35:44] INFO  [Total Profit (Home Office Phones Profit - Texas)] Dashboard=$41.76 (parsed=41.7600), Source=41.7564, Diff=0.0086%, Tolerance=1.00% → PASS
[13:35:44] INFO  [PASS] [Total Profit (Home Office Phones Profit - Texas)] Dashboard=$41.76 (parsed=41.7600), Source=41.7564, Diff=0.0086%, Tolerance=1.00% → PASS
```

STEP 18 END 13:35:44

```
[13:35:44] INFO  STEP6_END
```

STEP 19 Teardown — reset applied slicers to restore default state 13:35:44

```
[13:35:44] INFO  Reset slicer: Customer Segment
[13:35:45] INFO  Reset slicer: State
[13:35:46] INFO  Reset slicer: Ship Mode
[13:35:52] INFO  Reset slicer: Sub-Category
```

STEP 20 END 13:35:52

```
[13:35:52] INFO  STEP7_END
```

FAILED TC-BIZ-007 Chairs Orders - Second Class Shipping — Demo Dashboard 04:00

STEP 1 Navigate to Summary page and confirm dashboard is loaded

STEP 2 END 13:35:52

```
[13:35:52] INFO  STEP1_END
```

STEP 3 Clear all default slicers to start from a clean state

STEP 4 END 13:36:02

```
[13:36:02] INFO  STEP1.5_END
```

STEP 5 Apply Slicer: Ship Mde = Second Class 13:36:02

```
[13:36:02] INFO  Applying 'Ship Mde' with values: ['Second Class']
[13:36:02] INFO  Applying slicer 'Ship Mde' value 'Second Class'
[13:39:52] FAIL  TC-BIZ-007 FAILED — Functional check: slicer could not be applied. This is a UI interaction issue, not a data mismatch. Detail: Could not apply slicer 'Ship Mde' with value 'Second Class': Could not set slicer 'Ship Mde' to 'Second Class'. Slicer DOM info: [{'role': 'Slicer', 'firstLine': 'Order Date', 'isTarget': False, 'slicerItems': 0, 'listOptions': 0, 'hasDropdownBtn': False}, {'role': 'Slicer', 'firstLine': 'State', 'isTarget': False, 'slicerItems': 0, 'listOptions': 0, 'hasDropdownBtn': True}, {'role': 'Slicer', 'firstLine': 'City', 'isTarget': False, 'slicerItems': 0, 'listOptions': 0, 'hasDropdownBtn': True}, {'role': 'Slicer', 'firstLine': 'Ship Mode', 'isTarget': False, 'slicerItems': 0, 'listOptions': 0, 'hasDropdownBtn': True}, {'role': 'Slicer', 'firstLine': 'Customer Segment', 'isTarget': False, 'slicerItems': 0, 'listOptions': 0, 'hasDropdownBtn': True}, {'role': 'Slicer', 'firstLine': 'Category', 'isTarget': False, 'slicerItems': 0, 'listOptions': 0, 'hasDropdownBtn': True}, {'role': 'Slicer', 'firstLine': 'Sub-Category', 'isTarget': False, 'slicerItems': 0, 'listOptions': 0, 'hasDropdownBtn': True}]. Check that the slicer title and item value match the dashboard exactly.
```

STEP 6 Teardown — reset applied slicers to restore default state

STEP 7 END

13:39:52

```
[13:39:52] INFO  STEP7_END
[13:39:52] FAIL  TC-BIZ-007 FAILED — Functional check: slicer could not be applied. This is a UI interaction issue, not a data mismatch. Detail: Could not apply slicer 'Ship Mde' with value 'Second Class': Could not set slicer 'Ship Mde' to 'Second Class'. Slicer DOM info: [{'role': 'Slicer', 'firstLine': 'Order Date', 'isTarget': False, 'slicerItems': 0, 'listOptions': 0, 'hasDropdownBtn': False}, {'role': 'Slicer', 'firstLine': 'State', 'isTarget': False, 'slicerItems': 0, 'listOptions': 0, 'hasDropdownBtn': True}, {'role': 'Slicer', 'firstLine': 'City', 'isTarget': False, 'slicerItems': 0, 'listOptions': 0, 'hasDropdownBtn': True}, {'role': 'Slicer', 'firstLine': 'Ship Mode', 'isTarget': False, 'slicerItems': 0, 'listOptions': 0, 'hasDropdownBtn': True}, {'role': 'Slicer', 'firstLine': 'Customer Segment', 'isTarget': False, 'slicerItems': 0, 'listOptions': 0, 'hasDropdownBtn': True}, {'role': 'Slicer', 'firstLine': 'Category', 'isTarget': False, 'slicerItems': 0, 'listOptions': 0, 'hasDropdownBtn': True}, {'role': 'Slicer', 'firstLine': 'Sub-Category', 'isTarget': False, 'slicerItems': 0, 'listOptions': 0, 'hasDropdownBtn': True}]. Check that the slicer title and item value match the dashboard exactly.
```

CAPTURED SCREENSHOT TC-BIZ-007_fail.png

