

SQL PROJECT – RETAIL STORE

```
create database Retail_store;
```

```
use Retail_store;
```

```
CREATE TABLE customers (
```

```
    customer_id INT PRIMARY KEY AUTO_INCREMENT,
```

```
    name VARCHAR(100) NOT NULL,
```

```
    email VARCHAR(100) NOT NULL UNIQUE,
```

```
    phone VARCHAR(15),
```

```
    created_at DATETIME DEFAULT CURRENT_TIMESTAMP
```

```
);
```

```
CREATE TABLE products (
```

```
    product_id INT PRIMARY KEY AUTO_INCREMENT,
```

```
    name VARCHAR(100) NOT NULL,
```

```
    category VARCHAR(50) NOT NULL,
```

```
    price DECIMAL(10,2) NOT NULL,
```

```
    stock_quantity INT NOT NULL DEFAULT 0,
```

```
    added_on DATETIME DEFAULT CURRENT_TIMESTAMP
```

```
);
```

```
CREATE TABLE orders (
```

```
    order_id INT PRIMARY KEY AUTO_INCREMENT,
```

```
    customer_id INT,
```

```
    order_date DATETIME DEFAULT CURRENT_TIMESTAMP,
```

```
    status VARCHAR(20) DEFAULT 'Pending',
```

```
    total_amount DECIMAL(10,2),
```

```
    FOREIGN KEY (customer_id) REFERENCES customers(customer_id)
```

```
);
```

```
CREATE TABLE order_items (
```

```
    order_item_id INT PRIMARY KEY AUTO_INCREMENT,
```

```
    order_id INT,
```

```


product_id INT,
quantity INT NOT NULL CHECK (quantity > 0),
item_price DECIMAL(10,2) NOT NULL,
FOREIGN KEY (order_id) REFERENCES orders(order_id),
FOREIGN KEY (product_id) REFERENCES products(product_id)
);

CREATE TABLE payments (
    payment_id INT PRIMARY KEY AUTO_INCREMENT,
    order_id INT,
    payment_date DATETIME DEFAULT CURRENT_TIMESTAMP,
    amount_paid DECIMAL(10,2) NOT NULL CHECK (amount_paid > 0),
    method VARCHAR(20) NOT NULL,
    FOREIGN KEY (order_id) REFERENCES orders(order_id)
);

```

-- level 1

- select name , email from customers;



The screenshot shows a database query interface. At the top, the query 'select name,email from customers;' is entered. Below the query, there is a 'Result Grid' section. The grid has two columns: 'name' and 'email'. It contains 8 rows of data, each with a customer's name and email address. The first row is highlighted with a blue background.

name	email
Thomas Owens	user1@example.com
Charles Grant	user2@example.com
Kaitlin Richards	user3@example.com
Christina Williams	user4@example.com
David Allen	user5@example.com
Mark Duke	user6@example.com
Briana Wright	user7@example.com
John Bryan	user8@example.com

- select distinct category from products;

2184 • `select distinct category from products;`

Result Grid | Filter Rows: | Export: | Wrap Cell Content: |

category
Home
Clothing
Electronics
Toys
Books

products 6 x

Output

Read Only

- select (*) from products;

2184 • `select * from products;`

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content: |

product_id	name	category	price	stock_quantity	added_on
1	Plant No	Home	639.43	152	2024-01-30 06:30:53
2	Population Social	Clothing	4813.68	84	2025-05-30 10:02:50
3	Available Answer	Electronics	2529.51	101	2025-04-13 01:11:46
4	Any Question	Clothing	4759.28	179	2025-06-03 13:34:03
5	Natural Network	Toys	4722.66	75	2023-11-06 00:47:37
6	If Whatever	Electronics	177.40	64	2024-12-19 10:37:14
7	Response Indeed	Clothing	4897.36	36	2025-03-29 02:43:08
8	Every Amount	Home	4173.60	156	2025-04-30 03:11:10

products 5 x

Apply

- select * from products where price>1000;

2185 • `select * from products where price>1000;`

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content: |

product_id	name	category	price	stock_quantity	added_on
2	Population Social	Clothing	4813.68	84	2025-05-30 10:02:50
3	Available Answer	Electronics	2529.51	101	2025-04-13 01:11:46
4	Any Question	Clothing	4759.28	179	2025-06-03 13:34:03
5	Natural Network	Toys	4722.66	75	2023-11-06 00:47:37
7	Response Indeed	Clothing	4897.36	36	2025-03-29 02:43:08
8	Every Amount	Home	4173.60	156	2025-04-30 03:11:10
10	Development System	Electronics	4801.78	153	2025-03-12 08:22:57
11	Build Her	Books	1852.64	150	2024-09-08 01:09:15

products 7 x

Output

Apply

- select * from products where price between 2000 and 5000;

2186 • `select * from products where price between 2000 and 5000;`

Result Grid

	product_id	name	category	price	stock_quantity	added_on
▶	2	Population Social	Clothing	4813.68	84	2025-05-30 10:02:50
	3	Available Answer	Electronics	2529.51	101	2025-04-13 01:11:46
	4	Any Question	Clothing	4759.28	179	2025-06-03 13:34:03
	5	Natural Network	Toys	4722.66	75	2023-11-06 00:47:37
	7	Response Indeed	Clothing	4897.36	36	2025-03-29 02:43:08
	8	Every Amount	Home	4173.60	156	2025-04-30 03:11:10
	10	Development System	Electronics	4801.78	153	2025-03-12 08:22:57
	12	Action Ask	Electronics	4017.01	19	2025-02-14 03:38:06

products 8 x

Output

- select * from customers where customer_id in (1,3,7,10);

2187 • `select * from customers where customer_id in (1,3,7,10);`

Result Grid

	customer_id	name	email	phone	created_at
▶	1	Thomas Owens	user1@example.com	142-479-1945	2024-10-14 16:01:12
	3	Kaitlin Richards	user3@example.com	2073473421	2024-06-23 09:55:22
	7	Briana Wright	user7@example.com	223-833-9635	2023-06-25 00:35:43
	10	Shawn Hill	user10@example.com	(268)113-3152x7	2023-12-14 20:46:43
*	NULL	NULL	NULL	NULL	NULL

customers 9 x

Output

- select * from customers where name like 'a%';

2190 • `select * from customers where name like 'a%';`

2191 • `select count(*) from customers;`

Result Grid

	customer_id	name	email	phone	created_at
▶	15	Austin Flores	user15@example.com	329.901.1576x66	2024-06-13 09:03:42
	16	Amy Landry	user16@example.com	+1-278-019-3748	2024-02-28 17:51:50
	19	Amanda Bright	user19@example.com	380.981.9798x69	2024-12-20 22:58:15
	27	Adrienne Green	user27@example.com	530.644.8455x93	2023-08-22 01:55:29
*	NULL	NULL	NULL	NULL	NULL

Output

- select * from products where category ='electronics' and price <3000;

2191 • `select * from products where category = 'electronics' and price <3000;`

2192 • `select * from products where stock_quantity <= 0;`

Result Grid

	product_id	name	category	price	stock_quantity	added_on
▶	3	Available Answer	Electronics	2529.51	101	2025-04-13 01:11:46
	6	If Whatever	Electronics	177.40	64	2024-12-19 10:37:14
	15	Place Low	Electronics	723.97	46	2023-07-05 14:36:07
	31	Series Page	Electronics	2070.37	83	2024-04-01 00:24:06
	34	Despite Win	Electronics	1340.34	64	2024-11-27 06:55:45
	44	Actually Term	Electronics	396.11	85	2023-11-02 13:09:20
	47	Southern Thing	Electronics	512.46	40	2024-02-28 17:57:38

products 15 x

Output

- select name, price from products order by price desc;

2192 • `select name, price from products order by price desc;`
 2193 -- level 2

Result Grid | Filter Rows: | Export: | Wrap Cell Content: |

name	price
Response Indeed	4897.36
Population Social	4813.68
Development System	4801.78
Any Question	4759.28
Fire Often	4734.89
Natural Network	4722.66
Build High	4707.14

products 16 x Read Only

- select name, price from products order by price desc, name asc;

2193 • `select name, price from products order by price desc, name asc;`
 2194 -- level 2

Result Grid | Filter Rows: | Export: | Wrap Cell Content: |

name	price
Response Indeed	4897.36
Population Social	4813.68
Development System	4801.78
Any Question	4759.28
Fire Often	4734.89
Natural Network	4722.66
Build High	4707.14

products 17 x Read Only

--level 2

- select name as customer_name, email as customers_email from customers;

2194 • `select name as customer_name, email as customers_email`

Result Grid | Filter Rows: | Export: | Wrap Cell Content: |

customer_name	customers_email
Thomas Owens	user1@example.com
Charles Grant	user2@example.com
Kaitlin Richards	user3@example.com
Christina Williams	user4@example.com
David Allen	user5@example.com
Mark Duke	user6@example.com
Briana Wright	user7@example.com
John Bryan	user8@example.com

customers 15 x Read Only

- select * from orders where customer_id is null;

2195 • `select * from orders where customer_id is null;`

2196

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content: |

	order_id	customer_id	order_date	status	total_amount
*	NULL	NULL	NULL	NULL	NULL

orders 16 x

Result Grid

Form Editor

- select quantity,item_price, quantity * item_price as total_price from order_items;

2196 • `select quantity,item_price, quantity * item_price as total_price from order_items;`

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

Fetch rows:

	quantity	item_price	total_price
1	4160.45	4160.45	
3	3043.67	9131.01	
3	4168.08	12504.24	
1	639.43	639.43	
2	3437.81	6875.62	
1	4523.10	4523.10	
3	1094.18	3282.54	
1	4244.09	4244.09	

Result Grid

Form Editor

Read Only

- select name, phone ,concat(name,'-', phone) as contact_info from customers;

2198 • `select name, phone ,concat(name,'-', phone) as contact_info from customers;`

2199 • `select date(order_date) as order_date from orders;`

Result Grid | Filter Rows: | Export: | Wrap Cell Content: |

	name	phone	contact_info
▶	Thomas Owens	142-479-1945	Thomas Owens-142-479-1945
	Charles Grant	9153947511	Charles Grant-9153947511
	Kaitlin Richards	2073473421	Kaitlin Richards-2073473421
	Christina Williams	586-605-5061x06	Christina Williams-586-605-5061x06
	David Allen	(751)456-8289x1	David Allen-(751)456-8289x1
	Mark Duke	(144)957-2811	Mark Duke-(144)957-2811
	Briana Wright	223-833-9635	Briana Wright-223-833-9635

Result 19 x

Read Only

- select date(order_date) as order_date from orders;

2198 • `select date(order_date) as order_date from orders;`

Result Grid | Filter Rows: | Export: | Wrap Cell Content: |

	order_date
▶	2025-03-02
	2024-10-09
	2025-05-08
	2024-09-19
	2025-04-08
	2024-10-25
	2024-07-29
	2024-07-30
	2025-06-10

Result 19 x

Read Only

- `select * from products where stock_quantity <=0;`

2199 • `select * from products where stock_quantity <=0;`

Result Grid

product_id	name	category	price	stock_quantity	added_on
1	...	...	...	...	...

products 21 x

-- level 3

- `select count(*) as total_orders from orders;`

2202 • `select count(*) as total_orders from orders;`

Result Grid

total_orders
400

Result 1 x

- `select sum(total_amount) as total_revenue from orders;`

2203 • `select sum(total_amount) as total_revenue from orders;`

Result Grid

total_revenue
6960973.66

Result 3 x

- `select avg(total_amount) as avg_orer_value from orders;`

2205 • `select avg(total_amount) as avg_orer_value from orders;`

Result Grid

avg_orer_value
17402.434150

Result 1 x

- select count(distinct customer_id) as active_customers from orders;

2206 • `select count(distinct customer_id) as active_customers from orders;`

Result Grid | Filter Rows: | Export: | Wrap Cell Content: |

active_customers
30

Result Grid | Form Editor

- select customer_id, count(*) as total_orders from orders group by customer_id;

2208 • `select customer_id, count(*) as total_orders from orders group by customer_id;`

Result Grid | Filter Rows: | Export: | Wrap Cell Content: |

customer_id	total_orders
1	12
2	17
3	17
4	9
5	14
6	16
7	13
8	10
9	10

Result 1 x | Read Only

- select customer_id, sum(total_amount) as total_sales from orders group by customer_id;

2209 • `select customer_id, sum(total_amount) as total_sales from orders group by customer_id;`

Result Grid | Filter Rows: | Export: | Wrap Cell Content: |

customer_id	total_sales
1	183747.44
2	284420.07
3	253783.31
4	137562.22
5	262504.19
6	212173.58
7	167960.11
8	164701.78
9	106226.03

Result 2 x | Read Only

- select category, sum(quantity) as total_products_sold
from order_items join products on order_items.product_id =
products.product_id

group by category;

```
2213 • select category, sum(quantity) as total_products_sold
2214 from order_items join products on order_items.product_id = products.product_id
2215 group by category;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: |

category	total_products_sold
Home	443
Clothing	559
Electronics	687
Toys	405
Books	350

Result 3 x Read Only

- select category, avg(price) as avg_price from products group by category;

```
2216 • select category, avg(price) as avg_price from products group by category;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: |

category	avg_price
Home	2146.367500
Clothing	3434.581538
Electronics	2653.388571
Toys	2516.526250
Books	3167.084286

Result 2 x Read Only

- select date(order_date) as order_day,
count(*) total_orders from orders group by date(order_date);

```
2217 • select date(order_date) as order_day,
2218 count(*) total_orders from orders group by date(order_date);
```


Result Grid | Filter Rows: | Export: | Wrap Cell Content: |

order_day	total_orders
2025-03-02	3
2024-10-09	2
2025-05-08	2
2024-09-19	3
2025-04-08	3
2024-10-25	3
2024-07-29	2
2024-07-30	2
2025-06-10	2

Result 4 x Read Only

- select method, sum(amount_paid) as total_amount

from payments group by (method);




The screenshot shows a database query interface. At the top, a SQL query is entered: `2220 from payments group by (method);`. Below the query bar, there are tabs for 'Result Grid', 'Filter Rows', 'Export', and 'Wrap Cell Content'. The 'Result Grid' tab is active, displaying a table with two columns: 'method' and 'total_amount'. The table contains four rows of data. On the right side, there are buttons for 'Result Grid' and 'Form Editor'. At the bottom, it says 'Result 5' and 'Read Only'.

method	total_amount
Credit Card	1754603.10
Net Banking	1658383.90
UPI	1617408.78
Debit Card	1930577.88

-- level 4


- select orders.*,customers.name from orders
inner join customers on orders.customer_id=customers.customer_id;



The screenshot shows a database query interface. At the top, a SQL query is entered: `2223 • select orders.*,customers.name from orders` and `2224 inner join customers on orders.customer_id=customers.customer_id;`. Below the query bar, there are tabs for 'Result Grid', 'Filter Rows', 'Export', and 'Wrap Cell Content'. The 'Result Grid' tab is active, displaying a table with seven columns: 'order_id', 'customer_id', 'order_date', 'status', 'total_amount', and 'name'. The table contains ten rows of data. On the right side, there are buttons for 'Result Grid' and 'Form Editor'. At the bottom, it says 'Result 2' and 'Read Only'.

order_id	customer_id	order_date	status	total_amount	name
14	1	2024-09-24 21:21:38	Shipped	15803.34	Thomas Owens
17	1	2024-08-19 21:17:57	Pending	11173.77	Thomas Owens
61	1	2024-12-26 23:21:58	Shipped	13053.00	Thomas Owens
76	1	2025-01-14 22:59:54	Pending	23506.81	Thomas Owens
92	1	2024-09-26 11:33:58	Shipped	834.75	Thomas Owens
109	1	2025-03-17 04:56:18	Shipped	12190.14	Thomas Owens
127	1	2025-06-10 18:01:32	Pending	20160.64	Thomas Owens
135	1	2025-03-11 22:58:23	Pending	8891.79	Thomas Owens
144	1	2024-09-19 09:18:22	Shipped	12093.54	Thomas Owens

- select products.* from order_items
inner join products on order_items.product_id = products.product_id;



The screenshot shows a database query interface. At the top, a SQL query is entered: `2226 • select products.* from order_items` and `2227 inner join products on order_items.product_id = products.product_id;`. Below the query bar, there are tabs for 'Result Grid', 'Filter Rows', 'Export', and 'Wrap Cell Content'. The 'Result Grid' tab is active, displaying a table with six columns: 'product_id', 'name', 'category', 'price', 'stock_quantity', and 'added_on'. The table contains eight rows of data. On the right side, there are buttons for 'Result Grid' and 'Form Editor'. At the bottom, it says 'Result 1' and 'Read Only'.

product_id	name	category	price	stock_quantity	added_on
1	Plant No	Home	639.43	152	2024-01-30 06:30:53
1	Plant No	Home	639.43	152	2024-01-30 06:30:53
1	Plant No	Home	639.43	152	2024-01-30 06:30:53
1	Plant No	Home	639.43	152	2024-01-30 06:30:53
1	Plant No	Home	639.43	152	2024-01-30 06:30:53
1	Plant No	Home	639.43	152	2024-01-30 06:30:53
1	Plant No	Home	639.43	152	2024-01-30 06:30:53
1	Plant No	Home	639.43	152	2024-01-30 06:30:53

- select orders.*, payments.method from orders

inner join payments on orders.order_id = payments.order_id;

2228 • `select orders.*, payments.method from orders`
2229 `inner join payments on orders.order_id = payments.order_id;`

Result Grid

	order_id	customer_id	order_date	status	total_amount	method
▶	1	20	2025-03-02 07:20:11	Delivered	9414.28	Credit Card
	2	18	2024-10-09 18:08:21	Shipped	532.20	Net Banking
	3	15	2025-05-08 00:08:27	Cancelled	5164.56	Credit Card
	4	11	2024-09-19 22:16:13	Delivered	9469.78	UPI
	5	12	2025-04-08 18:02:06	Pending	14501.86	UPI
	6	29	2024-10-25 07:33:59	Cancelled	31050.17	UPI
	7	22	2024-07-29 11:58:47	Shipped	3043.67	UPI
	8	19	2024-07-30 22:49:49	Cancelled	32714.06	Net Banking
	9	6	2025-06-10 17:00:25	Pending	24219.20	Net Banking

Result 3 x Read Only

- `select customers.*, orders.* from orders`
left join customers on customers.customer_id = orders.customer_id;

2231 • `select customers.*, orders.* from orders`
2232 `left join customers on customers.customer_id = orders.customer_id;`

Result Grid

	customer_id	name	email	phone	created_at	order_id	customer_id	order_date	status	total_amount
▶	20	Megan Lee	user20@example.com	7044478333	2024-07-09 16:13:14	1	20	2025-03-02 07:20:11	Delivered	9414.28
	18	Jeffrey Bray	user18@example.com	164.962.022x92	2024-07-02 19:51:55	2	18	2024-10-09 18:08:21	Shipped	532.20
	15	Austin Flores	user15@example.com	329.901.1576x66	2024-06-13 09:03:42	3	15	2025-05-08 00:08:27	Cancelled	5164.56
	11	Walter Jenkins	user11@example.com	536-329-0817x71	2023-10-26 03:12:30	4	11	2024-09-19 22:16:13	Delivered	9469.78
	12	Mary Knight	user12@example.com	361-636-3802	2023-08-16 20:05:50	5	12	2025-04-08 18:02:06	Pending	14501.86
	29	Kara Zavala	user29@example.com	434-985-5776x61	2023-09-27 15:57:09	6	29	2024-10-25 07:33:59	Cancelled	31050.17
	22	Peter Phillips	user22@example.com	389-656-1695	2025-05-22 06:12:06	7	22	2024-07-29 11:58:47	Shipped	3043.67
	19	Amanda Bright	user19@example.com	380.981.9798x69	2024-12-20 22:58:15	8	19	2024-07-30 22:49:49	Cancelled	32714.06
	6	Mark Duke	user6@example.com	(144)957-2811	2024-06-24 03:22:59	9	6	2025-06-10 17:00:25	Pending	24219.20
	28	Isaciah Stuart	user28@example.com	363-045-4287	2023-09-14 05:52:25	10	28	2025-02-16 17:45:59	Delivered	24347.52

Result 1 x Read Only

- `select products.*, order_items.quantity from products`
left join order_items on products.product_id = order_items.product_id;

2235 • `select payments.*, orders.* from orders`
2236 `right join payments on orders.order_id = payments.order_id;`

Result Grid

	payment_id	order_id	payment_date	amount_paid	method	order_id	customer_id	order_date	status	total_amount
▶	1	1	2025-03-02 08:16:11	9414.28	Credit Card	1	20	2025-03-02 07:20:11	Delivered	9414.28
	2	2	2024-10-09 19:00:21	532.20	Net Banking	2	18	2024-10-09 18:08:21	Shipped	532.20
	3	3	2025-05-08 00:55:27	5164.56	Credit Card	3	15	2025-05-08 00:08:27	Cancelled	5164.56
	4	4	2024-09-19 22:28:13	9469.78	UPI	4	11	2024-09-19 22:16:13	Delivered	9469.78
	5	5	2025-04-08 18:26:06	14501.86	UPI	5	12	2025-04-08 18:02:06	Pending	14501.86
	6	6	2024-10-25 08:16:59	31050.17	UPI	6	29	2024-10-25 07:33:59	Cancelled	31050.17
	7	7	2024-07-29 12:45:47	3043.67	UPI	7	22	2024-07-29 11:58:47	Shipped	3043.67
	8	8	2024-07-30 23:42:49	32714.06	Net Banking	8	19	2024-07-30 22:49:49	Cancelled	32714.06
	9	9	2025-06-10 17:36:25	24219.20	Net Banking	9	6	2025-06-10 17:00:25	Pending	24219.20
	10	10	2025-02-16 13:43:59	24347.52	Debit Card	10	28	2025-02-16 17:45:59	Delivered	24347.52

Result 5 x Read Only

- `select payments.*, orders.* from orders`
right join payments on orders.order_id = payments.order_id;

2233 • `select products.*, order_items.quantity from products`
2234 `left join order_items on products.product_id = order_items.product_id;`
2235 • `select payments.*, orders.* from orders`
2236 `right join payments on orders.order_id = payments.order_id;`

Result Grid

	product_id	name	category	price	stock_quantity	added_on	quantity
▶	1	Plant No	Home	639.43	152	2024-01-30 06:30:53	1
	1	Plant No	Home	639.43	152	2024-01-30 06:30:53	3
	1	Plant No	Home	639.43	152	2024-01-30 06:30:53	1
	1	Plant No	Home	639.43	152	2024-01-30 06:30:53	1
	1	Plant No	Home	639.43	152	2024-01-30 06:30:53	2
	1	Plant No	Home	639.43	152	2024-01-30 06:30:53	3
	1	Plant No	Home	639.43	152	2024-01-30 06:30:53	2

Result 7 x Read Only

- `select customers.*, orders.*, payments.* from customers`
inner join orders on customers.customer_id= orders.customer_id

inner join payments on orders.order_id = payments.order_id;

```
2237 • select customers.*, orders.*, payments.* from customers
2238 inner join orders on customers.customer_id= orders.customer_id
2239 inner join payments on orders.order_id = payments.order_id;
```

customer_id	name	email	phone	created_at	order_id	customer_id	order_date	status	total_amount	payment_id	order_id	payment_date	amount_paid	method
1	Thomas Owens	user1@example.com	142-479-1945	2024-10-14 16:01:12	14	1	2024-09-24 21:21:38	Shipped	15803.34	14	14	2024-09-24 22:11:38	15803.34	UPI
1	Thomas Owens	user1@example.com	142-479-1945	2024-10-14 16:01:12	17	1	2024-08-19 21:17:57	Pending	11173.77	17	17	2024-08-19 21:49:57	11173.77	UPI
1	Thomas Owens	user1@example.com	142-479-1945	2024-10-14 16:01:12	61	1	2024-12-26 23:21:58	Shipped	13053.00	61	61	2024-12-26 23:31:58	13053.00	Net Bank
1	Thomas Owens	user1@example.com	142-479-1945	2024-10-14 16:01:12	76	1	2025-01-14 22:59:54	Pending	23506.81	76	76	2025-01-14 23:33:54	23506.81	Credit Card
1	Thomas Owens	user1@example.com	142-479-1945	2024-10-14 16:01:12	92	1	2024-09-26 11:33:58	Shipped	834.75	92	92	2024-09-26 12:03:58	834.75	Net Bank
1	Thomas Owens	user1@example.com	142-479-1945	2024-10-14 16:01:12	109	1	2025-03-17 04:56:18	Shipped	12190.14	109	109	2025-03-17 05:16:18	12190.14	UPI
1	Thomas Owens	user1@example.com	142-479-1945	2024-10-14 16:01:12	127	1	2025-06-10 18:01:32	Pending	20160.64	127	127	2025-06-10 18:57:32	20160.64	Debit Card
1	Thomas Owens	user1@example.com	142-479-1945	2024-10-14 16:01:12	135	1	2025-03-11 22:58:23	Pending	8891.79	135	135	2025-03-11 23:11:23	8891.79	Debit Card
1	Thomas Owens	user1@example.com	142-479-1945	2024-10-14 16:01:12	144	1	2024-09-19 09:18:22	Shipped	12093.54	144	144	2024-09-19 10:10:22	12093.54	UPI

-- level 5

- select * from products where price > (select avg(price) from products);

```
2243 • select* from products where price > (select avg(price) from products);
2244
```

product_id	name	category	price	stock_quantity	added_on
2	Population Social	Clothing	4813.68	84	2025-05-30 10:02:50
4	Any Question	Clothing	4759.28	179	2025-06-03 13:34:03
5	Natural Network	Toys	4722.66	75	2023-11-06 00:47:37
7	Response Indeed	Clothing	4897.36	36	2025-03-29 02:43:08
8	Every Amount	Home	4173.60	156	2025-04-30 03:11:10
10	Development System	Electronics	4801.78	153	2025-03-12 08:22:57
12	Action Ask	Electronics	4017.01	19	2025-02-14 03:38:06

- SELECT * FROM customers WHERE customer_id IN (SELECT customer_id FROM orders);

```
2244 • SELECT * FROM customers WHERE customer_id IN (SELECT customer_id FROM orders);
2245
2246
2247
```

customer_id	name	email	phone	created_at
1	Thomas Owens	user1@example.com	142-479-1945	2024-10-14 16:01:12
2	Charles Grant	user2@example.com	9153947511	2023-11-25 15:45:24
3	Kaitlin Richards	user3@example.com	2073473421	2024-06-23 09:55:22
4	Christina Williams	user4@example.com	586-605-5061x06	2024-10-27 17:19:38
5	David Allen	user5@example.com	(751)456-8289x1	2023-10-29 02:43:00
6	Mark Duke	user6@example.com	(144)957-2811	2024-06-24 03:22:59
7	Briana Wright	user7@example.com	773-833-9635	2023-06-25 00:35:43

- select * from orders where total_amount>(select avg(total_amount) from orders
where orders.customer_id = orders.customer_id);

```
2246 • select * from orders where total_amount>(select avg(total_amount) from orders
2247 where orders.customer_id = orders.customer_id);
2248 • use retail store;
```

order_id	customer_id	order_date	status	total_amount
6	29	2024-10-25 07:33:59	Cancelled	31050.17
8	19	2024-07-30 22:49:49	Cancelled	32714.06
9	6	2025-06-10 17:00:25	Pending	24219.20
10	28	2025-02-16 12:45:59	Delivered	24342.52
16	5	2024-09-09 03:00:40	Shipped	22856.73
18	13	2024-06-15 12:57:04	Cancelled	32001.24
21	22	2025-03-12 18:53:46	Pending	25364.11

- select * from customers where customer_id not in (select customer_id from orders);

2247 • select * from customers where customer_id not in (select customer_id from orders);
2248

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content: |

customer_id	name	email	phone	created_at
NULL	NULL	NULL	NULL	NULL

customers 1 x Apply Revert

- select * from products where product_id not in (select product_id from order_items);

2248 • select * from products where product_id not in (select product_id from order_items);
2249 • select customer_id, max(total_amount) as highest_orders from orders group by customer_id;

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content: |

product_id	name	category	price	stock_quantity	added_on
NULL	NULL	NULL	NULL	NULL	NULL

products 7 x Apply

- select customer_id, max(total_amount) as highest_orders from orders group by customer_id;

2249 • select customer_id, max(total_amount) as highest_orders from orders group by customer_id;
2250

Result Grid | Filter Rows: | Export: | Wrap Cell Content: |

customer_id	highest_orders
1	32015.16
2	42056.04
3	41679.11
4	25747.34
5	39921.78
6	39003.19
7	28589.04

Result 4 x Read Only

- select customers.name , orders.customer_id , max(orders.total_amount)as highest_order from customers
join orders on customers.customer_id=orders.customer_id group by customers.customer_id,customers.name;

2250 • select customers.name , orders.customer_id , max(orders.total_amount)as highest_order from customers
2251 join orders on customers.customer_id=orders.customer_id group by customers.customer_id,customers.name;
2252

Result Grid | Filter Rows: | Export: | Wrap Cell Content: |

name	customer_id	highest_order
Thomas Owens	1	32015.16
Charles Grant	2	42056.04
Kaitlin Richards	3	41679.11
Christina Williams	4	25747.34
David Allen	5	39921.78
Mark Duke	6	39003.19
Briana Wrinht	7	28589.04

Result 6 x Read Only

-- level 6

- select customers.* from customers
where customers.customer_id in

(select customer_id from orders union select customer_id from product_reviews);

```
2253 • select customers.* from customers
2254 where customers.customer_id in
2255 (select customer_id from orders union select customer_id from product_reviews);
```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content: |

	customer_id	name	email	phone	created_at
▶	1	Thomas Owens	user1@example.com	142-479-1945	2024-10-14 16:01:12
	2	Charles Grant	user2@example.com	9153947511	2023-11-25 15:45:24
	3	Kaitlin Richards	user3@example.com	2073473421	2024-06-23 09:55:22
	4	Christina Williams	user4@example.com	586-605-5061x06	2024-10-27 17:19:38
	5	David Allen	user5@example.com	(751)456-8289x1	2023-10-29 02:43:00
	6	Mark Duke	user6@example.com	(144)957-2811	2024-06-24 03:22:59
	7	Briana Wright	user7@example.com	223-833-9635	2023-06-25 00:35:43

customers 13 x Apply

- select distinct customers.* from customers
join orders on customers.customer_id = orders.customer_id
join product_reviews on customers.customer_id =
product_reviews.customer_id;

```
2256 • select distinct customers.* from customers
2257 join orders on customers.customer_id = orders.customer_id
2258 join product_reviews on customers.customer_id = product_reviews.customer_id;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: |

	customer_id	name	email	phone	created_at
▶	1	Thomas Owens	user1@example.com	142-479-1945	2024-10-14 16:01:12
	2	Charles Grant	user2@example.com	9153947511	2023-11-25 15:45:24
	4	Christina Williams	user4@example.com	586-605-5061x06	2024-10-27 17:19:38
	6	Mark Duke	user6@example.com	(144)957-2811	2024-06-24 03:22:59
	7	Briana Wright	user7@example.com	223-833-9635	2023-06-25 00:35:43
	9	Jason Thompson	user9@example.com	1862659420	2024-08-31 08:18:51