WIBL WRITEWELL	
Date	1
Page	

N	ame-Rishabh Lingwal Univ. Roll. No 1921215 3d-19041299
1	e-1/10/2021 Course-BCA Section-C Sem-5
	bject-Mobile Application Development mid Term Practical
	Code-BC502
	Loutted birth his backers
0,2,	Activity main x m/ 100, answer . I how to not history
+ -	< ?xml version = 1.0 encoding = utf-8"? >
	Land soid suppost constraint Constraint ayout
	xmlns: and soid = "http:// schemas: and soid; com apk res and soid"
	xmlns: app = "http:// schemas android.com lapk fres -auto"
	xmlns: tools = "http:// schemas and soid com (tools"
	and soid : layout width = " match = parent" 10" tot broken
	and soid ! layout - height = " inatch-parent"
-	tools : context = " Main Activity ">
	Y Hop o' in tous), to atous tenous, hack of
	< Edit Text
11	android: id = "@+id/editText1"
	indroid: layout_width = "odp"
	ndroid: layout_height: "wrap_content"
	advoid: layout-alignParent Top = "toye"
	ndroid: layout digalaroin center. Horizontal = "true"
	Woold: layout margin Top = "136dp"
	ndroid! ems = "10"
	pp: by out_constraint End_to End of = "parent"
a	pp ayour constraint in the
- 11	The state of the s

app: layout\_constraintops\_toTopOf = "parent" > android id = "@tid | button 1" android: layout width = "wrap-content" android: 19 yout height - "wrop-content" android: layout below & @ + id | edit Text 1" and sond slayout center Horizontal = "trye" android layout margintop = "49dp" and road: layout morg in End = 132 dp android ! text = "Click" app: hyout constraint End to End Of = "a + id | edit Text 1" app: layout-constraint Top-to TopOf = "@+id | editText 1" /> Landroid.support. constraint. Constraint la yout? Main Activity . Java -" Utrol Shall have birtheline Allin Juneal hickory package orgcom example implicit Intent; impost android app. Activity; import and mid content. Inent; impost android net. Uni! import and roid os Bundle! and the same of th import android, view. View!

REAL

import Aandroid widget. Button; Import android widget. EditText; public class MainActivity extends Activity & @ Querride protected void on Create (Bundle saved Instance State) super on Create (saved Instance State); set Content View (R. layout, activity main); -final EditText editText 1 = (EditText) find View Byld (R. id. editText); Button button = (Button) find View By Id (R. id. button 1); button set On Click Listener ( new View . On Click Listener () & @ Override public void on Click (View v) String und = edit Text 1. get Text (). to String (); Intent intent = new Intent (Intent. Action\_VIEW, Unipasse (url)); start Activity (intent);

RAM