SuperGrok for Dummies

A PLAIN-LANGUAGE MANUAL

Grok Bot, Build, Imagine, Voice, Expert, and every SuperGrok feature, explained without the jargon.

PREPARED BY

Er. Rishabh Aryan

M.Tech (Artificial Intelligence and Data Science)
Department of Computer Science and Engineering
Indian Institute of Information Technology, Bhagalpur (Bihar)
rishabh.250201011@iiitbh.ac.in
ORCID 0009-0004-7595-9440

Independent study guide · Not an official xAI or Wiley publication

ABOUT THIS MANUAL

How to read this book

This manual treats SuperGrok the way a good “for Dummies” book treats a new appliance: what it is, why it exists, which button does what, and the mistakes that waste an evening. It is written for a capable reader who does not want a marketing page.

SuperGrok is the paid family of plans for Grok, the assistant built by xAI. The free product already chats. SuperGrok is what you buy when you want longer conversations, the stronger Expert mode, image and video creation, voice, coding tools, and — from the SuperGrok tier upward — Grok Bot.

Four names do most of the confusing. Grok is the assistant. SuperGrok is the subscription. Grok Bot is a team of always-on agents with their own computer. Build is the mode that turns a description into a working app, site, game, or dashboard. Imagine makes images and video. Voice lets you talk. Everything else in this book hangs off those six ideas.

> **PLAIN ENGLISH**
> If a sentence in this book uses a product name, the next sentence says what that name does. You do not need a background in agents, tokens, or model cards.

The marks in the margin

Callout boxes carry the bits worth keeping. They are original to this manual.

> **REMEMBER**
> A fact that stays true across the product, and the one people misread on the pricing page.

> **TIP**
> A practical move that saves a prompt, a regeneration, or an approval click.

> **WATCH OUT**
> A limit, a beta, or a place where the plans page and an older announcement disagree.

> **TECHNICAL STUFF**
> Optional detail for readers who want the model name or the publishing path. Skip it and the chapter still works.

What this edition is, and is not

This is the 2026 Edition, prepared as an independent study guide by Er. Rishabh Aryan, M.Tech (Artificial Intelligence and Data Science), Department of Computer Science and Engineering, Indian Institute of Information Technology, Bhagalpur (Bihar). It is not published by xAI, and it is not part of the Wiley “For Dummies” series. The black-and-white treatment follows the public visual language of Grok: ink, paper, and a wordmark. The geometric mark on the cover was drawn for this manual and is

not the xAI trademark.

Feature names and tier claims follow the public plans page at grok.com/supergrok and xAI news posts, including the Grok Bot announcement of 11 August 2026, the Build Mode announcement of 28 July 2026, the Imagine Video 1.5 note of 31 July 2026, and the Grok release notes of 3 October 2026. xAI changes limits, model names, and which tier receives a beta. Where a public page and an older post disagree, this book says so.

> **WATCH OUT**
> Prices are not printed as a promise. Reported United States list prices in 2026 are about $10, $30, $100, and $300 a month for Lite, SuperGrok, Plus, and Heavy, with annual billing. India and other regions can differ. Confirm the figure on grok.com/supergrok before you pay.

CONTENTS

What is inside

1	Grok, without the mythology The assistant, the company, and the six names that matter.
2	The SuperGrok ladder Free, Lite, SuperGrok, Plus, Heavy — and what each one actually adds.
3	Chat, Fast, and Expert How a conversation works, and when to spend the stronger mode.
4	Grok Bot Always-on agents, their computer, approvals, and routines.
5	Build One description, a live preview, and a link you can share.
6	Imagine Images, 720p and 1080p video, and references that hold a face or a voice.
7	Voice Talking to Grok, and how that differs from a voice-agent product.
8	The rest of the toolkit Connectors, files, projects, memory, search, and coding tools.
9	A first-week practice plan Seven short sessions that teach the product by using it.
10	Limits, judgment, and good habits What not to hand over, and how to check an answer.
A	Glossary The short definitions, in one place.

Prepared by Er. Rishabh Aryan. Institutional email: rishabh.250201011@iiitbh.ac.in. ORCID: https://orcid.org/0009-0004-7595-9440.

CHAPTER 01

Grok, without the mythology

Before the plans, the bots, and the video settings, it helps to know which object you are actually talking to.

Grok is a conversational assistant from xAI. You reach it on the web at grok.com, in the Grok apps for iOS and Android, and inside X. You type, or you speak. It answers. On a paid plan it can also make pictures, make short videos, write and run code, call tools you have connected, and hand work to a Bot.

People mix up the brand and the bill. Grok is the product. SuperGrok is the name of the paid plans that raise the limits and unlock the heavier tools. You can use Grok without SuperGrok. You cannot use the full SuperGrok feature set on the free allowance.

The six names

Name	In plain English
Grok	The assistant. The thing you talk to.
SuperGrok	The subscription family. Lite, SuperGrok, Plus, and Heavy are rungs on it.
Expert	The stronger answering mode. As of the 3 October 2026 release notes, Expert on grok.com is powered by Grok 4.7.
Grok Bot	Always-on agents with their own computer. They work in your tools and come back for approval.
Build	A mode that turns a description into a working app, site, game, or dashboard, then publishes a link.
Imagine	Image and video creation. Resolution and length depend on the plan.

The six names used in the rest of this manual. Model names move; the jobs do not.

What “a model” means here

A model is the engine behind an answer. xAI ships newer engines and points modes at them. The 3 October 2026 release notes state that Grok 4.7, described there as the most capable model for coding and knowledge work, powers Expert mode on grok.com, and Fast mode for paid subscribers. A marketing page can lag a release note by a version number. Trust the mode you selected, not a number you memorised last month.

> **TECHNICAL STUFF**
> You do not pick a model string such as grok-4.7 in ordinary chat. You pick a mode — Fast or Expert — and the plan decides how much of that mode you can use. API customers pick model names directly. This book is about the product, not the API.

Where SuperGrok lives

The same account can show up in more than one place. The features are not always identical on day one of a launch.

- grok.com — the full web app: chat, modes, Imagine, Build, and, for eligible plans, Grok Bot in the sidebar.
- iOS and Android — the same jobs, with the mode switcher called out in the Build announcement.

• X — Grok inside the social app. An X Premium or Premium+ subscription is a different purchase from SuperGrok, though Premium+ has been described by X as including SuperGrok access and Grok Bot.
• Grok Bot’s own thread — a separate conversation with an agent, on desktop and iOS at launch, and on grok.com for higher tiers from the October 2026 notes.

> **REMEMBER**
> SuperGrok bought at grok.com does not require an X account. Heavy adds X Premium+ at no extra cost if you connect an X account and claim it. Those are two different sentences. Do not collapse them.

CHAPTER 02

The SuperGrok ladder

Each rung keeps the rung below it and adds a specific thing. Buy the rung that contains the job you actually do.

The public plans page groups individual SuperGrok into four rungs: Lite, SuperGrok, Plus, and Heavy. A Business tab exists on the same page. This chapter stays with the individual ladder, because that is where Grok Bot, Imagine, Voice, and Build are itemised.

Free, so the contrast is clear

Free Grok is a real product with an allowance xAI does not publish as a fixed number. It is the right place to learn the shape of a prompt. It is the wrong place to assume you can finish a long coding session, a 30-second video, or a Bot that keeps working after you close the laptop.

SuperGrok Lite

The plans page describes Lite as “keep chatting with basic access.” The listed additions are:

- Create apps with a single prompt, with one-tap deploy to the web.
- Two times longer conversations in Chat.
- Expert mode — access to the latest, best model.
- A chance to try AI image and video creation.
- Increased limits at regular speed.

Lite is the “see if Expert and a short video are useful” rung. It does not list Grok Bot. If the reason you are paying is an always-on agent, Lite is the wrong rung.

SuperGrok

Marked on the plans page as the most popular rung: “get better answers, faster.” It includes everything in Lite, plus:

- Exclusive access to Grok Bot.
- Five times longer conversations in Chat.
- Smarter answers in Expert mode, on the best model, with higher limits.
- Image and video creation, with HD 720p video up to 30 seconds.
- Longer Voice conversations.
- Faster replies.
- More powerful coding tools.

> **REMEMBER**
> “Five times longer” is xAI’s comparison, not a published token count. Treat it as a relative promise. If a thread dies, start a fresh one and paste the decision, not the whole history.

SuperGrok Plus

“Significantly higher usage.” Everything in SuperGrok, plus:

- 1080p video.
- Significantly higher usage across Chat, Imagine, Voice, and Build.
- Lightning-fast replies.
- Priority access at peak times.
- Early access to new features.

Plus is the rung for someone who already hit a wall on SuperGrok: the video was not sharp enough, the voice session ended, or Build usage ran out. It is also the rung named, with Heavy, when the 3 October 2026 release notes put Grok Bot on grok.com.

SuperGrok Heavy

"World's most powerful AI," in the plans-page wording. Everything in Plus, plus:

- The highest usage at the fastest speed.
- A claim aimed at extremely hard problems.
- "Most powerful intelligence": a larger team of agents collaborating on an answer.
- X Premium+ at no extra cost, claimed by connecting an X account.
- Dedicated support and early access.

Heavy is the rung that launched Build Mode in early beta on 28 July 2026. The later plans page also lists one-prompt app creation on Lite and Build usage on Plus, so access has not stayed frozen at that announcement. Open the mode switcher on your own account before you assume a rung includes Build.

Side-by-side

	Lite	SuperGrok	Plus	Heavy
Expert mode	Yes	Higher limits	Higher still	Highest
Chat length	2×	5×	Higher	Highest
Grok Bot	Not listed	Included	Included	Included
Video	Try it	720p, 30 sec	1080p	1080p
Voice	—	Longer	Higher use	Highest
Build	One-prompt apps	Included	Higher use	Highest
Reply speed	Regular	Faster	Lightning-fast	Fastest
Peak priority	No	No	Yes	Yes
Agent team	No	No	No	Larger team
X Premium+	No	No	No	Claim with X

Compiled from the public plans page. "Via Lite" means SuperGrok includes everything in Lite. Confirm Build on your account; the July 2026 early beta was Heavy-only.

How to choose without overbuying

- You mostly chat and want Expert now and then: start at Lite.
- You want a Bot, 30-second 720p video, or longer voice: SuperGrok is the first rung that lists those.
- You already know you will make 1080p video or live in Build: Plus.
- You want the largest agent team, the highest ceiling, and X Premium+ thrown in: Heavy.

> **TIP**
> Buy monthly first if your region allows it. Use the product for a real task — a chapter, a dashboard, a Bot routine — before an annual commitment. The feature you thought you needed is often one rung below the feature you actually open.

CHAPTER 03

Chat, Fast, and Expert

Most of SuperGrok is still a conversation. The paid plan makes that conversation longer, and gives you a stronger gear.

Chat is the default. You give Grok a job in ordinary language. It can search the web, look at X, read a file you attach, and ask you a clarifying question before it commits. The 3 October 2026 notes added a small but useful behaviour: when Grok asks a multi-select question, you can tick the options and also type your own answer.

Fast and Expert

Fast is the gear for drafts, rewrites, lookups, and anything you will read again yourself. Expert is the gear for work where a wrong middle step is expensive: a proof, a research design, a multi-file code change, a comparison you will quote.

Paid subscribers get Fast on the current frontier model as well. The difference is not “old model versus new model” in every case. It is how much reasoning the answer is allowed to spend, and how high your plan sets the ceiling. SuperGrok’s own line is “smarter answers in Expert mode” with higher limits than Lite.

> **TIP**
> Say the job, the audience, the constraint, and the form of the result. “Explain transformers” is a tour. “Explain self-attention to an M.Tech cohort in 400 words, with one worked numerical sketch and no hype” is a job.

A conversation has a budget

Longer, on the plans page, means the thread can run further before the product asks you to start again: two times on Lite, five times on SuperGrok, and a higher unpublished ceiling above that. A long thread is not free memory. Early instructions get crowded out by later ones. When a chat starts ignoring a rule you set on page one, that is the signal to summarise and open a new thread.

A clean handoff, in four lines

- Goal: what “done” looks like.
- Decisions already made: so the next thread does not relitigate them.
- Constraints: length, citation style, tools you may use, things you will not accept.
- Open question: the single next step.

What to attach

A file beats a description of a file. A table beats a paragraph that describes a table. If the source is a PDF, say which section matters. If the source is code, say which function is allowed to change. Grok will still miss a page. Your job is to make the miss obvious, by asking it to quote the line it relied on.

> **WATCH OUT**
> Expert is not a citation machine. It can search, and it can still state a plausible paper that does not exist. For anything you will submit, open the source. This manual's own claims are tied to public product pages for that reason.

CHAPTER 04

Grok Bot

A Bot is not a smarter chat window. It is a teammate with a computer, a login, and permission to keep going after you leave.

xAI introduced Grok Bot on 11 August 2026 as “your team of always-on agents.” The official description is specific. Bots have their own computer. They sign into the tools you already use. They work across apps, inboxes, and sites, including ones with no clean programming interface. They finish a job end to end, and they come back when something needs your approval.

You message a Bot the way you message a colleague. It remembers the conversation, learns how you like the work done, and is meant to get sharper the longer you work together. There is nothing to install before the first message. The launch note is explicit: no automations to build, no naming scheme to learn.

Who can open one

At launch, Grok Bot was in beta for SuperGrok, SuperGrok Plus, and SuperGrok Heavy, and also for selected Cursor plans. Usage is separate from your Grok chat allowance, so handing a job to a Bot does not spend the chat meter. Enterprise access was a waitlist, not a switch.

The 3 October 2026 release notes add a narrower fact: Grok Bot is available on grok.com to SuperGrok Plus and SuperGrok Heavy, with Bots in the sidebar. Read those two sentences together. The subscription that lists “exclusive access” is SuperGrok. The browser sidebar called out in October is Plus and Heavy. If your Bot is missing, check the plan, then the app, then the sidebar — in that order.

> **WATCH OUT**
> Beta means the edges move. Approval dialogs, sidebar sections, and which plan sees the web app have all changed since August 2026. Do not write a lab manual that hard-codes a button position.

What “their own computer” changes

A normal chat stops when you stop. A Bot’s computer keeps the session. That is why xAI can claim a sales Bot updating a CRM from a call transcript, an operations Bot seating a new hire and processing an invoice from Gmail, or an engineering Bot reproducing a bug, filing the ticket, and handing the fix to another Bot. The work lands in the tool a person would have used, which is the difference between a draft and a finished job.

Several Bots, not one overloaded one

The intended pattern is a small team. A chief-of-staff Bot sits above specialists: inbox, expenses, recruiting, bugs, operations. They can message each other, share context, and sit in a group chat. They pass work and assign ownership. They pull you in for a judgment, not for every click.

Approvals

A Bot that can sign in can also do damage. The product’s answer is an approval. The October 2026 notes describe the choice as Always allow, Allow once, or Deny, with long summaries trimmed and a toggle for the full request. Use Always allow only after you have watched the same safe step

succeed. Use Allow once for anything that sends, pays, deletes, or emails a person who is not you.

> **REMEMBER**
> Always allow is a standing instruction. Deny is reversible. A payment, a sent email, and a deleted record are not. Default to Allow once until the routine has earned the wider permission.

Routines: show it once

The recommended way to teach a workflow is to do the job yourself and let the Bot follow. It watches the steps, saves them as a routine, takes your corrections, and runs the routine next time. That is more reliable than a paragraph that tries to describe a 14-click process from memory.

A first Bot, done properly

- Name the Bot for the lane, not for the mood. “Invoice triage” beats “Helper.”
- Give it one recurring job, with a definition of done and a list of things it must not do.
- Connect only the account that job needs.
- Run it once while you watch. Correct the voice and the edge cases in the thread.
- Save the corrected path as the routine.
- Only then consider a second Bot.

> **TIP**
> If two Bots need the same fact, put them in one group thread rather than pasting the fact between chats. The launch note treats that shared context as the point of the team.

CHAPTER 05

Build

Describe the thing. Grok writes it, previews it in the chat, and publishes a link. You do not install a toolchain first.

Build Mode was introduced on 28 July 2026. The announcement is plain: tell Grok an idea, and it builds a working version live in the chat, on the web or on the phone. When it is ready, publish it to a link anyone can open. During that early beta, Build Mode was for SuperGrok Heavy, opened from the mode switcher on grok.com, iOS, and Android.

The current plans page is wider. Lite lists “create apps with a single prompt, with one-tap deploy to the web.” Plus lists significantly higher usage across Chat, Imagine, Voice, and Build. So the early-beta gate and the later plan copy are not the same sentence. This book reports both. Your mode switcher is the tie-breaker.

What you can ask it to make

The announcement names three families, which is a better menu than “anything.”

- Apps. Tools with real state and logic: planners, trackers, calculators, simulations, internal utilities.
- Games. Arcade pieces, puzzles, interactive 3D worlds.
- Dashboards. Connectors pull in data and turn it into charts and filterable views you can share.

Publishing goes to a grok.me link, or to a custom domain you already own. You never have to touch the code. You may, if you want to. Follow-up messages change layout, add a feature, or restyle the result. The preview stays in the conversation.

> **TECHNICAL STUFF**
> A working preview is not a production system. Authentication, private data, and a database you must not lose are a second project. Publish a demo freely. Put student records or payment details behind a real backend only after you have designed one.

A prompt that builds, instead of chatting

Build fails in a predictable way: the description is a mood, not a specification. Use five lines.

- User. Who opens it, and what they are trying to finish.
- Objects. The things the app stores. A tracker stores entries. A sequencer stores patterns.
- Actions. The verbs: add, filter, export, reset.
- Rules. What must stay true. A budget app must not let a category silently go negative.
- Look. One sentence. Dense and quiet, or loud and arcade. Not both.

Then iterate in small diffs. “Make the type larger and the empty state say what to do next” beats “make it better.” Small diffs are also how you notice that the preview and your intention have drifted.

Build and Grok Bot are not the same job

Build makes an artefact: a site, an app, a game, a dashboard. Grok Bot does a recurring job inside tools you already have. A dashboard of your reading list is Build. A Bot that files each new PDF into

that list is Grok Bot. A course project often wants both, in that order: build the thing, then decide whether a Bot should operate it.

> **TIP**
> For a dashboard, connect the source before you argue about colours. The July announcement treats connectors as the way Build gets live data. A beautiful chart of invented numbers is a poster, not a tool.

CHAPTER 06

Imagine

Imagine is the image and video workshop. The plan decides whether you are trying it, making 720p, or making 1080p.

On the plans page, image and video creation is a try-out on Lite, a proper tool on SuperGrok, and a sharper tool on Plus. SuperGrok's line is specific: HD 720p, 30-second video. Plus adds 1080p video, and raises usage across Imagine along with Chat, Voice, and Build. Heavy inherits that ceiling and raises usage again.

Images

An image prompt works when it names the subject, the setting, the light, the framing, and the thing that must not change. "A portrait" is a genre. "A three-quarter portrait of a researcher at a teak desk, north window, cool overcast light, 50mm, no text in the frame" is a shot.

Ask for one change at a time when you edit. Changing the face, the room, and the era in one instruction is how you lose the picture you liked. If text must appear in the image, expect to correct it. Generated lettering is the usual failure.

Video

Video is a short shot, not a film. Thirty seconds is the SuperGrok figure on the plans page. Write the camera move and the action as two clauses: "slow push-in as embers cross the frame." Physics, hands, and on-screen writing remain the fragile parts. Generate the shot you need, not a scene you hope will cut itself together.

References

On 31 July 2026 xAI described Imagine Video 1.5 as accepting text, image, and voice references, generating up to 1080p. An image reference locks a face, a product, or a place. A voice reference is meant to hold the same voice across scenes. The note allowed up to seven image references in a generation, and said image and voice references began in the United States for SuperGrok Heavy and SuperGrok Plus, rolling out more widely afterwards. Availability on a given day is a rollout fact, not a permanent map.

> **WATCH OUT**
> A reference is not consent. Do not generate a real person's likeness or voice into a scene they did not agree to, and do not put a minor into a generated scene of any kind. The tool will not supply your judgment.

A usable Imagine brief

- Format: still, or a shot of N seconds.
- Subject and the one detail that identifies it.
- Camera: framing, lens feel, move.
- Light and time of day.
- What must stay constant if you already have a reference.
- What must not appear: logos, readable text, extra people.

> **TIP**
> Make the still first. When the still is right, ask for the same frame as a short move. You will spend fewer video generations, which are the expensive ones.

CHAPTER 07

Voice

Voice is a longer conversation on SuperGrok, a higher allowance above that, and a separate product if you are building a phone agent.

In the Grok app, Voice means you talk and Grok talks back. SuperGrok lists longer Voice conversations. Plus lists significantly higher Voice usage, alongside Chat, Imagine, and Build. Heavy takes the highest usage. That is the entire consumer promise. There is no published minute count, so "longer" is relative to the rung below.

When voice beats typing

- You are walking through a problem and want to think aloud.
- You want a draft read back so you can hear a clumsy sentence.
- You are reviewing a plan and the corrections are small and spoken.

Voice is the wrong tool for a table, a citation, or a line of code you must copy exactly. Speak the intent, then ask for the artefact in the text thread. The text thread is the record. The voice session is the conversation.

The other "voice"

xAI also ships a Voice Agent Builder and a Voice Agent API for operators who want a production phone agent: telephony, tools, guardrails, and a speech-to-speech path. That is a developer product. It is not the Voice button in SuperGrok chat. If a colleague says "Grok Voice," ask which one they mean before you compare limits.

> **REMEMBER**
> Longer Voice on SuperGrok is a conversation allowance. It is not a call-centre licence, and it is not the Voice Agent API. Keep the two products in separate sentences.

CHAPTER 08

The rest of the toolkit

Connectors, files, projects, memory, search, and coding tools are how a chat stops being a sealed box.

Connectors

A connector is a permitted door into a service you already use: mail, calendar, a repository, a drive. Build uses connectors so a dashboard can chart live data. A Bot uses the same idea more aggressively, by signing into a tool and finishing the job there. Chat can use a connector to fetch a fact instead of asking you to paste it.

Connect the account the task needs, and no other. A reading-list dashboard does not need your bank. Revoke a connector when the project ends. Access you forgot about is still access.

Files and projects

Attach the source. A project, where the app offers one, is a folder for a sustained job: the brief, the files, and the decisions. Use a project for a thesis chapter or a course build. Use a fresh chat for a one-off question. Mixing them is how a casual lookup inherits the constraints of last month’s assignment.

Memory

Memory is a short list of durable facts the assistant can keep: a programme, a preferred citation style, a standing constraint. It is not a transcript, and it is not a place for passwords, card numbers, or another person’s private data. If a remembered fact goes stale — a new supervisor, a finished course — correct it. Stale memory is worse than no memory, because it answers with confidence.

Search

Grok can look at the web and at X. Ask for the search when the fact is recent: a release note, a price, a score, a policy. Ask it to name the page it used. Then open the page. Search reduces invention. It does not remove it.

Coding tools

SuperGrok lists more powerful coding tools than the rungs below it. In practice that means longer, more reliable help with reading a repository, proposing a change, and explaining the failure. Heavy’s “larger team of agents” is the plans-page version of the same idea taken further: more than one agent on a hard problem.

Treat generated code as a draft from a fast colleague. Run it. Read the diff. Ask for the test that would have caught the bug you just found. Build Mode is the path when the desired result is an app rather than a patch.

> **TECHNICAL STUFF**
> Grok 4.7 is described in the 3 October 2026 release notes as the most capable model for coding and knowledge work, powering Expert, and Fast for paid subscribers. For a multi-file change, Expert plus the actual repository beats Expert plus a pasted function.

Sharing

A shared chat, a grok.me link, and a custom domain are three different audiences. A shared chat exposes the thread. A published Build exposes the app. Before you share either, remove keys, institutional logins, and anyone’s personal data. A link is a copy you no longer control.

CHAPTER 09

A first-week practice plan

Seven short sessions. Each one uses a different part of SuperGrok on a real task, not a demo prompt.

Do these in order. Each session is half an hour. Skip a session only if your plan does not include the feature; do not skip it because the feature looks obvious.

Day 1 — Chat, with a constraint

Take a paragraph you wrote. Ask for a tighter version at a stated length, for a stated reader, keeping every factual claim. Compare. The point is to see what it preserves and what it sanded off.

Day 2 — Expert, on one hard step

Pick a problem you cannot check by vibes: a derivation, a complexity argument, a statistics choice. Run it in Fast, then in Expert. Keep the one that shows its steps. Discard tone as a signal of correctness.

Day 3 — A file, not a description

Attach a real PDF or a real source file. Ask for the three claims in a named section, each with the sentence it came from. Open the section. Count the misses. That count is your personal trust setting.

Day 4 — Imagine, still then shot

Write a five-line brief for a figure you would actually put in a slide. Generate the still. Change one thing. If your plan includes video, ask for a four-second move of the still you kept. Stop when it is usable, not when it is novel.

Day 5 — Build a small tool

Specify a tracker you will open again: reading log, experiment log, question bank. Five-line spec from Chapter 5. Publish only after the empty state tells a new user what to do. If Build is not on your rung, write the spec anyway and build it when you upgrade. The spec is the skill.

Day 6 — One Bot, one routine

If your plan includes Grok Bot, create one Bot for one recurring job. Watch the first run. Correct it. Save the routine. Approve with Allow once. If your plan does not include Bot, write the job description and the “must not” list. That list is the part people skip.

Day 7 — Voice, then the record

Talk through the week’s artefact for ten minutes. Ask for a written decision log at the end: what changed, what is open, what you will not redo. File the log. The voice session will not be your archive.

> **TIP**
> Keep a single page of “prompts that worked,” with the constraint that made them work. A library of moods is useless. A library of constraints is the manual you will actually reuse.

CHAPTER 10

Limits, judgment, and good habits

The product is capable. It is not an author, a supervisor, or a system of record.

What the allowance is

xAI publishes relative limits — two times, five times, significantly higher, highest — and does not publish the underlying quota in the plans copy used for this edition. Peak priority on Plus and Heavy is a queue promise, not a latency number. When you hit a limit, the honest response is to wait, shorten the job, or move up a rung. Refreshing the page is not a strategy.

What not to delegate

- A grade, a citation, or a result you have not opened.
- A message that commits your institution, your supervisor, or a colleague.
- A secret: a password, a key, an unpublished dataset you are not allowed to move, another person's private information.
- A likeness or a voice that is not yours to use.
- The decision at the end of a Bot approval that spends money or sends mail.

How to check an answer

Ask for the step, not the vibe. For a factual claim, ask which page it came from, then open the page. For code, run the test. For a Build, click every control, including the empty state and the error state. For a Bot, read the approval summary with the toggle open before you allow it.

> **WATCH OUT**
> A confident tone is a writing choice, not evidence. Expert mode spends more effort. It can still be wrong in a fluent paragraph. The check is the source, the test, or the click — not the adjectives.

Academic use, stated plainly

Using Grok to understand a paper, to pressure-test a method, or to draft a figure you then redraw is ordinary tool use. Submitting its paragraphs as your own, or its citations without opening them, is not. Your department's policy is the rule. This manual cannot waive it. A useful habit is a one-line note in your own records: which session assisted which section, and what you verified.

When the product and this book disagree

Believe the product. Plans, betas, and model pointers move faster than a printed edition. The durable part of this book is the method: name the job, pick the rung that contains it, specify the result, approve narrowly, and check the artefact.

APPENDIX

Glossary

Short definitions. If a longer chapter disagrees with a glossary line, the chapter is the one to follow.

Term	Means
Allow once	An approval that covers a single Bot action. The safe default.
Always allow	A standing approval for a repeated Bot action. Earn it.
Build	The mode that turns a description into a working app, site, game, or dashboard, with a live preview and a publishable link.
Connector	A permitted link from Grok to a service you already use, so a chat, a dashboard, or a Bot can act on real data.
Expert	The stronger answering mode. Pointed at Grok 4.7 on grok.com in the 3 October 2026 release notes.
Fast	The quicker answering mode. For paid subscribers, also on the current frontier model as of those notes.
Grok	The assistant, on the web, on iOS, on Android, and on X.
Grok Bot	An always-on agent with its own computer, able to work in your tools and return for approval. Beta.
grok.me	The publishing host named for a Build you share. A custom domain is the alternative.
Heavy	The top individual rung: highest usage, a larger agent team, X Premium+ to claim, dedicated support.
Imagine	Image and video creation. 720p and 30 seconds on SuperGrok; 1080p from Plus.
Lite	The first paid rung: Expert, 2× chat, a try at image and video, one-prompt apps. No Grok Bot listed.
Plus	The rung above SuperGrok: 1080p, higher usage across Chat, Imagine, Voice, and Build, priority at peak times.
Routine	A workflow a Bot saved after watching you do it, so the next run does not need a fresh explanation.
SuperGrok	Both the plan family and the middle rung. The middle rung adds Grok Bot, 5× chat, 720p video, longer voice, and stronger coding tools.
Voice	Spoken conversation in the app. Not the same product as the Voice Agent API.
X Premium+	An X subscription. Included with Heavy once you connect an X account and claim it. A different purchase otherwise.

Sources used for this edition

- grok.com/supergrok — individual plan feature lists for Lite, SuperGrok, Plus, and Heavy.
- xAI, “Introducing Grok Bot,” 11 August 2026.
- xAI, “Grok Bot is now included with more plans,” 26 August 2026.
- xAI, “Introducing Build Mode,” 28 July 2026.
- xAI, “Imagine Video 1.5 with References,” 31 July 2026.
- Grok release notes, 3 October 2026, on Grok 4.7 and Grok Bot on grok.com.

Reported list prices are not taken from the plans page, which did not display a single global price at the time of writing. Confirm before purchase.

COLOPHON

About this edition

SuperGrok for Dummies, 2026 Edition, is an independent plain-language manual. It explains Grok Bot, Build, Imagine, Voice, Expert, and the surrounding SuperGrok features for a reader who wants the product, not the pitch.

Prepared by

Er. Rishabh Aryan

M.Tech (Artificial Intelligence and Data Science)

Department of Computer Science and Engineering

Indian Institute of Information Technology, Bhagalpur (Bihar)

E-mail: rishabh.250201011@iiitbh.ac.in

ORCID: https://orcid.org/0009-0004-7595-9440

Notice

Grok, SuperGrok, Grok Bot, Imagine, and xAI are names of their respective owners. They are used here to identify the products this guide describes. This manual is not affiliated with, endorsed by, or published by xAI. It is not affiliated with Wiley and is not an official title in the For Dummies series. “For Dummies” is used in the ordinary sense of a plain-language introduction.

Feature descriptions were compiled from public product pages and xAI news posts for the 2026 Edition. Limits, prices, model pointers, and beta access change. The product on your account is the authority.

2026 EDITION

No calendar day is printed in this edition, by design.