





There were issues affecting this run of Lighthouse:

- **Chrome extensions negatively affected this page's load performance. Try auditing the page in incognito mode or from a Chrome profile without extensions.**
- **There may be stored data affecting loading performance in this location: IndexedDB. Audit this page in an incognito window to prevent those resources from affecting your scores.**
- **The page loaded too slowly to finish within the time limit. Results may be incomplete.**



Performance

Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)



▲ 0–49 50–89 90–100

METRICS

[Expand view](#)

▲ First Contentful Paint
10.5 s

▲ Total Blocking Time
1,570 ms

▲ Speed Index
12.0 s

▲ Largest Contentful Paint
19.1 s

Cumulative Layout Shift
0.001

...components/Navbar.css?t=177... (localhost) - **326 ms**, 3.10 KiB

...deps/react_jsx-dev-runtime.js?v=4b274bf0 (localhost) - **283 ms**, 12.39 KiB
...deps/chunk-RY7GF66K.js?v=62034857 (localhost) - **340 ms**, 44.80 KiB
...components/Gallery.tsx?t=177... (localhost) - **600 ms**, 21.20 KiB
...components/Gallery.css (localhost) - **661 ms**, 4.52 KiB
...deps/chunk-G3PMV62Z.js?v=62034857 (localhost) - **345 ms**, 8.08 KiB
...deps/react-dom_client.js?v=54248651 (localhost) - **321 ms**, 982.02 KiB
...deps/chunk-IWOBEF4E.js?v=62034857 (localhost) - **362 ms**, 16.14 KiB
/src/index.css?t=177... (localhost) - **292 ms**, 2.87 KiB
...deps/react.js?v=4b274bf0 (localhost) - **285 ms**, 1.30 KiB
/css2?family=... (fonts.googleapis.com) - **1,195 ms**, 0.83 KiB
/css2?family=Roboto:wght@300;400;500&display=swap (fonts.googleapis.com) - **1,194 ms**, 1.69 KiB
/css2?family=Inter:wght@300;400;500&display=swap (fonts.googleapis.com) - **1,191 ms**, 0.73 KiB
...fonts/remixicon.css (cdn.jsdelivr.net) - **189 ms**, 17.47 KiB
...fonts/remixicon.woff2?t=170... (cdn.jsdelivr.net) - **1,188 ms**, 153.44 KiB
/css2?family=... (fonts.googleapis.com) - **617 ms**, 1.30 KiB
...v20/UcC73FwrK....woff2 (fonts.gstatic.com) - **704 ms**, 47.33 KiB
...v15/QGYvz_MVc....woff2 (fonts.gstatic.com) - **693 ms**, 31.50 KiB
/@vite/client (localhost) - **223 ms**, 175.03 KiB
...client/env.mjs (localhost) - **259 ms**, 3.68 KiB
/@react-refresh (localhost) - **246 ms**, 109.56 KiB

Preconnected origins

[preconnect](#) hints help the browser establish a connection earlier in the page load, saving time when the first request for that origin is made. The following are the origins that the page preconnected to.

no origins were preconnected



Preconnect candidates





Add [preconnect](#) hints to your most important origins, but try to use no more than 4.



Origin	Est LCP savings
https://fonts.gstatic.com	330 ms





Improve image delivery — Est savings of 4,157 KiB





Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](#) FCP LCP Unscored






	URL	Resource Size	Est Savings
Firebase Utility		3,172.3 KiB	3,052.9 KiB
 img.design-media	...o/designs%2F1770400...%20Gate%2016.jpg? alt=... (firebasestorage.googleapis.com)	262.6 KiB	259.8 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		4.6 KiB
	This image file is larger than it needs to be (1126x1408) for its displayed dimensions (109x159). Use responsive images to reduce the image download size.		259.7 KiB
 img.design-media	...o/designs%2F1770400...%20Gate%2014.jpg? alt=... (firebasestorage.googleapis.com)	232.6 KiB	229.7 KiB
	This image file is larger than it needs to be (1200x1504) for its displayed dimensions (109x209). Use responsive images to reduce the image download size.		229.7 KiB
 img.design-media	...o/designs%2F177..._100....jpg? alt=... (firebasestorage.googleapis.com)	155.9 KiB	152.7 KiB
	This image file is larger than it needs to be (900x1124) for its displayed dimensions (109x194). Use responsive images to reduce the image download size.		152.7 KiB
 img.design-media	...o/images%2F100....jpg? alt=... (firebasestorage.googleapis.com)	145.0 KiB	142.1 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		34.5 KiB
	This image file is larger than it needs to be (736x922) for its displayed dimensions (109x164). Use responsive images to reduce the image download size.		141.2 KiB




	URL	Resource Size	Est Savings
 img.design-media	...o/images%2F100....jpg? alt=... (firebasestorage.googleapis.com)	135.0 KiB	130.9 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		24.6 KiB
	This image file is larger than it needs to be (736x922) for its displayed dimensions (109x231). Use responsive images to reduce the image download size.		129.9 KiB
 img.design-media	...o/images%2FIMG-202....jpg? alt=... (firebasestorage.googleapis.com)	134.4 KiB	130.1 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		28.7 KiB
	This image file is larger than it needs to be (720x902) for its displayed dimensions (109x243). Use responsive images to reduce the image download size.		128.9 KiB
 img.design-media	...o/images%2F100....jpg? alt=... (firebasestorage.googleapis.com)	119.1 KiB	115.7 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		43.7 KiB
	This image file is larger than it needs to be (608x763) for its displayed dimensions (109x194). Use responsive images to reduce the image download size.		113.7 KiB
 img.design-media	...o/images%2F100....jpg? alt=... (firebasestorage.googleapis.com)	118.5 KiB	115.6 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		45.1 KiB






	URL	Resource Size	Est Savings
	This image file is larger than it needs to be (600x752) for its displayed dimensions (109x164). Use responsive images to reduce the image download size.		113.8 KiB
 img.design-media	...o/images%2F100....jpg? alt=... (firebasestorage.googleapis.com)	109.9 KiB	107.3 KiB
	This image file is larger than it needs to be (736x921) for its displayed dimensions (109x146). Use responsive images to reduce the image download size.		107.3 KiB
 img.design-media	...o/designs%2F1770400...%20Gate%2013.jfif? alt=... (firebasestorage.googleapis.com)	94.6 KiB	91.7 KiB
	This image file is larger than it needs to be (736x924) for its displayed dimensions (109x194). Use responsive images to reduce the image download size.		91.7 KiB
 img.design-media	...o/images%2F100....jpg? alt=... (firebasestorage.googleapis.com)	89.2 KiB	85.4 KiB
	This image file is larger than it needs to be (714x894) for its displayed dimensions (109x245). Use responsive images to reduce the image download size.		85.4 KiB
 img.design-media	...o/images%2F100....jpg? alt=... (firebasestorage.googleapis.com)	80.9 KiB	78.2 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		29.7 KiB
	This image file is larger than it needs to be (501x628) for its displayed dimensions (109x153). Use responsive images to reduce the image download size.		76.6 KiB





	URL	Resource Size	Est Savings
 img.design-media	...o/images%2F100....jpg? alt=... (firebasestorage.googleapis.com)	78.6 KiB	77.2 KiB
	This image file is larger than it needs to be (864x1088) for its displayed dimensions (109x146). Use responsive images to reduce the image download size.		77.2 KiB
 img.design-media	...o/images%2F100....jpg? alt=... (firebasestorage.googleapis.com)	79.0 KiB	76.5 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		24.4 KiB
	This image file is larger than it needs to be (517x650) for its displayed dimensions (116x137). Use responsive images to reduce the image download size.		75.3 KiB
 img.design-media	...o/images%2FIMG-202....jpg? alt=... (firebasestorage.googleapis.com)	78.7 KiB	76.2 KiB
	This image file is larger than it needs to be (675x845) for its displayed dimensions (109x166). Use responsive images to reduce the image download size.		76.2 KiB
 img.design-media	...o/images%2F100....jpg? alt=... (firebasestorage.googleapis.com)	78.1 KiB	73.9 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		20.4 KiB
	This image file is larger than it needs to be (532x666) for its displayed dimensions (109x237). Use responsive images to reduce the image download size.		72.4 KiB





	URL	Resource Size	Est Savings
 img.design-media	...o/images%2F1770398...%20Gate%2007.jpg? alt=... (firebasestorage.googleapis.com)	75.4 KiB	72.9 KiB
	This image file is larger than it needs to be (717x903) for its displayed dimensions (109x197). Use responsive images to reduce the image download size.		72.9 KiB
 img.design-media	...o/images%2F100....jpg? alt=... (firebasestorage.googleapis.com)	74.4 KiB	71.3 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		33.8 KiB
	This image file is larger than it needs to be (448x558) for its displayed dimensions (140x137). Use responsive images to reduce the image download size.		68.7 KiB
 img.design-media	...o/images%2F100....jpg? alt=... (firebasestorage.googleapis.com)	70.5 KiB	65.1 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		48.2 KiB
	This image file is larger than it needs to be (330x414) for its displayed dimensions (244x137). Use responsive images to reduce the image download size.		53.3 KiB
 img.design-media	...o/images%2FIMG-202....jpg? alt=... (firebasestorage.googleapis.com)	67.5 KiB	64.7 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		14.8 KiB
	This image file is larger than it needs to be (508x638) for its displayed dimensions (109x160). Use responsive images to reduce the image download size.		63.9 KiB




	URL	Resource Size	Est Savings
 img.design-media	...o/images%2F100....jpg? alt=... (firebasestorage.googleapis.com)	67.5 KiB	64.7 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		15.1 KiB
	This image file is larger than it needs to be (508x634) for its displayed dimensions (109x160). Use responsive images to reduce the image download size.		63.8 KiB
 img.design-media	...o/designs%2F1770400...%20Gate%2008.jpg? alt=... (firebasestorage.googleapis.com)	64.8 KiB	61.3 KiB
	This image file is larger than it needs to be (564x708) for its displayed dimensions (109x197). Use responsive images to reduce the image download size.		61.3 KiB
 img.design-media	...o/images%2F100....jpg? alt=... (firebasestorage.googleapis.com)	63.2 KiB	61.1 KiB
	This image file is larger than it needs to be (720x904) for its displayed dimensions (109x194). Use responsive images to reduce the image download size.		61.1 KiB
 img.design-media	...o/images%2F100....jpg? alt=... (firebasestorage.googleapis.com)	61.6 KiB	59.0 KiB
	This image file is larger than it needs to be (597x750) for its displayed dimensions (137x137). Use responsive images to reduce the image download size.		59.0 KiB
 img.design-media	...o/images%2F100....jpg? alt=... (firebasestorage.googleapis.com)	56.4 KiB	52.3 KiB



	URL	Resource Size	Est Savings
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		18.7 KiB
	This image file is larger than it needs to be (429x540) for its displayed dimensions (183x137). Use responsive images to reduce the image download size.		50.3 KiB
	...o/images%2F100....jpg? alt=... (firebasestorage.googleapis.com)	51.7 KiB	51.0 KiB
img.design-media			
	This image file is larger than it needs to be (998x1262) for its displayed dimensions (117x137). Use responsive images to reduce the image download size.		51.0 KiB
	...o/images%2F100....jpg? alt=... (firebasestorage.googleapis.com)	51.2 KiB	48.7 KiB
img.design-media			
	This image file is larger than it needs to be (563x700) for its displayed dimensions (136x137). Use responsive images to reduce the image download size.		48.7 KiB
	...o/images%2F100....jpg? alt=... (firebasestorage.googleapis.com)	50.9 KiB	47.9 KiB
img.design-media			
	This image file is larger than it needs to be (540x678) for its displayed dimensions (109x194). Use responsive images to reduce the image download size.		47.9 KiB
	...o/images%2F100....jpg? alt=... (firebasestorage.googleapis.com)	50.0 KiB	47.8 KiB
img.design-media			
	This image file is larger than it needs to be (573x724) for its displayed dimensions (134x137). Use responsive images to reduce the image download size.		47.8 KiB






	URL	Resource Size	Est Savings
 img.design-media	...o/images%2FIMG-202....jpg? alt=... (firebasestorage.googleapis.com)	45.1 KiB	41.5 KiB
	This image file is larger than it needs to be (577x720) for its displayed dimensions (244x137). Use responsive images to reduce the image download size.		41.5 KiB
 img.design-media	...o/images%2F100....jpg? alt=... (firebasestorage.googleapis.com)	45.1 KiB	41.4 KiB
	This image file is larger than it needs to be (574x720) for its displayed dimensions (244x137). Use responsive images to reduce the image download size.		41.4 KiB
 img.design-media	...o/images%2F100....jpg? alt=... (firebasestorage.googleapis.com)	45.1 KiB	41.4 KiB
	This image file is larger than it needs to be (572x720) for its displayed dimensions (244x137). Use responsive images to reduce the image download size.		41.4 KiB
 img.design-media	...o/images%2F100....jpg? alt=... (firebasestorage.googleapis.com)	37.8 KiB	35.2 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		9.2 KiB
	This image file is larger than it needs to be (375x469) for its displayed dimensions (109x146). Use responsive images to reduce the image download size.		34.4 KiB
 img.design-media	...o/designs%2F1770400...%20Gate%2009.jpg? alt=... (firebasestorage.googleapis.com)	37.1 KiB	35.1 KiB



	URL	Resource Size	Est Savings
	This image file is larger than it needs to be (564x708) for its displayed dimensions (109x197). Use responsive images to reduce the image download size.		35.1 KiB
 img.design-media	...o/images%2F100....jpg? alt=... (firebasestorage.googleapis.com)	39.1 KiB	35.0 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		16.9 KiB
	This image file is larger than it needs to be (329x414) for its displayed dimensions (183x137). Use responsive images to reduce the image download size.		31.9 KiB
 img.design-media	...o/designs%2F1770400...%20Gate%2011%20.jpg? alt=... (firebasestorage.googleapis.com)	34.7 KiB	32.9 KiB
	This image file is larger than it needs to be (593x744) for its displayed dimensions (109x213). Use responsive images to reduce the image download size.		32.9 KiB
 img.design-media	...o/images%2F100....jpg? alt=... (firebasestorage.googleapis.com)	32.1 KiB	30.2 KiB
	This image file is larger than it needs to be (528x664) for its displayed dimensions (147x137). Use responsive images to reduce the image download size.		30.2 KiB
 img.design-media	...o/images%2F100....jpg? alt=... (firebasestorage.googleapis.com)	29.2 KiB	25.0 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		17.8 KiB
	This image file is larger than it needs to be (236x296) for its displayed dimensions (109x232). Use responsive images to reduce the image download size.		18.6 KiB

		URL	Resource Size	Est Savings	
 img.design-media		...o/images%2FIMG-202....jpg? alt=... (firebasestorage.googleapis.com)	29.8 KiB	24.4 KiB	
		Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		8.6 KiB	
		This image file is larger than it needs to be (323x405) for its displayed dimensions (244x137). Use responsive images to reduce the image download size.		22.2 KiB	
Pinterest Social		1,151.2 KiB	1,103.9 KiB		
 img.design-media		...ef/cd96ef4....jpg (i.pinimg.com)	182.4 KiB	179.8 KiB	
		Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		72.1 KiB	
		This image file is larger than it needs to be (736x921) for its displayed dimensions (109x146). Use responsive images to reduce the image download size.		178.1 KiB	
 img.design-media		...6c/83836c2....jpg (i.pinimg.com)	115.3 KiB	112.7 KiB	
		Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		50.1 KiB	
		This image file is larger than it needs to be (564x711) for its displayed dimensions (109x146). Use responsive images to reduce the image download size.		110.7 KiB	
 img.design-media		...0e/623b0e8....jpg (i.pinimg.com)	114.6 KiB	112.0 KiB	

	URL	Resource Size	Est Savings
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		49.8 KiB
	This image file is larger than it needs to be (564x706) for its displayed dimensions (109x146). Use responsive images to reduce the image download size.		110.0 KiB
	...4b/5ff64b1....jpg (i.pinimg.com)	94.2 KiB	91.6 KiB
img.design-media			
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		29.4 KiB
	This image file is larger than it needs to be (564x706) for its displayed dimensions (109x146). Use responsive images to reduce the image download size.		90.4 KiB
	...77/d5c5777....jpg (i.pinimg.com)	81.4 KiB	78.8 KiB
img.design-media			
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		16.2 KiB
	This image file is larger than it needs to be (564x711) for its displayed dimensions (109x146). Use responsive images to reduce the image download size.		78.2 KiB
	...97/713197c....jpg (i.pinimg.com)	79.1 KiB	76.0 KiB
img.design-media			
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		15.3 KiB
	This image file is larger than it needs to be (559x700) for its displayed dimensions (139x137). Use responsive images to reduce the image download size.		75.2 KiB

	URL	Resource Size	Est Savings
 img.design-media	...12/0b8212e....jpg (i.pinimg.com)	75.7 KiB	72.6 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		34.5 KiB
	This image file is larger than it needs to be (449x564) for its displayed dimensions (137x137). Use responsive images to reduce the image download size.		70.1 KiB
 img.design-media	...40/128540e....jpg (i.pinimg.com)	59.1 KiB	56.0 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		17.9 KiB
	This image file is larger than it needs to be (449x564) for its displayed dimensions (137x137). Use responsive images to reduce the image download size.		54.7 KiB
 img.design-media	...72/4dff721....jpg (i.pinimg.com)	57.8 KiB	54.7 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		16.6 KiB
	This image file is larger than it needs to be (449x564) for its displayed dimensions (137x137). Use responsive images to reduce the image download size.		53.5 KiB
 img.design-media	...75/972275f....jpg (i.pinimg.com)	57.5 KiB	54.5 KiB
	This image file is larger than it needs to be (563x709) for its displayed dimensions (109x190). Use responsive images to reduce the image download size.		54.5 KiB

	URL	Resource Size	Est Savings
 img.design-media	...76/2fcd768....jpg (i.pinimg.com)	56.7 KiB	54.4 KiB
	This image file is larger than it needs to be (564x706) for its displayed dimensions (109x146). Use responsive images to reduce the image download size.		54.4 KiB
 img.design-media	...de/8411de2....jpg (i.pinimg.com)	49.7 KiB	47.7 KiB
	This image file is larger than it needs to be (564x706) for its displayed dimensions (109x146). Use responsive images to reduce the image download size.		47.7 KiB
 img.design-media	...87/9c79871....jpg (i.pinimg.com)	41.7 KiB	37.6 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		20.6 KiB
	This image file is larger than it needs to be (321x403) for its displayed dimensions (109x228). Use responsive images to reduce the image download size.		33.6 KiB
 img.design-media	...d3/62d3d3d....jpg (i.pinimg.com)	34.8 KiB	33.4 KiB
	This image file is larger than it needs to be (564x711) for its displayed dimensions (109x146). Use responsive images to reduce the image download size.		33.4 KiB
 img.design-media	...08/f901084....jpg (i.pinimg.com)	31.7 KiB	30.5 KiB

	URL	Resource Size	Est Savings
	This image file is larger than it needs to be (564x711) for its displayed dimensions (109x146). Use responsive images to reduce the image download size.		30.5 KiB
	...7d/80247de....jpg (i.pinimg.com)	10.3 KiB	6.2 KiB
img.design-media			
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		6.2 KiB
	...73/dde8735....jpg (i.pinimg.com)	9.3 KiB	5.3 KiB
img.design-media			
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		5.2 KiB


Layout shift culprits

Layout shifts occur when elements move absent any user interaction. [Investigate the causes of layout shifts](#), such as elements being added, removed, or their fonts changing as the page loads. CLS Unscored

Element	Layout shift score
Total	0.001
 p.hero-description.animate-reveal	0.001
...v20/UcC73FwrK....woff2 (fonts.gstatic.com)	Web font
 h1.navbar-title.premium-gradient-text.logo-text	0.000
...fonts/remixicon.woff2?t=170... (cdn.jsdelivr.net)	Web font

Each [subpart has specific improvement strategies](#). Ideally, most of the LCP time should be spent on loading the resources, not within delays. LCP Unscored

Subpart	Duration
Time to first byte	20 ms
Element render delay	700 ms



p.hero-description.animate-reveal

3rd party code can significantly impact load performance. [Reduce and defer loading of 3rd party code](#) to prioritize your page's content. Unscored

3rd party	Transfer size	Main thread time
mbnbehikldjhnfehhnaidhjhoofhpehk	0 KiB	693 ms
chrome-extension://mbnbehikldjhnfehhnaidhjhoofhpehk/inspector.b9415ea5.js	0 KiB	679 ms
chrome-extension://mbnbehikldjhnfehhnaidhjhoofhpehk/csspeeper-inspector-tools.eb9765a1.js	0 KiB	12 ms
chrome-extension://mbnbehikldjhnfehhnaidhjhoofhpehk/sidebar-element-locator.2f29fd82.js	0 KiB	2 ms
fmkadmapgofadopljbjfkapdkoienihi	0 KiB	48 ms
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/installHook.js	0 KiB	25 ms
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/react_devtools_backend_compact.js	0 KiB	8 ms
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/backendManager.js	0 KiB	5 ms
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/proxy.js	0 KiB	4 ms
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/prepareInjection.js	0 KiB	3 ms
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/hookSettingsInjector.js	0 KiB	1 ms
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/fileFetcher.js	0 KiB	1 ms
JSDelivr CDN Cdn	171 KiB	0 ms
...fonts/remixicon.woff2?t=170... (cdn.jsdelivr.net)	153 KiB	0 ms

3rd party	Transfer size	Main thread time
...fonts/remixicon.css (cdn.jsdelivr.net)	17 KiB	0 ms
Google Fonts Cdn	83 KiB	0 ms
...v20/UcC73FwrK....woff2 (fonts.gstatic.com)	47 KiB	0 ms
...v15/QGYvz_MVc....woff2 (fonts.gstatic.com)	32 KiB	0 ms
/css2?family=Roboto:wght@300;400;500&display=swap (fonts.googleapis.com)	2 KiB	0 ms
/css2?family=... (fonts.googleapis.com)	1 KiB	0 ms
/css2?family=... (fonts.googleapis.com)	1 KiB	0 ms
/css2?family=Inter:wght@300;400;500&display=swap (fonts.googleapis.com)	1 KiB	0 ms
Firebase Utility	3,262 KiB	0 ms
...o/designs%2F1770400...%20Gate%2016.jpg?alt=... (firebasestorage.googleapis.com)	263 KiB	0 ms
...o/designs%2F1770400...%20Gate%2014.jpg?alt=... (firebasestorage.googleapis.com)	233 KiB	0 ms
...o/designs%2F177..._100...jpg?alt=... (firebasestorage.googleapis.com)	156 KiB	0 ms
...o/images%2F100...jpg?alt=... (firebasestorage.googleapis.com)	145 KiB	0 ms
...o/images%2F100...jpg?alt=... (firebasestorage.googleapis.com)	135 KiB	0 ms
...o/images%2FIMG-202...jpg?alt=... (firebasestorage.googleapis.com)	135 KiB	0 ms
...o/images%2F100...jpg?alt=... (firebasestorage.googleapis.com)	120 KiB	0 ms
...o/images%2F100...jpg?alt=... (firebasestorage.googleapis.com)	119 KiB	0 ms
...o/images%2F100...jpg?alt=... (firebasestorage.googleapis.com)	111 KiB	0 ms
...o/designs%2F1770400...%20Gate%2013.jfif?alt=... (firebasestorage.googleapis.com)	95 KiB	0 ms
...o/images%2F100...jpg?alt=... (firebasestorage.googleapis.com)	90 KiB	0 ms
...o/images%2F100...jpg?alt=... (firebasestorage.googleapis.com)	81 KiB	0 ms
...o/images%2F100...jpg?alt=... (firebasestorage.googleapis.com)	79 KiB	0 ms
...o/images%2FIMG-202...jpg?alt=... (firebasestorage.googleapis.com)	79 KiB	0 ms
...o/images%2F100...jpg?alt=... (firebasestorage.googleapis.com)	79 KiB	0 ms
...o/images%2F100...jpg?alt=... (firebasestorage.googleapis.com)	79 KiB	0 ms
...o/images%2F1770398...%20Gate%2007.jpg?alt=... (firebasestorage.googleapis.com)	76 KiB	0 ms
...Listen/channel?gsessionid=... (firestore.googleapis.com)	75 KiB	0 ms
...o/images%2F100...jpg?alt=... (firebasestorage.googleapis.com)	75 KiB	0 ms
...o/images%2F100...jpg?alt=... (firebasestorage.googleapis.com)	71 KiB	0 ms
...o/images%2FIMG-202...jpg?alt=... (firebasestorage.googleapis.com)	68 KiB	0 ms
...o/images%2F100...jpg?alt=... (firebasestorage.googleapis.com)	68 KiB	0 ms

3rd party	Transfer size	Main thread time
...o/designs%2F1770400...%20Gate%2008.jpg?alt=... (firebasestorage.googleapis.com)	65 KiB	0 ms
...o/images%2F100....jpg?alt=... (firebasestorage.googleapis.com)	64 KiB	0 ms
...o/images%2F100....jpg?alt=... (firebasestorage.googleapis.com)	62 KiB	0 ms
...o/images%2F100....jpg?alt=... (firebasestorage.googleapis.com)	57 KiB	0 ms
...o/images%2F100....jpg?alt=... (firebasestorage.googleapis.com)	52 KiB	0 ms
...o/images%2F100....jpg?alt=... (firebasestorage.googleapis.com)	51 KiB	0 ms
...o/images%2F100....jpg?alt=... (firebasestorage.googleapis.com)	51 KiB	0 ms
...o/images%2F100....jpg?alt=... (firebasestorage.googleapis.com)	50 KiB	0 ms
...o/images%2F100....jpg?alt=... (firebasestorage.googleapis.com)	46 KiB	0 ms
...o/images%2F100....jpg?alt=... (firebasestorage.googleapis.com)	45 KiB	0 ms
...o/images%2FIMG-202....jpg?alt=... (firebasestorage.googleapis.com)	45 KiB	0 ms
...o/images%2F100....jpg?alt=... (firebasestorage.googleapis.com)	39 KiB	0 ms
...o/images%2F100....jpg?alt=... (firebasestorage.googleapis.com)	38 KiB	0 ms
...o/designs%2F1770400...%20Gate%2009.jpg?alt=... (firebasestorage.googleapis.com)	37 KiB	0 ms
...o/designs%2F1770400...%20Gate%2011%20.jpg?alt=... (firebasestorage.googleapis.com)	35 KiB	0 ms
...o/images%2F100....jpg?alt=... (firebasestorage.googleapis.com)	32 KiB	0 ms
...o/images%2FIMG-202....jpg?alt=... (firebasestorage.googleapis.com)	30 KiB	0 ms
...o/images%2F100....jpg?alt=... (firebasestorage.googleapis.com)	29 KiB	0 ms
...Listen/channel?VER=... (firestore.googleapis.com)	0 KiB	0 ms
...Listen/channel?VER=... (firestore.googleapis.com)	0 KiB	0 ms
Pinterest Social	1,155 KiB	0 ms
...ef/cd96ef4....jpg (i.pinimg.com)	183 KiB	0 ms
...6c/83836c2....jpg (i.pinimg.com)	116 KiB	0 ms
...0e/623b0e8....jpg (i.pinimg.com)	115 KiB	0 ms
...4b/5ff64b1....jpg (i.pinimg.com)	94 KiB	0 ms
...77/d5c5777....jpg (i.pinimg.com)	82 KiB	0 ms
...97/713197c....jpg (i.pinimg.com)	79 KiB	0 ms
...12/0b8212e....jpg (i.pinimg.com)	76 KiB	0 ms
...40/128540e....jpg (i.pinimg.com)	59 KiB	0 ms
...72/4dff721....jpg (i.pinimg.com)	58 KiB	0 ms
...75/972275f....jpg (i.pinimg.com)	58 KiB	0 ms

3rd party	Transfer size	Main thread time
...76/2fcd768....jpg (i.pinimg.com)	57 KiB	0 ms
...de/8411de2....jpg (i.pinimg.com)	50 KiB	0 ms
...87/9c79871....jpg (i.pinimg.com)	42 KiB	0 ms
...d3/62d3d3d....jpg (i.pinimg.com)	35 KiB	0 ms
...08/f901084....jpg (i.pinimg.com)	32 KiB	0 ms
...7d/80247de....jpg (i.pinimg.com)	10 KiB	0 ms
...73/dde8735....jpg (i.pinimg.com)	10 KiB	0 ms

These insights are also available in the Chrome DevTools Performance Panel - [record a trace](#) to view more detailed information.

DIAGNOSTICS


Reduce JavaScript execution time — 5.1 s
^

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to reduce Javascript execution time.](#) TBT Unscored

URL	Total CPU Time	Script Evaluation	Script Parse
Unattributable	6,033 ms	987 ms	2,105 ms
Unattributable	3,026 ms	240 ms	0 ms
chrome-extension://mbnbehikldjhnfehhnaidhjhoofhpehk/inspector.b9415ea5.js	2,779 ms	668 ms	2,080 ms
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/proxy.js	96 ms	15 ms	0 ms
chrome-extension://mbnbehikldjhnfehhnaidhjhoofhpehk/csspeeper-inspector-tools.eb9765a1.js	81 ms	51 ms	25 ms
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/prepareInjection.js	51 ms	13 ms	0 ms
localhost 1st Party	5,731 ms	1,910 ms	89 ms
...deps/react-dom_client.js?v=54248651 (localhost)	3,102 ms	1,727 ms	6 ms
http://localhost:5200	2,629 ms	183 ms	82 ms

▲ Minimize main-thread work — 12.1 s



Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](#) TBT Unscored

Category	Time Spent
Other	5,289 ms
Script Evaluation	2,997 ms
Script Parsing & Compilation	2,243 ms
Style & Layout	608 ms
Rendering	556 ms
Garbage Collection	367 ms
Parse HTML & CSS	53 ms

▲ Minify JavaScript — Est savings of 1,121 KiB



Minifying JavaScript files can reduce payload sizes and script parse time. [Learn how to minify JavaScript](#). FCP LCP Unscored

URL	Transfer Size	Est Savings
localhost 1st Party	3,108.7 KiB	1,121.4 KiB
...deps/react-dom_client.js?v=54248651 (localhost)	981.7 KiB	299.7 KiB
...deps/firebase_firestore.js?v=206e7ac8 (localhost)	689.9 KiB	248.7 KiB
...deps/lucide-react.js?v=589d9734 (localhost)	937.8 KiB	236.6 KiB
/@vite/client (localhost)	174.7 KiB	147.8 KiB
/@react-refresh (localhost)	109.3 KiB	99.3 KiB
...deps/chunk-X5EZA42V.js?v=62034857 (localhost)	68.1 KiB	19.8 KiB
/src/App.tsx?t=177... (localhost)	27.2 KiB	17.7 KiB
...components/Gallery.tsx?t=177... (localhost)	20.9 KiB	14.3 KiB

URL	Transfer Size	Est Savings
...deps/chunk-RY7GF66K.js?v=62034857 (localhost)	44.5 KiB	12.9 KiB
...deps/chunk-G3PMV62Z.js?v=62034857 (localhost)	7.8 KiB	6.8 KiB
...components/Navbar.tsx?t=177... (localhost)	10.0 KiB	5.3 KiB
...deps/chunk-IWOBEF4E.js?v=62034857 (localhost)	15.8 KiB	3.5 KiB
...deps/react_jsx-dev-runtime.js?v=4b274bf0 (localhost)	12.1 KiB	3.5 KiB
...client/env.mjs (localhost)	3.4 KiB	2.9 KiB
...components/Hero.tsx (localhost)	5.5 KiB	2.6 KiB

▲ Reduce unused JavaScript — Est savings of 3,126 KiB

^

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity.
[Learn how to reduce unused JavaScript.](#) FCP LCP Unscored

URL	Transfer Size	Est Savings
Unattributable	2,720.6 KiB	2,267.2 KiB
chrome-extension://mbnbehikldjhnfehhnaidhjhoofhpehk/inspector.b9415ea5.js	532.6 KiB	489.4 KiB
chrome-extension://mbnbehikldjhnfehhnaidhjhoofhpehk/inspector.b9415ea5.js	532.6 KiB	489.4 KiB
chrome-extension://mbnbehikldjhnfehhnaidhjhoofhpehk/inspector.b9415ea5.js	532.6 KiB	489.4 KiB
chrome-extension://mbnbehikldjhnfehhnaidhjhoofhpehk/inspector.b9415ea5.js	532.6 KiB	489.4 KiB
chrome-extension://mbnbehikldjhnfehhnaidhjhoofhpehk/inspector.b9415ea5.js	532.6 KiB	271.7 KiB
chrome-extension:///fmkadmapgofadopljbjfkapdkoienihi/build/installHook.js	57.6 KiB	38.0 KiB
localhost 1st Party	2,721.9 KiB	859.2 KiB
...deps/firebase_firestore.js?v=206e7ac8 (localhost)	689.9 KiB	398.3 KiB
...node_modules/closure-net/firebase/webchannel_blob_es2018.js	56.4 KiB	15.4 KiB
...node_modules/closure-net/firebase/bloom_blob_es2018.js	15.8 KiB	14.2 KiB
...@firebase/firestore/src/remote/serializer.ts	20.5 KiB	12.9 KiB
...@firebase/firestore/src/core/sync_engine_impl.ts	19.8 KiB	12.5 KiB
...@firebase/firestore/src/lite-api/user_data_reader.ts	13.1 KiB	12.3 KiB

URL	Transfer Size	Est Savings
...deps/react-dom_client.js?v=54248651 (localhost)	981.7 KiB	376.3 KiB
...react-dom/cjs/react-dom-client.development.js	969.5 KiB	373.7 KiB
...scheduler/cjs/scheduler.development.js	11.1 KiB	2.6 KiB
...deps/chunk-X5EZA42V.js?v=62034857 (localhost)	68.1 KiB	32.8 KiB
...@firebase/util/src/crypt.ts	5.5 KiB	5.0 KiB
...@firebase/util/src/emulator.ts	4.8 KiB	4.8 KiB
...@firebase/app/src/heartbeatService.ts	5.2 KiB	3.0 KiB
...@firebase/app/src/api.ts	4.6 KiB	2.7 KiB
...@firebase/logger/src/logger.ts	3.7 KiB	2.7 KiB
...deps/lucide-react.js?v=589d9734 (localhost)	937.8 KiB	26.2 KiB
...lucide-react/dist/esm/icons/index.js	52.4 KiB	26.2 KiB
...deps/chunk-RY7GF66K.js?v=62034857 (localhost)	44.5 KiB	25.6 KiB
...cjs/react.development.js	44.1 KiB	25.6 KiB

▲ Page prevented back/forward cache restoration — 2 failure reasons

^

Many navigations are performed by going back to a previous page, or forwards again. The back/forward cache (bfcache) can speed up these return navigations. [Learn more about the bfcache](#) Unscored

Failure reason	Failure type
The page has an unload handler in the main frame. http://localhost:5200	Actionable
Pages with WebSocket cannot enter back/forward cache. http://localhost:5200	Pending browser support

Avoid enormous network payloads — Total size was 7,741 KiB

^

Large network payloads cost users real money and are highly correlated with long load times. [Learn how to reduce payload sizes](#). Unscored

☒ Show 3rd-party resources (6)

URL	Transfer Size
localhost 1st Party	2,785.3 KiB

URL	Transfer Size
...deps/react-dom_client.js?v=54248651 (localhost)	982.0 KiB
...deps/lucide-react.js?v=589d9734 (localhost)	938.1 KiB
...deps/firebase_firestore.js?v=206e7ac8 (localhost)	690.2 KiB
/@vite/client (localhost)	175.0 KiB
Firebase Utility	797.9 KiB
...o/designs%2F1770400...%20Gate%2016.jpg?alt=... (firebasestorage.googleapis.com)	263.1 KiB
...o/designs%2F1770400...%20Gate%2014.jpg?alt=... (firebasestorage.googleapis.com)	233.1 KiB
...o/designs%2F177..._100...jpg?alt=... (firebasestorage.googleapis.com)	156.3 KiB
...o/images%2F100...jpg?alt=... (firebasestorage.googleapis.com)	145.4 KiB
Pinterest Social	182.7 KiB
...ef/cd96ef4....jpg (i.pinimg.com)	182.7 KiB
JSDelivr CDN Cdn	153.4 KiB
...fonts/remixicon.woff2?t=170... (cdn.jsdelivr.net)	153.4 KiB

○ Avoid long main-thread tasks — 20 long tasks found



Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay. [Learn how to avoid long main-thread tasks](#) TBT Unscored

URL	Start Time	Duration
Unattributable		3,852 ms
chrome-extension://mbnbehikldjhnfehhnaidhjhoofhpehk/inspector.b9415ea5.js	1,678 ms	1,775 ms
chrome-extension://mbnbehikldjhnfehhnaidhjhoofhpehk/inspector.b9415ea5.js	3,567 ms	574 ms
Unattributable	1,294 ms	363 ms
chrome-extension://mbnbehikldjhnfehhnaidhjhoofhpehk/inspector.b9415ea5.js	4,141 ms	357 ms
Unattributable	693 ms	248 ms

URL	Start Time	Duration
Unattributable	25,411 ms	225 ms
Unattributable	4,984 ms	133 ms
Unattributable	4,691 ms	116 ms
Unattributable	632 ms	61 ms
localhost 1st Party		1,748 ms
...deps/react-dom_client.js?v=54248651 (localhost)	31,270 ms	412 ms
...deps/react-dom_client.js?v=54248651 (localhost)	31,837 ms	261 ms
http://localhost:5200	4,498 ms	193 ms
...deps/react-dom_client.js?v=54248651 (localhost)	30,817 ms	165 ms
...deps/react-dom_client.js?v=54248651 (localhost)	31,682 ms	155 ms
http://localhost:5200	941 ms	146 ms
http://localhost:5200	1,087 ms	117 ms
...deps/react-dom_client.js?v=54248651 (localhost)	30,982 ms	105 ms
http://localhost:5200	4,807 ms	73 ms
...deps/react-dom_client.js?v=54248651 (localhost)	31,146 ms	62 ms
...deps/react-dom_client.js?v=54248651 (localhost)	31,087 ms	59 ms

○ User Timing marks and measures — 96 user timings



Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. [Learn more about User Timing marks.](#) Unscored

Name	Type	Start Time	Duration
Update Blocked	Measure	534.60 ms	12.30 ms
Mount	Measure	551.40 ms	28.80 ms
Mount	Measure	606.90 ms	5.00 ms

Name	Type	Start Time	Duration
Promise Resolved	Measure	691.80 ms	854.20 ms
Reconnect	Measure	720.20 ms	3.90 ms
Unmount	Measure	1,440.20 ms	0.10 ms
Reconnect	Measure	1,441.10 ms	1.00 ms
Update Blocked	Measure	1,649.30 ms	8.20 ms
Gallery	Measure	1,663.10 ms	168.50 ms
Mount	Measure	1,709.50 ms	2.30 ms
Mount	Measure	1,711.80 ms	1.50 ms
Mount	Measure	1,713.30 ms	1.20 ms
Mount	Measure	1,714.50 ms	1.30 ms
Mount	Measure	1,715.80 ms	1.50 ms
Mount	Measure	1,717.30 ms	1.80 ms
Mount	Measure	1,719.10 ms	1.30 ms
Mount	Measure	1,720.40 ms	1.70 ms
Mount	Measure	1,722.10 ms	1.40 ms
Mount	Measure	1,723.50 ms	1.30 ms
Mount	Measure	1,724.80 ms	2.90 ms
Mount	Measure	1,727.70 ms	2.20 ms
Mount	Measure	1,729.90 ms	2.00 ms
Mount	Measure	1,731.90 ms	1.40 ms
Mount	Measure	1,733.30 ms	1.30 ms
Mount	Measure	1,734.60 ms	1.50 ms
Mount	Measure	1,736.10 ms	1.40 ms

Name	Type	Start Time	Duration
Mount	Measure	1,737.50 ms	2.30 ms
Mount	Measure	1,739.80 ms	2.00 ms
Mount	Measure	1,741.80 ms	3.10 ms
Mount	Measure	1,744.90 ms	1.60 ms
Mount	Measure	1,746.50 ms	1.60 ms
Mount	Measure	1,748.10 ms	1.60 ms
Mount	Measure	1,749.70 ms	1.50 ms
Mount	Measure	1,751.20 ms	1.50 ms
Mount	Measure	1,752.70 ms	1.90 ms
Mount	Measure	1,754.60 ms	1.60 ms
Mount	Measure	1,756.20 ms	1.40 ms
Mount	Measure	1,757.60 ms	2.30 ms
Mount	Measure	1,759.90 ms	1.80 ms
Mount	Measure	1,761.70 ms	1.50 ms
Mount	Measure	1,763.20 ms	1.20 ms
Mount	Measure	1,764.40 ms	1.00 ms
Mount	Measure	1,765.40 ms	1.40 ms
Mount	Measure	1,766.80 ms	1.30 ms
Mount	Measure	1,768.10 ms	2.30 ms
Mount	Measure	1,770.40 ms	1.90 ms
Mount	Measure	1,772.30 ms	1.70 ms
Mount	Measure	1,774.00 ms	2.00 ms
Mount	Measure	1,776.00 ms	2.20 ms

Name	Type	Start Time	Duration
Mount	Measure	1,778.20 ms	1.60 ms
Mount	Measure	1,779.80 ms	1.10 ms
Mount	Measure	1,780.90 ms	1.30 ms
Mount	Measure	1,782.20 ms	1.30 ms
Mount	Measure	1,783.50 ms	1.30 ms
Mount	Measure	1,784.80 ms	1.10 ms
Mount	Measure	1,785.90 ms	1.00 ms
Mount	Measure	1,786.90 ms	2.50 ms
Mount	Measure	1,789.40 ms	1.50 ms
Mount	Measure	1,790.90 ms	2.00 ms
Mount	Measure	1,792.90 ms	2.20 ms
Mount	Measure	1,795.10 ms	1.40 ms
Mount	Measure	1,796.50 ms	1.10 ms
Mount	Measure	1,797.60 ms	1.00 ms
Mount	Measure	1,798.60 ms	1.10 ms
Mount	Measure	1,799.70 ms	1.10 ms
Mount	Measure	1,800.80 ms	1.10 ms
Mount	Measure	1,801.90 ms	1.10 ms
Mount	Measure	1,803.00 ms	1.30 ms
Mount	Measure	1,804.30 ms	1.50 ms
Mount	Measure	1,805.80 ms	0.80 ms
Mount	Measure	1,806.60 ms	0.90 ms
Mount	Measure	1,807.50 ms	1.30 ms

Name	Type	Start Time	Duration
Mount	Measure	1,808.80 ms	1.60 ms
Mount	Measure	1,810.40 ms	1.00 ms
Mount	Measure	1,811.40 ms	1.00 ms
Mount	Measure	1,812.40 ms	0.80 ms
Mount	Measure	1,813.20 ms	0.90 ms
Mount	Measure	1,814.10 ms	1.10 ms
Mount	Measure	1,815.20 ms	0.80 ms
Mount	Measure	1,816.00 ms	0.90 ms
Mount	Measure	1,816.90 ms	1.20 ms
Mount	Measure	1,818.10 ms	0.90 ms
Mount	Measure	1,819.00 ms	1.00 ms
Mount	Measure	1,820.00 ms	1.10 ms
Mount	Measure	1,821.10 ms	1.10 ms
Mount	Measure	1,822.20 ms	0.80 ms
Mount	Measure	1,823.00 ms	0.90 ms
Mount	Measure	1,823.90 ms	1.30 ms
Mount	Measure	1,825.20 ms	1.70 ms
Mount	Measure	1,826.90 ms	1.20 ms
Mount	Measure	1,828.10 ms	0.80 ms
Mount	Measure	1,828.90 ms	0.90 ms
Mount	Measure	1,829.80 ms	0.90 ms
Mount	Measure	1,830.70 ms	0.90 ms
Unmount	Measure	1,920.10 ms	0.10 ms

Name	Type	Start Time	Duration
__v3	Mark		0.00 ms

More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

PASSED AUDITS (15)

Hide

Use efficient cache lifetimes

^

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching.](#) FCP LCP Unscored

Document request latency

^

Your first network request is the most important. [Reduce its latency](#), by avoiding redirects, ensuring a fast server response, and enabling text compression. FCP LCP Unscored

Avoids redirects

Server responds quickly (observed 15 ms)

Applies text compression

Optimize DOM size

^

A large DOM can increase the duration of style calculations and layout reflows, impacting page responsiveness. A large DOM will also increase memory usage. [Learn how to avoid an excessive DOM size.](#) Unscored

Statistic	Element	Value
Total elements		900
DOM depth	path	12
Most children	div.gallery-grid	85

Duplicated JavaScript

^

Remove large, [duplicate JavaScript modules](#) from bundles to reduce unnecessary bytes consumed by network activity. FCP LCP Unscored

Font display



Consider setting [font-display](#) to `swap` or `optional` to ensure text is consistently visible. `swap` can be further optimized to mitigate layout shifts with [font metric overrides](#). Unscored

Forced reflow



A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows](#) and possible mitigations. Unscored

○ INP breakdown



Start investigating [how to improve INP](#) by looking at the longest subpart. Unscored

○ LCP request discovery



[Optimize LCP](#) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading Unscored

Legacy JavaScript



Polyfills and transforms enable older browsers to use new JavaScript features. However, many aren't necessary for modern browsers. Consider modifying your JavaScript build process to not transpile [Baseline](#) features, unless you know you must support older browsers. [Learn why most sites can deploy ES6+ code without transpiling](#) FCP LCP Unscored

Modern HTTP



HTTP/2 and HTTP/3 offer many benefits over HTTP/1.1, such as multiplexing. [Learn more about using modern HTTP](#). FCP LCP Unscored

Optimize viewport for mobile



Tap interactions may be [delayed by up to 300 ms](#) if the viewport is not optimized for mobile. Unscored

meta

Minify CSS



Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS](#). FCP LCP Unscored

Reduce unused CSS



Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS](#). FCP LCP Unscored

○ Avoid non-composited animations



Animations which are not composited can be janky and increase CLS. [Learn how to avoid non-composited animations](#) CLS
Unscored

Image elements have explicit [width](#) and [height](#)



Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](#) CLS Unscored



Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

NAMES AND LABELS

▲ Links do not have a discernible name



Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. [Learn how to make links accessible](#).

Failing Elements

a

These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)

Hide

○ Interactive controls are keyboard focusable



Custom interactive controls are keyboard focusable and display a focus indicator. [Learn how to make custom controls focusable](#). Unscored

○ Interactive elements indicate their purpose and state



Interactive elements, such as links and buttons, should indicate their state and be distinguishable from non-interactive elements. [Learn how to decorate interactive elements with affordance hints](#). Unscored

☐ The page has a logical tab order ^

Tabbing through the page follows the visual layout. Users cannot focus elements that are offscreen. [Learn more about logical tab ordering.](#) Unscored

☐ Visual order on the page follows DOM order ^

DOM order matches the visual order, improving navigation for assistive technology. [Learn more about DOM and visual ordering.](#) Unscored

☐ User focus is not accidentally trapped in a region ^

A user can tab into and out of any control or region without accidentally trapping their focus. [Learn how to avoid focus traps.](#) Unscored

☐ The user's focus is directed to new content added to the page ^

If new content, such as a dialog, is added to the page, the user's focus is directed to it. [Learn how to direct focus to new content.](#) Unscored

☐ HTML5 landmark elements are used to improve navigation ^

Landmark elements (<main>, <nav>, etc.) are used to improve the keyboard navigation of the page for assistive technology. [Learn more about landmark elements.](#) Unscored

☐ Offscreen content is hidden from assistive technology ^

Offscreen content is hidden with display: none or aria-hidden=true. [Learn how to properly hide offscreen content.](#) Unscored

☐ Custom controls have associated labels ^

Custom interactive controls have associated labels, provided by aria-label or aria-labelledby. [Learn more about custom controls and labels.](#) Unscored

☐ Custom controls have ARIA roles ^

Custom interactive controls have appropriate ARIA roles. [Learn how to add roles to custom controls.](#) Unscored

These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review.](#)

PASSED AUDITS (17)

Hide

[\[aria-*\]](#) attributes match their roles ^

Each ARIA role supports a specific subset of `aria-*` attributes. Mismatching these invalidates the `aria-*` attributes. [Learn how to match ARIA attributes to their roles.](#)

`[aria-hidden="true"]` is not present on the document `<body>`



Assistive technologies, like screen readers, work inconsistently when `aria-hidden="true"` is set on the document `<body>`. [Learn how `aria-hidden` affects the document body.](#)

`[aria-*)` attributes have valid values



Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid values. [Learn more about valid values for ARIA attributes.](#)

`[aria-*)` attributes are valid and not misspelled



Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid names. [Learn more about valid ARIA attributes.](#)

Buttons have an accessible name



When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. [Learn how to make buttons more accessible.](#)

Image elements have `[alt]` attributes



Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more about the `alt` attribute.](#)

`[user-scalable="no"]` is not used in the `<meta name="viewport">` element and the `[maximum-scale]` attribute is not less than 5.



Disabling zooming is problematic for users with low vision who rely on screen magnification to properly see the contents of a web page. [Learn more about the viewport meta tag.](#)

ARIA attributes are used as specified for the element's role



Some ARIA attributes are only allowed on an element under certain conditions. [Learn more about conditional ARIA attributes.](#)

`[aria-hidden="true"]` elements do not contain focusable descendents



Focusable descendents within an `[aria-hidden="true"]` element prevent those interactive elements from being available to users of assistive technologies like screen readers. [Learn how `aria-hidden` affects focusable elements.](#)

Elements use only permitted ARIA attributes



Using ARIA attributes in roles where they are prohibited can mean that important information is not communicated to users of assistive technologies. [Learn more about prohibited ARIA roles.](#)

Background and foreground colors have a sufficient contrast ratio



Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast.](#)

Document has a `<title>` element



The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more about document titles.](#)

`<html>` element has a `[lang]` attribute



If a page doesn't specify a `lang` attribute, a screen reader assumes that the page is in the default language that the user chose when setting up the screen reader. If the page isn't actually in the default language, then the screen reader might not announce the page's text correctly. [Learn more about the `lang` attribute.](#)

`<html>` element has a valid value for its `[lang]` attribute



Specifying a valid [BCP 47 language](#) helps screen readers announce text properly. [Learn how to use the `lang` attribute.](#)

Touch targets have sufficient size and spacing.



Touch targets with sufficient size and spacing help users who may have difficulty targeting small controls to activate the targets. [Learn more about touch targets.](#)

Heading elements appear in a sequentially-descending order



Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order.](#)

Document has a main landmark.



One main landmark helps screen reader users navigate a web page. [Learn more about landmarks.](#)

NOT APPLICABLE (42)

Hide

☐ `[accesskey]` values are unique



Access keys let users quickly focus a part of the page. For proper navigation, each access key must be unique. [Learn more about access keys.](#) Unscored

☐ `button`, `link`, and `menuitem` elements have accessible names



When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to make command elements more accessible.](#) Unscored

☐ Deprecated ARIA roles were not used ^

Deprecated ARIA roles may not be processed correctly by assistive technology. [Learn more about deprecated ARIA roles.](#) Unscored

☐ Elements with `role="dialog"` or `role="alertdialog"` have accessible names. ^

ARIA dialog elements without accessible names may prevent screen readers users from discerning the purpose of these elements. [Learn how to make ARIA dialog elements more accessible.](#) Unscored

☐ ARIA input fields have accessible names ^

When an input field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about input field labels.](#) Unscored

☐ ARIA `meter` elements have accessible names ^

When a meter element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to name meter elements.](#) Unscored

☐ ARIA `progressbar` elements have accessible names ^

When a progressbar element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to label progressbar elements.](#) Unscored

☐ `[role]`s have all required `[aria-*)` attributes ^

Some ARIA roles have required attributes that describe the state of the element to screen readers. [Learn more about roles and required attributes.](#) Unscored

☐ Elements with an ARIA `[role]` that require children to contain a specific `[role]` have all required children. ^

Some ARIA parent roles must contain specific child roles to perform their intended accessibility functions. [Learn more about roles and required children elements.](#) Unscored

☐ `[role]`s are contained by their required parent element ^

Some ARIA child roles must be contained by specific parent roles to properly perform their intended accessibility functions. [Learn more about ARIA roles and required parent element.](#) Unscored

☐ `[role]` values are valid ^

ARIA roles must have valid values in order to perform their intended accessibility functions. [Learn more about valid ARIA](#)

- Elements with the `role=text` attribute do not have focusable descendents. ^

Adding `role=text` around a text node split by markup enables VoiceOver to treat it as one phrase, but the element's focusable descendents will not be announced. [Learn more about the `role=text` attribute.](#) Unscored

- ARIA toggle fields have accessible names ^

When a toggle field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about toggle fields.](#) Unscored

- ARIA `tooltip` elements have accessible names ^

When a tooltip element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to name tooltip elements.](#) Unscored

- ARIA `treeitem` elements have accessible names ^

When a `treeitem` element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about labeling `treeitem` elements.](#) Unscored

- The page contains a heading, skip link, or landmark region ^

Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. [Learn more about bypass blocks.](#) Unscored

- `<d1>`'s contain only properly-ordered `<dt>` and `<dd>` groups, `<script>`, `<template>` or `<div>` elements. ^

When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. [Learn how to structure definition lists correctly.](#) Unscored

- Definition list items are wrapped in `<d1>` elements ^

Definition list items (`<dt>` and `<dd>`) must be wrapped in a parent `<d1>` element to ensure that screen readers can properly announce them. [Learn how to structure definition lists correctly.](#) Unscored

- ARIA IDs are unique ^

The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. [Learn how to fix duplicate ARIA IDs.](#) Unscored

- No form fields have multiple labels ^

Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. [Learn how to use form labels.](#) Unscored

- `<frame>` or `<iframe>` elements have a title



Screen reader users rely on frame titles to describe the contents of frames. [Learn more about frame titles.](#) Unscored

- `<html>` element has an `[xml:lang]` attribute with the same base language as the `[lang]` attribute.



If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. [Learn more about the lang attribute.](#) Unscored

- Input buttons have discernible text.



Adding discernible and accessible text to input buttons may help screen reader users understand the purpose of the input button. [Learn more about input buttons.](#) Unscored

- `<input type="image">` elements have `[alt]` text



When an image is being used as an `<input>` button, providing alternative text can help screen reader users understand the purpose of the button. [Learn about input image alt text.](#) Unscored

- Form elements have associated labels



Labels ensure that form controls are announced properly by assistive technologies, like screen readers. [Learn more about form element labels.](#) Unscored

- Links are distinguishable without relying on color.



Low-contrast text is difficult or impossible for many users to read. Link text that is discernible improves the experience for users with low vision. [Learn how to make links distinguishable.](#) Unscored

- Lists contain only `<li>` elements and script supporting elements (`<script>` and `<template>`).



Screen readers have a specific way of announcing lists. Ensuring proper list structure aids screen reader output. [Learn more about proper list structure.](#) Unscored

- List items (`<li>`) are contained within `<ul>`, `<ol>` or `<menu>` parent elements



Screen readers require list items (`<li>`) to be contained within a parent `<ul>`, `<ol>` or `<menu>` to be announced properly. [Learn more about proper list structure.](#) Unscored

- The document does not use `<meta http-equiv="refresh">`



Users do not expect a page to refresh automatically, and doing so will move focus back to the top of the page. This may create a frustrating or confusing experience. [Learn more about the refresh meta tag.](#) Unscored

- `<object>` elements have alternate text



Screen readers cannot translate non-text content. Adding alternate text to `<object>` elements helps screen readers convey meaning to users. [Learn more about alt text for object elements.](#) Unscored

- ☐ Select elements have associated label elements. ^

Form elements without effective labels can create frustrating experiences for screen reader users. [Learn more about the select element.](#) Unscored

- ☐ Skip links are focusable. ^

Including a skip link can help users skip to the main content to save time. [Learn more about skip links.](#) Unscored

- ☐ No element has a `[tabindex]` value greater than 0 ^

A value greater than 0 implies an explicit navigation ordering. Although technically valid, this often creates frustrating experiences for users who rely on assistive technologies. [Learn more about the tabindex attribute.](#) Unscored

- ☐ Cells in a `<table>` element that use the `[headers]` attribute refer to table cells within the same table. ^

Screen readers have features to make navigating tables easier. Ensuring `<td>` cells using the `[headers]` attribute only refer to other cells in the same table may improve the experience for screen reader users. [Learn more about the headers attribute.](#) Unscored

- ☐ `<th>` elements and elements with `[role="columnheader" / "rowheader"]` have data cells they describe. ^

Screen readers have features to make navigating tables easier. Ensuring table headers always refer to some set of cells may improve the experience for screen reader users. [Learn more about table headers.](#) Unscored

- ☐ `[lang]` attributes have a valid value ^

Specifying a valid [BCP 47 language](#) on elements helps ensure that text is pronounced correctly by a screen reader. [Learn how to use the lang attribute.](#) Unscored

- ☐ `<video>` elements contain a `<track>` element with `[kind="captions"]` ^

When a video provides a caption it is easier for deaf and hearing impaired users to access its information. [Learn more about video captions.](#) Unscored

- ☐ Tables have different content in the summary attribute and `<caption>`. ^

The summary attribute should describe the table structure, while `<caption>` should have the onscreen title. Accurate table mark-up helps users of screen readers. [Learn more about summary and caption.](#) Unscored

- ☐ All heading elements contain content. ^

A heading with no content or inaccessible text prevent screen reader users from accessing information on the page's structure. [Learn more about headings.](#) Unscored

- Uses ARIA roles only on compatible elements ^

Many HTML elements can only be assigned certain ARIA roles. Using ARIA roles where they are not allowed can interfere with the accessibility of the web page. [Learn more about ARIA roles.](#) Unscored

- Image elements do not have `[alt]` attributes that are redundant text. ^

Informative elements should aim for short, descriptive alternative text. Alternative text that is exactly the same as the text adjacent to the link or image is potentially confusing for screen reader users, because the text will be read twice. [Learn more about the alt attribute.](#) Unscored

- Identical links have the same purpose. ^

Links with the same destination should have the same description, to help users understand the link's purpose and decide whether to follow it. [Learn more about identical links.](#) Unscored



Best Practices

GENERAL

- ▲ Uses deprecated APIs — 1 warning found ^

Deprecated APIs will eventually be removed from the browser. [Learn more about deprecated APIs.](#)

Deprecation / Warning	Source
Unload event listeners are deprecated and will be removed.	<code>inspector.b9415ea5.js:406</code>

TRUST AND SAFETY

- Ensure CSP is effective against XSS attacks ^

A strong Content Security Policy (CSP) significantly reduces the risk of cross-site scripting (XSS) attacks. [Learn how to use a CSP to prevent XSS](#) Unscored

Description	Directive	Severity
No CSP found in enforcement mode		High

○ Use a strong HSTS policy ^

Deployment of the HSTS header significantly reduces the risk of downgrading HTTP connections and eavesdropping attacks. A rollout in stages, starting with a low max-age is recommended. [Learn more about using a strong HSTS policy.](#) Unscored

Description	Directive	Severity
No HSTS header found		High

○ Ensure proper origin isolation with COOP ^

The Cross-Origin-Opener-Policy (COOP) can be used to isolate the top-level window from other documents such as pop-ups. [Learn more about deploying the COOP header.](#) Unscored

Description	Directive	Severity
No COOP header found		High

○ Mitigate clickjacking with XFO or CSP ^

The X-Frame-Options (XFO) header or the frame-ancestors directive in the Content-Security-Policy (CSP) header control where a page can be embedded. These can mitigate clickjacking attacks by blocking some or all sites from embedding the page. [Learn more about mitigating clickjacking.](#) Unscored

Description	Severity
No frame control policy found	High

○ Mitigate DOM-based XSS with Trusted Types ^

The require-trusted-types-for directive in the Content-Security-Policy (CSP) header instructs user agents to control the data passed to DOM XSS sink functions. [Learn more about mitigating DOM-based XSS with Trusted Types.](#) Unscored

Description	Severity
No `Content-Security-Policy` header with Trusted Types directive found	High

Uses HTTPS



All sites should be protected with HTTPS, even ones that don't handle sensitive data. This includes avoiding [mixed content](#), where some resources are loaded over HTTP despite the initial request being served over HTTPS. HTTPS prevents intruders from tampering with or passively listening in on the communications between your app and your users, and is a prerequisite for HTTP/2 and many new web platform APIs. [Learn more about HTTPS](#).

Avoids third-party cookies



Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions](#).

Allows users to paste into input fields



Preventing input pasting is a bad practice for the UX, and weakens security by blocking password managers. [Learn more about user-friendly input fields](#).

Avoids requesting the geolocation permission on page load



Users are mistrustful of or confused by sites that request their location without context. Consider tying the request to a user action instead. [Learn more about the geolocation permission](#).

Avoids requesting the notification permission on page load



Users are mistrustful of or confused by sites that request to send notifications without context. Consider tying the request to user gestures instead. [Learn more about responsibly getting permission for notifications](#).

Displays images with correct aspect ratio



Image display dimensions should match natural aspect ratio. [Learn more about image aspect ratio](#).

Serves images with appropriate resolution



Image natural dimensions should be proportional to the display size and the pixel ratio to maximize image clarity. [Learn how to provide responsive images](#).

Page has the HTML doctype



Specifying a doctype prevents the browser from switching to quirks-mode. [Learn more about the doctype declaration](#).

Properly defines charset



A character encoding declaration is required. It can be done with a `<meta>` tag in the first 1024 bytes of the HTML or in the Content-Type HTTP response header. [Learn more about declaring the character encoding](#).

Errors logged to the console indicate unresolved problems. They can come from network request failures and other browser concerns. [Learn more about this errors in console diagnostic audit](#)

Issues logged to the Issues panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Source maps translate minified code to the original source code. This helps developers debug in production. In addition, Lighthouse is able to provide further insights. Consider deploying source maps to take advantage of these benefits. [Learn more about source maps.](#) Unscored

URL	Map URL
Unattributable	
chrome-extension://fmkadmavgofadopljbjfkapdkoienihi/build/react_devtools_backend_compact.js	chrome-extension://fmkadmavgofadopljbjfkapdkoienihi/build/react_devtools_backend_compact.js.map
Error: Failed fetching source map (null)	
chrome-extension://fmkadmavgofadopljbjfkapdkoienihi/build/installHook.js	chrome-extension://fmkadmavgofadopljbjfkapdkoienihi/build/installHook.js.map
Error: Failed fetching source map (null)	
localhost 1st Party	
/src/main.tsx?t=177... (localhost)	
...components/Navbar.tsx?t=177... (localhost)	
...components/Hero.tsx (localhost)	
...components/Gallery.tsx?t=177... (localhost)	
/src/App.tsx?t=177... (localhost)	
...client/env.mjs (localhost)	
...deps/react.js?v=4b274bf0 (localhost)	

URL	Map URL
...deps/react-dom_client.js?v=54248651 (localhost)	...deps/react-dom_client.js.map (localhost)
...deps/react_jsx-dev-runtime.js?v=4b274bf0 (localhost)	...deps/react_jsx-dev-runtime.js.map (localhost)
...deps/lucide-react.js?v=589d9734 (localhost)	...deps/lucide-react.js.map (localhost)
...deps/firebase_firestore.js?v=206e7ac8 (localhost)	...deps/firebase_firestore.js.map (localhost)
...deps/firebase_app.js?v=b4f32001 (localhost)	...deps/firebase_app.js.map (localhost)
...deps/chunk-X5EZA42V.js?v=62034857 (localhost)	...deps/chunk-X5EZA42V.js.map (localhost)
...deps/chunk-RY7GF66K.js?v=62034857 (localhost)	...deps/chunk-RY7GF66K.js.map (localhost)
...deps/chunk-IWOBEF4E.js?v=62034857 (localhost)	...deps/chunk-IWOBEF4E.js.map (localhost)
...deps/chunk-G3PMV62Z.js?v=62034857 (localhost)	
/@vite/client (localhost)	
/@react-refresh (localhost)	

NOT APPLICABLE (2)

Hide

○ Redirects HTTP traffic to HTTPS



Make sure that you redirect all HTTP traffic to HTTPS in order to enable secure web features for all your users. [Learn more.](#)

Unscored

○ Detected JavaScript libraries



All front-end JavaScript libraries detected on the page. [Learn more about this JavaScript library detection diagnostic audit.](#)

Unscored



SEO

These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not

score here that may affect your search ranking, including performance on [Core Web Vitals](#). [Learn more about Google Search Essentials](#).

CRAWLING AND INDEXING

▲ robots.txt is not valid — 20 errors found



If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. [Learn more about robots.txt](#).

Line #	Content	Error
1	<!doctype html>	Syntax not understood
2	<html lang="en">	Syntax not understood
3	<head>	Syntax not understood
4	<script type="module">import { injectIntoGlobalHook } from "@react-refresh";	Syntax not understood
5	injectIntoGlobalHook(window);	Syntax not understood
6	window.\$RefreshReg\$ = () => {};	Syntax not understood
7	window.\$RefreshSig\$ = () => (type) => type;</script>	Syntax not understood
9	<script type="module" src="@vite/client"></script>	Syntax not understood
11	<meta charset="UTF-8" />	Syntax not understood
12	<link rel="icon" type="image/svg+xml" href="data:image/svg+xml,%3Csvg xmlns='http://www.w3.org/2000/svg' viewBox='0 0 100 100'%3E%3Ccircle cx='50' cy='50' r='48' fill='%23050505'/%3E%3Cpath d='M50 20 L55 35 H70 L58 45 L62 60 L50 50 L38 60 L42 45 L30 35 H45 Z' fill='%23d4af37'/%3E%3C/svg%3E" />	Unknown directive
13	<meta name="viewport" content="width=device-width, initial-scale=1.0" />	Syntax not understood
14	<title>Shiva Enterprises Premium Fabrications</title>	Syntax not understood

Line #	Content	Error
15	<code><link href="https://cdn.jsdelivr.net/npm/remixicon@4.1.0/fonts/remixicon.css" rel="stylesheet" /></code>	Unknown directive
16	<code><meta name="description" content="Premium Gates, Railings, and Grills crafted with precision and passion at Shiva Enterprises." /></code>	Syntax not understood
17	<code></head></code>	Syntax not understood
18	<code><body></code>	Syntax not understood
19	<code><div id="root"></div></code>	Syntax not understood
20	<code><script type="module" src="/src/main.tsx?t=1770441519231"></script></code>	Syntax not understood
21	<code></body></code>	Syntax not understood
22	<code></html></code>	Syntax not understood

To appear in search results, crawlers need access to your app.

ADDITIONAL ITEMS TO MANUALLY CHECK (1)

Hide

☐ Structured data is valid



Run the [Structured Data Testing Tool](#) to validate structured data. [Learn more about Structured Data](#). Unscored

Run these additional validators on your site to check additional SEO best practices.

PASSED AUDITS (8)

Hide

Page isn't blocked from indexing



Search engines are unable to include your pages in search results if they don't have permission to crawl them. [Learn more about crawler directives](#).

Document has a `<title>` element



The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more about document titles](#).

Document has a meta description



Meta descriptions may be included in search results to concisely summarize page content. [Learn more about the meta description.](#)

Page has successful HTTP status code



Pages with unsuccessful HTTP status codes may not be indexed properly. [Learn more about HTTP status codes.](#)

Links have descriptive text



Descriptive link text helps search engines understand your content. [Learn how to make links more accessible.](#)

Links are crawlable



Search engines may use href attributes on links to crawl websites. Ensure that the href attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. [Learn how to make links crawlable](#)

Image elements have `[alt]` attributes



Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more about the alt attribute.](#)

Document has a valid `hreflang`



hreflang links tell search engines what version of a page they should list in search results for a given language or region. [Learn more about hreflang.](#)

NOT APPLICABLE (1)

Hide

☐ Document has a valid `rel=canonical`



Canonical links suggest which URL to show in search results. [Learn more about canonical links.](#) Unscored

■ Captured at Feb 7, 2026, 10:50
AM GMT+5:30

■ Emulated Moto G Power with
Lighthouse 13.0.1

■ Single page session

■ Initial page load

■ Slow 4G throttling

■ Using Chromium 144.0.0.0 with
devtools