Individual Sleep Analysis Report

Subject ID: 38 | Healthy Control Study

Analysis Date: August 16, 2025 | Nights Analyzed: 2 | Report Generated by: Sleep-EDF Analysis System

Subject Information


Subject ID	38
Age	51 years
Sex	M
Study Type	Healthy Controls
Number of Nights	2
Recording Dates	Multiple nights

Executive Summary

This report presents a comprehensive analysis of 2 night polysomnographic recordings for Subject 38, a 51-year-old M participant from the Sleep Cassette (healthy controls) study under nan condition.

Metric	Value	Clinical Interpretation
Sleep Efficiency	30.8%	Below Normal (<85%)
Sleep Latency	95.5 min	Prolonged (>30min)
REM Latency	593.0 min	Atypical
REM Sleep	18.5%	Atypical
Wake After Sleep Onset	840.8 min	Elevated (>30min)

Sleep Architecture Analysis




Neurophysiological Analysis - EEG Power Spectrum

EEG Power Spectral Analysis



Signal Quality & Physiological Assessment



Population Comparative Analysis

Comparative Population Analysis Sleep Efficiency (%) REM Sleep (%) ★ Subject Healthy Controls Sleep Difficulty Sleep Difficulty Healthy Controls WASO (min) Sleep Latency (min) Ö

Healthy Controls

Healthy Controls

Sleep Difficulty

Clinical Interpretation & Recommendations

Overall Sleep Health Assessment

Sleep Quality Level: POOR

Poor sleep quality with multiple metrics outside normal ranges. The subject's sleep architecture shows:

• Sleep Efficiency: 30.8% (Below normal)

REM Sleep: 18.5% (Atypical)Deep Sleep: 3.0% (Reduced)

• Sleep Continuity: Fragmented (WASO: 840.8 min)

Key Findings

- **Reduced Sleep Efficiency**: At 30.8%, sleep efficiency is below the normal threshold of 85%, indicating potential sleep quality issues.
- **Reduced REM Sleep**: REM sleep comprises 18.5% of total sleep, which is below the normal range of 20-25%.
- **Reduced Deep Sleep**: Deep sleep stages (N3+N4) comprise 3.0% of sleep, which may indicate reduced sleep restoration.

Recommendations

- Consider sleep hygiene counseling and evaluation of factors affecting sleep quality
- Evaluate for potential REM sleep disorders or medications affecting REM sleep
- Assess sleep environment and factors that may be disrupting deep sleep stages
- Investigation of factors causing sleep fragmentation may be beneficial

Report Analysis and Generation:

Report Analysed and created by the following students of IIIT Allahabad, Part of Big Data Analytics Course:

- Aditya Singh Mertia (IIT2022125) [iit2022125@iiita.ac.in]
 - Rishabh Kumar (IIT2022131) [iit2022131@iiita.ac.in]
 - Karan Singh (IIT2022132) [iit2022132@iiita.ac.in]
 - Tejas Sharma (IIT2022161) [iit2022161@iiita.ac.in]

Report Version: 1.0 | Generated: August 16, 2025 at 08:59 PM