# **Individual Sleep Analysis Report**

## Subject ID: 7 | Healthy Control Study

Analysis Date: August 16, 2025 | Nights Analyzed: 2 | Report Generated by: Sleep-EDF Analysis System

### **Subject Information**


Subject ID	7
Age	30 years
Sex	F
Study Type	Healthy Controls
Number of Nights	2
Recording Dates	Multiple nights

### **Executive Summary**

This report presents a comprehensive analysis of 2 night polysomnographic recordings for Subject 7, a 30-year-old F participant from the Sleep Cassette (healthy controls) study under nan condition.

Metric	Value	Clinical Interpretation
Sleep Efficiency	29.8%	Below Normal (<85%)
Sleep Latency	393.2 min	Prolonged (>30min)
REM Latency	520.2 min	Atypical
REM Sleep	21.3%	Normal (20-25%)
Wake After Sleep Onset	572.2 min	Elevated (>30min)

## **Sleep Architecture Analysis**




**Neurophysiological Analysis - EEG Power Spectrum** 

#### **EEG Power Spectral Analysis**



## **Signal Quality & Physiological Assessment**



**Population Comparative Analysis** 

#### **Comparative Population Analysis** Sleep Efficiency (%) REM Sleep (%) ★ Subject Sleep Difficulty Sleep Difficulty Healthy Controls Healthy Controls WASO (min) Sleep Latency (min)

Ö

Healthy Controls

Sleep Difficulty

Healthy Controls

### **Clinical Interpretation & Recommendations**

#### **Overall Sleep Health Assessment**

Sleep Quality Level: FAIR

Fair sleep quality with some metrics outside normal ranges. The subject's sleep architecture shows:

• Sleep Efficiency: 29.8% (Below normal)

REM Sleep: 21.3% (Normal)Deep Sleep: 22.3% (Adequate)

• Sleep Continuity: Fragmented (WASO: 572.2 min)

#### **Key Findings**

- **Reduced Sleep Efficiency**: At 29.8%, sleep efficiency is below the normal threshold of 85%, indicating potential sleep quality issues.
- **Normal REM Sleep**: REM sleep comprises 21.3% of total sleep, which is within the normal range.
- Adequate Deep Sleep: Deep sleep stages comprise 22.3% of sleep, indicating good restorative sleep.

#### Recommendations

- Consider sleep hygiene counseling and evaluation of factors affecting sleep quality
- Investigation of factors causing sleep fragmentation may be beneficial

#### **Report Analysis and Generation:**

Report Analysed and created by the following students of IIIT Allahabad, Part of Big Data Analytics Course:

- Aditya Singh Mertia (IIT2022125) [iit2022125@iiita.ac.in]
  - Rishabh Kumar (IIT2022131) [iit2022131@iiita.ac.in]
  - Karan Singh (IIT2022132) [iit2022132@iiita.ac.in]
  - Tejas Sharma (IIT2022161) [iit2022161@iiita.ac.in]

Report Version: 1.0 | Generated: August 16, 2025 at 08:57 PM