PROJECT DOCUMENTATION

07

Project Handover Checklist

What the owner receives, how to prove it works in production, what is still open, and the sign-off that closes the engagement.

PREPARED FOR	SITE	VERSION	DATE
Rishav Prasad Owner and maintainer	rishavprasad.in Cloudflare Workers	1.0	31 October 2026

Contents

Project Handover Checklist · version 1.0 · 11 sections

01 How to use this checklist 3

02 What is being handed over 3

03 Accounts and access 4

04 Credential checklist 4

05 Delivery evidence 5

06 Owner acceptance test 6

07 Open items before sign-off 7

08 Maintenance calendar 8

09 When something breaks 9

10 Transferring to a new maintainer 9

11 Document set and sign-off 10

01

How to use this checklist

This is the last document in the set and the one to work through in order. It lists what exists, what the owner must be able to access, how to verify the site yourself, what remains open, and how to hand the project to someone else later.

Every statement here describes the state on **31 October 2026**. Where something could not be verified, this document says so instead of assuming it works. The other six documents explain the system; this one is the acceptance procedure and the record of what was and was not proven.

- **Tick the boxes** in sections 4, 5 and 11 as you confirm each item. A printed copy with dates is a valid record.
- **Do not write secret values here.** Record only where a value is stored and whether it was confirmed present.
- **If a step fails,** turn to section 9 for the first check, then to document 05 for the matching runbook.
- **Sign in section 11 only** when the acceptance test in section 6 has been run by the owner.

> **What "handover complete" means.** The owner can reach every account without the developer, the acceptance test passes on the production domain, the database backup exists outside the live system, and every open item is either closed or explicitly accepted as a known limitation.

02

What is being handed over

The deliverable is a working website plus the means to run it: a public domain, the code that builds it, a Worker and database in the owner's Cloudflare account, and documentation that explains each part. No paid service, shared account or developer-owned resource is required to keep it running.




Figure 7.1 — Everything in this map belongs to the owner's personal accounts. The developer retains no access after the engagement ends.

ASSET	WHAT IT CONTAINS	WHERE IT LIVES
Domain	`rishavprasad.in`, nameserved by Cloudflare; `www` redirects to the apex.	Registrar account, Cloudflare zone
Source code	Next.js pages, Worker API, components, tests, scripts.	GitHub `Rishav0523/rishav-portfolio`
Build and deploy	GitHub Actions workflow `deploy.yml`; `repository_dispatch` for content publishes.	GitHub Actions
Production	Worker `rishav-portfolio` serving `out/` plus `/api/*`.	Cloudflare Workers
Data	7 application tables and `d1_migrations`; about 94 kB at handover.	Cloudflare D1, APAC
Backups	Full SQL export (28.4 KB, private) and sanitized export (11.3 KB, in the repository).	Owner's machine, repository `backups/`
Documentation	Seven PDFs plus the five markdown references and `.env.example`.	Repository `documentation/`

03

Accounts and access

Four accounts together control the site. The owner must be able to sign in to each one, recover it, and change its password without help. Reading a dashboard is not required for daily use, but losing access to one account can take the site offline.

ACCOUNT	CONTROLS	ACCESS CHECK
GitHub `Rishav0523`	Repository, Actions, secrets `CLOUDFLARE_API_TOKEN` and `CLOUDFLARE_ACCOUNT_ID`.	Sign in, open the repository's Actions tab, confirm the last run succeeded.
Cloudflare (single account)	Zone, DNS, TLS, Worker, D1, Turnstile widget, Worker secrets.	Sign in, select `rishavprasad.in`, confirm the Worker and D1 database are listed.
Registrar	Domain registration, nameservers, renewal.	Sign in and confirm the domain shows the Cloudflare nameservers.
Email on the contact address	Receives replies sent from the portfolio contact form.	Send a test message through the site and confirm it arrives in the inbox.

> **Not verified during this engagement.** The registrar's identity, the domain's expiry date and the payment method on file were not read; the registrar dashboard was outside the tested scope. The owner must confirm that auto-renew is on and that the contact email on the registrar account is current. Two-factor authentication and recovery codes on GitHub and Cloudflare should also be confirmed by the owner.

04

Credential checklist

Six values matter. None of them appears in this documentation, the repository or the static site. Confirm presence by name only; never paste a value into a document, a chat message or a screenshot.

NAME	STORED IN	SET BY	CONFIRM WITHOUT REVEALING IT
`ADMIN_PASSWORD_HASH`	Cloudflare Worker secret	Owner	Sign in at `/admin/`; a wrong count fails sign-in.
`SESSION_SECRET`	Cloudflare Worker secret	Owner	Sign-in succeeds and the session survives a page reload.
`TURNSTILE_SECRET`	Cloudflare Worker secret	Owner	A contact message is accepted with the widget's token.
`GITHUB_TOKEN`	Cloudflare Worker secret	Owner	Admin **Publish** starts a green Actions run.
`CLOUDFLARE_API_TOKEN`	GitHub Actions secret	Owner	A push to `main` deploys without an authentication error.
`CLOUDFLARE_ACCOUNT_ID`	GitHub Actions secret	Owner	Same deploy reaches the correct account.

Local development values. For `wrangler dev`, the same names live in `.dev.vars`, which is git-ignored. If the file is lost, regenerate values locally; production secrets are not recoverable and do not need to be.

CHECK	RECORD
Password manager holds all six names and the owner's Cloudflare and GitHub logins.	☐ Confirmed Date: _____
GitHub token scope is limited to this repository, Contents read and write, with a known expiry (90 days when issued).	☐ Confirmed Date: _____
The unused Turnstile-shaped secret has been identified; deletion is tracked in section 7.	☐ Confirmed Date: _____
No secret value is stored in the repository, documentation, screenshots or chat history.	☐ Confirmed Date: _____

05

Delivery evidence

The following was measured on 31 October 2026 against the production deployment. It is a snapshot: rerunning the suites later can legitimately produce different counts if tests change.

EVIDENCE	RESULT	WHERE TO REPRODUCE
Type checking	Both configurations pass: app and Worker/test.	Document 05, "Running the test suites"
Automated checks	**174** executed, **0** failed — 40 unit, 8 Node, 31 end-to-end, 84 responsive, 11 AirShare.	Document 04
Production deployment	11 deployments recorded through 08:33 UTC. The audit targeted `5552d11a…` (00:11:13 UTC); the handover deploy `a9f14486` changed no application code.	Document 03, "Worker deployment inventory"
API health	`/api/health` returns `{"ok":true,"service":"portfolio-api","database":"ok"}`.	Open the URL in a browser

EVIDENCE	RESULT	WHERE TO REPRODUCE
Database	7 application tables plus `d1_migrations`, about 94.2 kB, primary region APAC.	Document 03, “D1 database”
Backup, private	`backups/rishav-portfolio-2026-10-31.sql` — 28,434 bytes, git-ignored.	Owner’s machine
Backup, repository	`backups/schema-and-content-2026-10-31.sql` — 11,348 bytes, SHA-256 `fc594cd9…`.	Repository `backups/`
Restore drill	One `site_content` row (8,767 bytes) replayed into a scratch table without error.	Document 05, “Restore procedure”
Documentation	Seven PDFs and five markdown references; every PDF opened and page-counted after build.	`documentation/`

What the evidence does not cover. Admin sign-in was not exercised with the owner’s password; the stored hash may still encode 210,000 iterations. A physical two-phone AirShare transfer after the IPv6 fixes has not been reported. Firefox, Safari, iOS and Android were not in the automated sweep. A full database restore into a clean database was not drilled — only a single-row replay of the sanitized export.

06

Owner acceptance test

Run these steps yourself, in order, on the production domain. Each step states what to click and what you should see. Record the date beside the section when all twelve pass.

Record each outcome below as you go. Use the notes column for the Wi-Fi network in step 11, or for the exact error text if a step fails.

STEP	CHECK	PASS	NOTES
1	Home page loads over HTTPS	☐	
2	Eight public pages open	☐	
3	Resume PDF views and downloads	☐	
4	Theme switches and persists	☐	
5	Mobile menu works at narrow width	☐	
6	Custom 404 page	☐	
7	Health endpoint reports the database	☐	
8	Contact message sent and stored	☐	
9	Admin sign-in shows nine tabs	☐	
10	Edit, save and publish rebuilds the site	☐	
11	Two-phone AirShare transfer	☐	
12	Sitemap and robots rules	☐	

1. **Home page.** Open `https://rishavprasad.in/` in a new private window. You should see the portrait, the headline and eight navigation links. The address bar shows a padlock and no mixed-content warning.
2. **Every public page.** Click About, Education, Projects, Skills, Experience, Achievements, Resume and AirShare. Each opens at `/about/`, `/education/`, `/projects/`, `/skills/`, `/experience/`, `/achievements/`, `/resume/` and `/airshare/`; the current page is marked in the menu.
3. **Resume.** On `/resume/`, click **View PDF**, then **Download PDF**. The file opens in the browser's PDF viewer and downloads from the site itself.
4. **Theme.** Click the sun/moon button in the header. Colours switch; reload the page and the chosen theme persists.
5. **Narrow screen.** Narrow the window to roughly phone width, or use the browser's device toolbar. The menu collapses to a button; open it and confirm all eight links. No page scrolls sideways.
6. **Custom 404.** Open `https://rishavprasad.in/this-page-does-not-exist/`. You should see "Error 404" and a **Back to home** link.
7. **Health check.** Open `https://rishavprasad.in/api/health`. The response is `{"ok":true,"service":"portfolio-api","database":"ok"}`.
8. **Contact form.** Open `/contact/`, fill name, email and message, complete the Turnstile check, and click **Send message**. The page shows "Message sent. Thank you — I will reply to your email address." and the message appears under Admin → Messages.
9. **Admin sign-in.** Open `/admin/`, enter the owner password and click **Sign in**. Nine tabs appear: Profile, Education, Skills, Experience, Projects, Achievements, Resume, Messages, Media. REQUIRES EXTERNAL CONFIGURATION If the page says the dashboard is not configured, or "Something went wrong", see section 7 before continuing.
10. **Edit and publish.** In Admin → Profile, change one word, click **Save changes** ("Saved to D1. Publish to rebuild the public site."), then click **Publish**. A new GitHub Actions run starts and finishes green; reload the public page and confirm the change. Change it back afterwards.
11. **AirShare on two phones.** Connect two phones to the same Wi-Fi and open `https://rishavprasad.in/airshare/app/`. On phone A click **Create a room** and note the 8-digit PIN. On phone B click **Join with a PIN**, type the PIN and click **Join room**. Send a small photo. Both devices must show the transfer completing. PARTIALLY WORKING This is the one step that automated tests cannot prove.
12. **Crawler files.** Open `/sitemap.xml` and confirm the eleven public URLs; open `/robots.txt` and confirm it disallows `/admin` and `/api/`.

> **Pass condition.** Steps 1–10 and 12 must pass. Step 11 passes when the transfer completes on two real phones; if it does not, record the Wi-Fi network type and treat section 7, item A4, as open. Admin step 9 may require the hash action first.

07

Open items before sign-off

These items were found during the audit and deliberately left to the owner. None blocks the public site; the first four affect admin access, transport security, secret hygiene and the AirShare claim.

ID	ITEM	PRIORITY	OWNER ACTION AND CHECK
A1	Admin hash iteration count	High	If sign-in fails, regenerate with `node scripts/hash-password.mjs "<password>"`, confirm the prefix `pbkdf2_sha256$100000$`, then set `ADMIN_PASSWORD_HASH`. Never pipe the script into Wrangler. Check: step 9 passes.
A2	Always Use HTTPS	High	Cloudflare → SSL/TLS → Edge Certificates → enable **Always Use HTTPS**. Check: an `http://` request returns a 301 to `https://`.
A3	Unused Turnstile-shaped secret	High	Confirm no code reads it, then delete it in Worker → Settings → Variables and Secrets. Check: only the four documented secret names remain.
A4	Two-phone AirShare transfer	High	Retry step 11 on the same two phones. Record the result. Guest or isolated Wi-Fi blocks device-to-device traffic by design.
A5	DNSSEC	Medium	Optional: enable in DNS → Settings and note the DS record if the registrar changes.
A6	SPF / DMARC consistency	Medium	Either add a sending provider with SPF or relax the DMARC record; the domain sends no mail today.
A7	Web Analytics collection	Low	Check the dashboard for visits, or add the beacon snippet if automatic injection is off.
A8	R2 media uploads	Low	Optional: enable R2, uncomment the binding, redeploy, re-enable the upload control. The resume page does not depend on R2.
A9	Other browsers and devices	Medium	Open the site on iPhone Safari and Android Firefox; repeat step 11 there if AirShare matters.

08

Maintenance calendar

The site runs on free tiers and does not need a server administrator. It does need a short, regular check so that an expired token or a failed deploy is noticed before it matters.

WHEN	TASK	WHAT SUCCESS LOOKS LIKE
After every publish	Open GitHub → Actions and read the newest run.	Green run; the public page shows the new content.
Weekly	Open `/api/health` and the admin Messages tab.	`"database":"ok"`; no unexpected messages.
Monthly	Make a fresh database export; run the test suites.	New dated SQL file stored privately; 0 failures.
Every 90 days	Replace `GITHUB_TOKEN` before it expires.	Admin **Publish** starts a new Actions run.
Before 28 January 2027	Confirm the Cloudflare-managed certificate renewed.	New validity dates in SSL/TLS → Edge Certificates.
Yearly	Confirm domain renewal and registrar contact email.	Domain expiry extended; renewal receipt received.
After any incident	Take a backup and note the cause in the changelog.	Backup file stored; `CHANGELOG.md` updated.

09

When something breaks

Start with the symptom, not the code. Most failures on this stack are a missing secret, an expired token or a database binding that has drifted — all visible in a dashboard.

SYMPTOM	FIRST CHECK	THEN
The whole site is unavailable	Cloudflare status, then Worker → Deployments.	Roll back to the previous deployment; document 05, “Rollback and recovery”.
Pages load but forms and API fail	`/api/health`; D1 binding in `wrangler.jsonc`.	Reapply migrations; check Worker logs for the D1 error.
Contact message is rejected	`TURNSTILE_SECRET` present; widget site key matches.	Try a second browser; check the rate limit of 5 messages per hour per IP.
Admin says “not configured yet”	`ADMIN_PASSWORD_HASH` exists and is not empty.	Re-run `ADMIN_PASSWORD_HASH` at 100,000 iterations and sign in again.
Admin says “Something went wrong”	Hash iteration count; see A1.	Regenerate the hash; confirm the printed prefix before setting it.
Publish does nothing	`GITHUB_TOKEN` expiry and scope; Actions tab.	Issue a new fine-grained token, update the Worker secret, retry.
Deploy fails in Actions	Workflow log; `wrangler whoami` output.	Re-issue `CLOUDFLARE_API_TOKEN`; confirm the account ID secret.
AirShare will not connect	Both devices on the same non-guest Wi-Fi; same PIN.	Try another network; LAN isolation blocks the design; document 04, “AirShare verification”.

10

Transferring to a new maintainer

If someone else takes over, every asset can be moved because none is tied to the developer’s account. Do the steps in this order so access never depends on a single person at once.

What moves, and how

ASSET	TRANSFER METHOD
Repository	Add a maintainer, or transfer ownership from GitHub settings.
Worker and D1	Stay in the Cloudflare account; invite the new maintainer as a member.
Domain	Stays at the registrar until a deliberate transfer with an authorisation code.
Secrets	Re-issued to the new holder; never copied in a message or document.
Backups and documentation	Copied out of band and kept in the repository.
Reply address	Updated in `lib/site.ts` and deployed before access changes hands.

1. **Invite the new maintainer** to the GitHub repository with write access, and to the Cloudflare account with the minimum role needed. Keep the owner on both until the last step.
2. **Hand over this documentation set** and confirm the new maintainer can open all seven PDFs and the repository's markdown references.
3. **Transfer the repository** (Settings → General → Transfer ownership) if ownership should move. Actions secrets travel with it; verify them afterwards.
4. **Re-issue secrets** the new maintainer will hold: `ADMIN_PASSWORD_HASH` (new password), `SESSION_SECRET`, `GITHUB_TOKEN`, `CLOUDFLARE_API_TOKEN`. Changing a secret invalidates nothing publicly except the current admin sessions and pending publishes.
5. **Update the email reply address** in the contact flow if it belongs to the outgoing owner, and confirm the new address in `lib/site.ts` before deploying.
6. **Hand over the private backup** out of band, and confirm the new maintainer can read the sanitized export in the repository.
7. **Run the acceptance test** (section 6) together on the production domain.
8. **Remove the outgoing person's access** from GitHub, Cloudflare and the registrar only after the acceptance test passes, then rotate the two API tokens once more.

> **Domain transfer is separate.** Moving the registrar requires an authorisation code and, for some extensions, a lock period. Plan it independently of the code handover, and do not change nameservers during the move.

11

Document set and sign-off

Seven PDFs cover the system from different angles; five markdown files give the fast reference. Read document 01 to use the site, 05 to operate it, and this one to accept it.

DOCUMENT	PURPOSE
01 · User Manual	Every public page, the contact form and AirShare, in plain language.
02 · Technical Specification	Architecture, data model, API contract, security model, design system.
03 · Cloudflare Configuration and Change Report	Account, DNS, TLS, Worker, D1, secrets, analytics, changes and residual risks.
04 · Testing and Audit Report	174 checks, status matrix, security and accessibility findings, gaps.
05 · Deployment and Recovery Guide	Build, deploy, backup, restore, rollback and monitoring runbooks.
06 · File Reference and Code Modification Guide	Repository map, request flow, modification recipes and constraints.
07 · Project Handover Checklist	This document: accounts, evidence, acceptance test, open items, sign-off.
README · API · CHANGELOG · ARCHITECTURE · PROJECT_STRUCTURE	Markdown references for day-to-day work and history.

Sign-off checklist

ITEM	CONFIRMED	DATE
All seven PDFs and the markdown references are present and open.	☐	_____
The owner can sign in to GitHub, Cloudflare and the registrar without help.	☐	_____
All six credentials are present by name and stored in a password manager.	☐	_____
Admin sign-in succeeds, or item A1 is recorded as open with a date.	☐	_____
Acceptance steps 1–10 and 12 pass; step 11 is passed or recorded as A4.	☐	_____
The full backup is stored privately and the sanitized backup is committed.	☐	_____
Open items A1–A9 are each closed or accepted as a known limitation.	☐	_____
The repository is pushed, the latest Actions run is green, and production matches it.	☐	_____

Acceptance

ROLE	NAME	SIGNATURE	DATE
Owner	Rishav Prasad		
Prepared by	Documentation and audit engagement		31 Oct 2026

This checklist is the record. If a later change breaks something, compare the current behaviour with section 6 and the last green evidence in section 5. The difference points at the change to undo.

Quick reference

ITEM	VALUE
Production site	`https://rishavprasad.in/`
Health check	`https://rishavprasad.in/api/health`
Repository	`github.com/Rishav0523/rishav-portfolio`
Worker and database	`rishav-portfolio` (both), D1 in APAC
Verification	`npm run typecheck` then `npm test`
Documentation	`documentation/` — seven PDFs, five markdown files